



BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.15	0	283.16	0	632.95	0	962.31	0	1,291.77	0	1,621.23	0	1,950.68	0	2,280.13	0	2,609.59	0	2,939.04	0	3,268.49	0	3,597.94	0	3,927.40	0	4,255.27	0	4,582.37
1/4	14.00	1/4	289.54	1/4	639.81	1/4	969.18	1/4	1,298.64	1/4	1,628.09	1/4	1,957.54	1/4	2,287.00	1/4	2,616.45	1/4	2,945.90	1/4	3,275.35	1/4	3,604.81	1/4	3,934.26	1/4	4,262.09	1/4	4,589.09
1/2	17.20	1/2	295.95	1/2	646.68	1/2	976.04	1/2	1,305.50	1/2	1,634.95	1/2	1,964.41	1/2	2,293.86	1/2	2,623.31	1/2	2,952.77	1/2	3,282.22	1/2	3,611.67	1/2	3,941.12	1/2	4,268.92	1/2	4,595.82
3/4	20.74	3/4	302.37	3/4	653.54	3/4	982.91	3/4	1,312.36	3/4	1,641.82	3/4	1,971.27	3/4	2,300.72	3/4	2,630.18	3/4	2,959.63	3/4	3,289.08	3/4	3,618.53	3/4	3,947.99	3/4	4,275.74	3/4	4,602.54
1	24.63	1	308.82	1	660.41	1	989.78	1	1,319.23	1	1,648.68	1	1,978.13	1	2,307.59	1	2,637.04	1	2,966.49	1	3,295.95	1	3,625.40	1	3,954.85	1	4,282.57	1	4,609.25
1/4	28.88	1/4	315.28	1/4	667.27	1/4	996.64	1/4	1,326.09	1/4	1,655.54	1/4	1,985.00	1/4	2,314.45	1/4	2,643.90	1/4	2,973.36	1/4	3,302.81	1/4	3,632.26	1/4	3,961.71	1/4	4,289.39	1/4	4,615.95
1/2	33.48	1/2	321.76	1/2	674.13	1/2	1,003.50	1/2	1,332.96	1/2	1,662.41	1/2	1,991.86	1/2	2,321.31	1/2	2,650.77	1/2	2,980.22	1/2	3,309.67	1/2	3,639.13	1/2	3,968.58	1/2	4,296.21	1/2	4,622.65
3/4	38.44	3/4	328.26	3/4	680.99	3/4	1,010.37	3/4	1,339.82	3/4	1,669.27	3/4	1,998.72	3/4	2,328.18	3/4	2,657.63	3/4	2,987.08	3/4	3,316.54	3/4	3,645.99	3/4	3,975.44	3/4	4,303.04	3/4	4,629.34
2	43.76	2	334.78	2	687.85	2	1,017.23	2	1,346.68	2	1,676.14	2	2,005.59	2	2,335.04	2	2,664.49	2	2,993.95	2	3,323.40	2	3,652.85	2	3,982.31	2	4,309.86	2	4,636.03
1/4	49.29	1/4	341.31	1/4	694.72	1/4	1,024.09	1/4	1,353.55	1/4	1,683.00	1/4	2,012.45	1/4	2,341.90	1/4	2,671.36	1/4	3,000.81	1/4	3,330.26	1/4	3,659.72	1/4	3,989.13	1/4	4,316.69	1/4	4,642.70
1/2	54.86	1/2	347.87	1/2	701.58	1/2	1,030.96	1/2	1,360.41	1/2	1,689.86	1/2	2,019.32	1/2	2,348.77	1/2	2,678.22	1/2	3,007.67	1/2	3,337.13	1/2	3,666.58	1/2	3,995.95	1/2	4,323.51	1/2	4,649.38
3/4	60.46	3/4	354.44	3/4	708.44	3/4	1,037.82	3/4	1,367.27	3/4	1,696.73	3/4	2,026.18	3/4	2,355.63	3/4	2,685.08	3/4	3,014.54	3/4	3,343.99	3/4	3,673.44	3/4	4,002.78	3/4	4,330.33	3/4	4,656.04
3	66.09	3	361.04	3	715.30	3	1,044.68	3	1,374.14	3	1,703.59	3	2,033.04	3	2,362.50	3	2,691.95	3	3,021.40	3	3,350.85	3	3,680.31	3	4,009.60	3	4,337.16	3	4,662.70
1/4	71.75	1/4	367.65	1/4	722.16	1/4	1,051.55	1/4	1,381.00	1/4	1,710.45	1/4	2,039.91	1/4	2,369.36	1/4	2,698.81	1/4	3,028.26	1/4	3,357.72	1/4	3,687.17	1/4	4,016.43	1/4	4,343.98	1/4	4,669.36
1/2	77.43	1/2	374.28	1/2	729.02	1/2	1,058.41	1/2	1,387.86	1/2	1,717.32	1/2	2,046.77	1/2	2,376.22	1/2	2,705.68	1/2	3,035.13	1/2	3,364.58	1/2	3,694.03	1/2	4,023.25	1/2	4,350.81	1/2	4,676.00
3/4	83.14	3/4	380.93	3/4	735.88	3/4	1,065.28	3/4	1,394.73	3/4	1,724.18	3/4	2,053.63	3/4	2,383.09	3/4	2,712.54	3/4	3,041.99	3/4	3,371.44	3/4	3,700.90	3/4	4,030.07	3/4	4,357.64	3/4	4,682.64
4	88.87	4	387.60	4	742.74	4	1,072.14	4	1,401.59	4	1,731.04	4	2,060.50	4	2,389.95	4	2,719.40	4	3,048.86	4	3,378.31	4	3,707.76	4	4,036.90	4	4,364.46	4	4,689.28
1/4	94.63	1/4	394.28	1/4	749.60	1/4	1,079.00	1/4	1,408.45	1/4	1,737.91	1/4	2,067.36	1/4	2,396.81	1/4	2,726.27	1/4	3,055.72	1/4	3,385.17	1/4	3,714.62	1/4	4,043.72	1/4	4,371.29	1/4	4,695.77
1/2	100.40	1/2	400.99	1/2	756.47	1/2	1,085.87	1/2	1,415.32	1/2	1,744.77	1/2	2,074.22	1/2	2,403.68	1/2	2,733.13	1/2	3,062.58	1/2	3,392.04	1/2	3,721.49	1/2	4,050.55	1/2	4,378.12	1/2	4,701.98
3/4	106.20	3/4	407.71	3/4	763.33	3/4	1,092.73	3/4	1,422.18	3/4	1,751.63	3/4	2,081.09	3/4	2,410.54	3/4	2,739.99	3/4	3,069.45	3/4	3,398.90	3/4	3,728.35	3/4	4,057.37	3/4	4,384.94	3/4	4,707.91
5	112.03	5	414.46	5	770.19	5	1,099.59	5	1,429.05	5	1,758.50	5	2,087.95	5	2,417.40	5	2,746.86	5	3,076.31	5	3,405.76	5	3,735.22	5	4,064.19	5	4,391.77	5	4,713.56
1/4	117.87	1/4	448.43	1/4	777.05	1/4	1,106.46	1/4	1,435.91	1/4	1,765.36	1/4	2,094.81	1/4	2,424.27	1/4	2,753.72	1/4	3,083.17	1/4	3,412.63	1/4	3,742.08	1/4	4,071.02	1/4	4,398.60	1/4	4,718.94
1/2	123.74	1/2	455.24	1/2	783.91	1/2	1,113.32	1/2	1,442.77	1/2	1,772.23	1/2	2,101.68	1/2	2,431.13	1/2	2,760.58	1/2	3,090.04	1/2	3,419.49	1/2	3,748.94	1/2	4,077.84	1/2	4,405.42	1/2	4,724.03
3/4	129.63	3/4	462.05	3/4	790.77	3/4	1,120.18	3/4	1,449.64	3/4	1,779.09	3/4	2,108.54	3/4	2,437.99	3/4	2,767.45	3/4	3,096.90	3/4	3,426.35	3/4	3,755.81	3/4	4,084.67	3/4	4,412.25	3/4	4,728.84
6	135.53	6	468.86	6	797.63	6	1,127.05	6	1,456.50	6	1,785.95	6	2,115.41	6	2,444.86	6	2,774.31	6	3,103.76	6	3,433.22	6	3,762.67	6	4,091.49	6	4,419.08	6	4,733.38
1/4	141.46	1/4	475.67	1/4	804.49	1/4	1,133.91	1/4	1,463.36	1/4	1,792.82	1/4	2,122.27	1/4	2,451.72	1/4	2,781.18	1/4	3,110.63	1/4	3,440.08	1/4	3,769.53	1/4	4,098.31	1/4	4,425.90	1/4	4,737.63
1/2	147.41	1/2	482.47	1/2	811.35	1/2	1,140.77	1/2	1,470.23	1/2	1,799.68	1/2	2,129.13	1/2	2,458.59	1/2	2,788.04	1/2	3,117.49	1/2	3,446.94	1/2	3,776.40	1/2	4,105.14	1/2	4,432.73	1/2	4,741.60
3/4	153.38	3/4	489.28	3/4	818.22	3/4	1,147.64	3/4	1,477.09	3/4	1,806.54	3/4	2,136.00	3/4	2,465.45	3/4	2,794.90	3/4	3,124.36	3/4	3,453.81	3/4	3,783.26	3/4	4,111.96	3/4	4,439.55	3/4	4,745.30
7	159.37	7	496.09	7	825.08	7	1,154.50	7	1,483.95	7	1,813.41	7	2,142.86	7	2,472.31	7	2,801.77	7	3,131.22	7	3,460.67	7	3,790.12	7	4,118.79	7	4,446.38	7	4,748.71
1/4	165.38	1/4	502.90	1/4	831.94	1/4	1,161.37	1/4	1,490.82	1/4	1,820.27	1/4	2,149.72	1/4	2,479.18	1/4	2,808.63	1/4	3,138.08	1/4	3,467.54	1/4	3,796.99	1/4	4,125.61	1/4	4,453.21	1/4	4,751.85
1/2	171.41	1/2	509.71	1/2	838.80	1/2	1,168.23	1/2	1,497.68	1/2	1,827.13	1/2	2,156.59	1/2	2,486.04	1/2	2,815.49	1/2	3,144.95	1/2	3,474.40	1/2	3,803.85	1/2	4,132.44	1/2	4,460.03	1/2	4,754.70
3/4	177.46	3/4	516.52	3/4	845.66	3/4	1,175.09	3/4	1,504.55	3/4	1,834.00	3/4	2,163.45	3/4	2,492.90	3/4	2,822.36	3/4	3,151.81	3/4	3,481.26	3/4	3,810.72	3/4	4,139.26	3/4	4,466.86	3/4	4,757.28
8	183.53	8	523.33	8	852.52	8	1,181.96	8	1,511.41	8	1,840.86	8	2,170.31	8	2,499.77	8	2,829.22	8	3,158.67	8	3,488.13	8	3,817.58	8	4,146.08	8	4,473.69	8	4,759.57
1/4	189.61	1/4	530.14	1/4	859.38	1/4	1,188.82	1/4	1,518.27	1/4	1,847.73	1/4	2,177.18	1/4	2,506.63	1/4	2,836.08	1/4	3,165.54	1/4	3,494.99	1/4	3,824.44	1/4	4,152.91	1/4	4,480.51	1/4	4,761.59
1/2	195.72	1/2	536.95	1/2	866.24	1/2	1,195.68	1/2	1,525.14	1/2	1,854.59	1/2	2,184.04	1/2	2,513.49	1/2	2,842.95	1/2	3,172.40	1/2	3,501.85	1/2	3,831.31	1/2	4,159.73	1/2	4,487.34	1/2	4,763.32
3/4	201.84	3/4	543.76	3/4	873.10	3/4	1,202.55	3/4	1,532.00	3/4	1,861.45	3/4	2,190.91	3/4	2,520.36	3/4	2,849.81	3/4	3,179.26	3/4	3,508.72	3/4	3,838.17	3/4	4,166.56	3/4	4,494.17	3/4	4,764.78
9	207.98	9	550.57	9	879.96	9	1,209.41	9	1,538.86	9	1,868.32	9	2,19																



BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.15	0	283.21	0	633.66	0	962.86	0	1,292.39	0	1,621.90	0	1,951.42	0	2,280.93	0	2,610.45	0	2,939.96	0	3,269.48	0	3,598.99	0	3,928.51	0	4,258.03	0	4,587.54
1/4	14.00	1/4	289.60	1/4	640.53	1/4	969.73	1/4	1,299.25	1/4	1,628.77	1/4	1,958.28	1/4	2,287.80	1/4	2,617.31	1/4	2,946.83	1/4	3,276.34	1/4	3,605.86	1/4	3,935.38	1/4	4,264.90	1/4	4,594.41
1/2	17.20	1/2	296.00	1/2	647.40	1/2	976.60	1/2	1,306.12	1/2	1,635.63	1/2	1,965.15	1/2	2,294.66	1/2	2,624.18	1/2	2,953.69	1/2	3,283.21	1/2	3,612.72	1/2	3,942.24	1/2	4,273.96	1/2	4,605.61
3/4	20.74	3/4	302.43	3/4	654.26	3/4	983.47	3/4	1,312.98	3/4	1,642.50	3/4	1,972.01	3/4	2,301.53	3/4	2,631.04	3/4	2,960.56	3/4	3,290.07	3/4	3,619.59	3/4	3,949.10	3/4	4,278.34	3/4	4,614.21
1	24.64	1	308.87	1	661.13	1	990.33	1	1,319.85	1	1,649.36	1	1,978.88	1	2,308.39	1	2,637.91	1	2,967.42	1	3,296.94	1	3,626.45	1	3,955.97	1	4,285.61	1	4,619.91
1/4	28.88	1/4	315.33	1/4	667.99	1/4	997.20	1/4	1,326.71	1/4	1,656.23	1/4	1,985.74	1/4	2,315.26	1/4	2,644.77	1/4	2,974.29	1/4	3,303.80	1/4	3,633.32	1/4	3,962.83	1/4	4,294.43	1/4	4,629.61
1/2	33.49	1/2	321.82	1/2	674.85	1/2	1,004.06	1/2	1,333.58	1/2	1,663.09	1/2	1,992.61	1/2	2,322.12	1/2	2,651.64	1/2	2,981.15	1/2	3,310.67	1/2	3,640.18	1/2	3,969.70	1/2	4,297.25	1/2	4,623.30
3/4	38.45	3/4	328.32	3/4	681.70	3/4	1,010.93	3/4	1,340.44	3/4	1,669.96	3/4	1,999.47	3/4	2,328.99	3/4	2,658.50	3/4	2,988.02	3/4	3,317.53	3/4	3,647.05	3/4	3,976.56	3/4	4,304.07	3/4	4,629.98
2	43.77	2	334.84	2	688.56	2	1,017.79	2	1,347.31	2	1,676.82	2	2,006.34	2	2,335.85	2	2,665.37	2	2,994.88	2	3,324.40	2	3,653.91	2	3,983.43	2	4,310.89	2	4,636.65
1/4	49.30	1/4	341.37	1/4	695.42	1/4	1,024.66	1/4	1,354.17	1/4	1,683.69	1/4	2,013.20	1/4	2,342.72	1/4	2,672.23	1/4	3,001.75	1/4	3,331.26	1/4	3,660.78	1/4	3,990.25	1/4	4,317.72	1/4	4,643.32
1/2	54.87	1/2	347.93	1/2	702.28	1/2	1,031.52	1/2	1,361.04	1/2	1,690.55	1/2	2,020.07	1/2	2,349.58	1/2	2,679.10	1/2	3,008.61	1/2	3,338.13	1/2	3,667.64	1/2	3,997.07	1/2	4,324.54	1/2	4,649.98
3/4	60.47	3/4	354.51	3/4	709.13	3/4	1,038.39	3/4	1,367.90	3/4	1,697.42	3/4	2,026.93	3/4	2,356.45	3/4	2,685.96	3/4	3,015.48	3/4	3,344.99	3/4	3,674.51	3/4	4,003.90	3/4	4,331.36	3/4	4,656.64
3	66.10	3	361.10	3	715.99	3	1,045.25	3	1,374.77	3	1,704.28	3	2,033.80	3	2,363.31	3	2,692.83	3	3,022.34	3	3,351.86	3	3,681.37	3	4,010.72	3	4,338.18	3	4,663.29
1/4	71.76	1/4	367.71	1/4	722.85	1/4	1,052.12	1/4	1,381.63	1/4	1,711.15	1/4	2,040.66	1/4	2,370.18	1/4	2,699.69	1/4	3,029.21	1/4	3,358.72	1/4	3,688.24	1/4	4,017.54	1/4	4,345.00	1/4	4,669.93
1/2	77.45	1/2	374.34	1/2	729.71	1/2	1,058.98	1/2	1,388.50	1/2	1,718.01	1/2	2,047.53	1/2	2,377.04	1/2	2,706.56	1/2	3,036.07	1/2	3,365.59	1/2	3,695.10	1/2	4,024.36	1/2	4,351.82	1/2	4,676.57
3/4	83.16	3/4	381.00	3/4	736.56	3/4	1,065.85	3/4	1,395.36	3/4	1,724.88	3/4	2,054.39	3/4	2,383.91	3/4	2,713.42	3/4	3,042.94	3/4	3,372.45	3/4	3,701.97	3/4	4,031.18	3/4	4,358.64	3/4	4,683.20
4	88.89	4	387.67	4	743.42	4	1,072.71	4	1,402.23	4	1,731.74	4	2,061.26	4	2,390.77	4	2,720.29	4	3,049.80	4	3,379.32	4	3,708.83	4	4,038.01	4	4,365.46	4	4,689.82
1/4	94.64	1/4	394.35	1/4	750.28	1/4	1,079.58	1/4	1,409.09	1/4	1,738.61	1/4	2,068.12	1/4	2,397.64	1/4	2,727.15	1/4	3,056.67	1/4	3,386.18	1/4	3,715.70	1/4	4,044.83	1/4	4,372.27	1/4	4,696.45
1/2	100.42	1/2	401.06	1/2	757.14	1/2	1,086.44	1/2	1,415.96	1/2	1,745.47	1/2	2,074.99	1/2	2,404.50	1/2	2,734.02	1/2	3,063.53	1/2	3,393.05	1/2	3,722.56	1/2	4,051.65	1/2	4,379.09	1/2	4,702.94
3/4	106.22	3/4	407.79	3/4	763.99	3/4	1,093.31	3/4	1,422.82	3/4	1,752.34	3/4	2,081.85	3/4	2,411.37	3/4	2,740.88	3/4	3,070.40	3/4	3,399.91	3/4	3,729.43	3/4	4,058.47	3/4	4,385.91	3/4	4,709.15
5	112.05	5	414.53	5	770.85	5	1,100.17	5	1,429.69	5	1,759.20	5	2,088.72	5	2,418.23	5	2,747.75	5	3,077.26	5	3,406.78	5	3,736.29	5	4,065.30	5	4,392.73	5	4,715.09
1/4	117.89	1/4	448.55	1/4	777.71	1/4	1,107.04	1/4	1,436.55	1/4	1,766.07	1/4	2,095.58	1/4	2,425.10	1/4	2,754.61	1/4	3,084.13	1/4	3,413.64	1/4	3,743.16	1/4	4,072.12	1/4	4,399.55	1/4	4,720.74
1/2	123.76	1/2	455.39	1/2	784.57	1/2	1,113.90	1/2	1,443.42	1/2	1,772.93	1/2	2,102.45	1/2	2,431.96	1/2	2,761.48	1/2	3,090.99	1/2	3,420.51	1/2	3,750.02	1/2	4,078.94	1/2	4,406.37	1/2	4,726.11
3/4	129.65	3/4	462.24	3/4	791.42	3/4	1,120.77	3/4	1,450.28	3/4	1,779.80	3/4	2,109.31	3/4	2,438.83	3/4	2,768.34	3/4	3,097.86	3/4	3,427.37	3/4	3,756.89	3/4	4,085.76	3/4	4,413.18	3/4	4,731.21
6	135.56	6	469.09	6	798.28	6	1,127.63	6	1,457.15	6	1,786.66	6	2,116.18	6	2,445.69	6	2,775.21	6	3,104.72	6	3,434.24	6	3,763.75	6	4,092.58	6	4,420.00	6	4,736.02
1/4	141.49	1/4	475.94	1/4	805.14	1/4	1,134.50	1/4	1,464.01	1/4	1,793.53	1/4	2,123.04	1/4	2,452.56	1/4	2,782.07	1/4	3,111.59	1/4	3,441.10	1/4	3,770.62	1/4	4,099.41	1/4	4,426.82	1/4	4,740.56
1/2	147.44	1/2	482.78	1/2	812.00	1/2	1,141.36	1/2	1,470.88	1/2	1,800.39	1/2	2,129.91	1/2	2,459.42	1/2	2,788.94	1/2	3,118.45	1/2	3,447.97	1/2	3,777.48	1/2	4,106.23	1/2	4,433.64	1/2	4,744.81
3/4	153.41	3/4	489.63	3/4	818.85	3/4	1,148.23	3/4	1,477.74	3/4	1,807.26	3/4	2,136.77	3/4	2,466.29	3/4	2,795.80	3/4	3,125.32	3/4	3,454.83	3/4	3,784.35	3/4	4,113.05	3/4	4,440.46	3/4	4,748.79
7	159.40	7	496.48	7	825.71	7	1,155.09	7	1,484.61	7	1,814.12	7	2,143.64	7	2,473.15	7	2,802.67	7	3,132.18	7	3,461.70	7	3,791.21	7	4,119.87	7	4,447.27	7	4,752.48
1/4	165.41	1/4	503.33	1/4	832.57	1/4	1,161.96	1/4	1,491.47	1/4	1,820.99	1/4	2,150.50	1/4	2,480.02	1/4	2,809.53	1/4	3,139.05	1/4	3,468.56	1/4	3,798.08	1/4	4,126.70	1/4	4,454.09	1/4	4,755.90
1/2	171.44	1/2	510.18	1/2	839.43	1/2	1,168.82	1/2	1,498.34	1/2	1,827.85	1/2	2,157.37	1/2	2,486.88	1/2	2,816.40	1/2	3,145.91	1/2	3,475.43	1/2	3,804.94	1/2	4,133.52	1/2	4,460.91	1/2	4,759.04
3/4	177.49	3/4	517.02	3/4	846.28	3/4	1,175.69	3/4	1,505.20	3/4	1,834.72	3/4	2,164.23	3/4	2,493.75	3/4	2,823.26	3/4	3,152.78	3/4	3,482.29	3/4	3,811.81	3/4	4,140.34	3/4	4,467.73	3/4	4,761.89
8	183.56	8	523.87	8	853.14	8	1,182.55	8	1,512.07	8	1,841.58	8	2,171.10	8	2,500.61	8	2,830.13	8	3,159.64	8	3,489.16	8	3,818.67	8	4,147.16	8	4,474.55	8	4,764.47
1/4	189.65	1/4	530.72	1/4	860.00	1/4	1,189.42	1/4	1,518.93	1/4	1,848.45	1/4	2,177.96	1/4	2,507.48	1/4	2,836.99	1/4	3,166.51	1/4	3,496.02	1/4	3,825.54	1/4	4,153.98	1/4	4,481.37	1/4	4,766.77
1/2	195.75	1/2	537.57	1/2	866.86	1/2	1,196.28	1/2	1,525.80	1/2	1,855.31	1/2	2,184.83	1/2	2,514.34	1/2	2,843.86	1/2	3,173.37	1/2	3,502.89	1/2	3,832.40	1/2	4,160.81	1/2	4,488.18	1/2	4,768.78
3/4	201.88	3/4	544.42	3/4	873.71	3/4	1,203.14	3/4	1,532.66	3/4	1,862.18	3/4	2,191.69	3/4	2,521.21	3/4	2,850.72	3/4	3,180.24	3/4	3,509.75	3/4	3,839.27	3/4	4,167.63	3/4	4,495.00	3/4	4,770.52
9	208.02	9	551.26	9	880.57	9	1,210.01	9	1,539.52	9	1,869.04	9	2,198.56	9	2,528.07	9	2,857.59	9	3,187.10	9	3,516.62	9	3,846.13	9	4,174.45	9	4,501.82	9	4,771.98
1/4	214.18	1/4	558.13	1/4	887.43	1/4	1,216.87	1/4	1,546.39	1/4	1,875.91	1/4	2,205.42	1/4	2,534.94	1/4	2,864.45	1/4	3,193.97	1/4	3,523.48	1/4	3,853.00	1/4	4,181.27	1/4	4,508.64	1/4	4,773.16
1/2	220.36	1/2	565.00	1/2	894.29	1/2	1,223.74	1/2	1,553.25	1/2	1,882.77	1/2	2,212.29	1/2	2,541.80	1/2	2,871.32	1/2	3,200.										



BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.82	0	349.46	0	700.56	0	1,051.48	0	1,402.59	0	1,753.70	0	2,104.82	0	2,455.93	0	2,807.05	0	3,158.10	0	3,509.11	0	3,860.13	0	4,211.14	0	4,560.83	0	4,910.03
1/4	18.62	1/4	356.77	1/4	707.87	1/4	1,058.79	1/4	1,409.90	1/4	1,761.02	1/4	2,112.13	1/4	2,463.25	1/4	2,814.36	1/4	3,165.41	1/4	3,516.42	1/4	3,867.44	1/4	4,218.45	1/4	4,568.11	1/4	4,917.27
1/2	22.86	1/2	364.09	1/2	715.19	1/2	1,066.11	1/2	1,417.22	1/2	1,768.33	1/2	2,119.45	1/2	2,470.56	1/2	2,821.68	1/2	3,172.72	1/2	3,523.74	1/2	3,874.75	1/2	4,225.77	1/2	4,575.38	1/2	4,924.50
3/4	27.56	3/4	371.40	3/4	722.50	3/4	1,073.42	3/4	1,424.53	3/4	1,775.65	3/4	2,126.76	3/4	2,477.88	3/4	2,828.99	3/4	3,180.04	3/4	3,531.05	3/4	3,882.06	3/4	4,233.08	3/4	4,582.66	3/4	4,931.73
1	32.70	1	378.72	1	729.82	1	1,080.74	1	1,431.85	1	1,782.96	1	2,134.08	1	2,485.19	1	2,836.31	1	3,187.35	1	3,538.36	1	3,889.38	1	4,240.39	1	4,591.00	1	4,941.61
1/4	38.28	1/4	386.03	1/4	737.13	1/4	1,088.05	1/4	1,439.16	1/4	1,790.28	1/4	2,141.39	1/4	2,492.51	1/4	2,843.62	1/4	3,194.66	1/4	3,545.68	1/4	3,896.69	1/4	4,247.70	1/4	4,598.31	1/4	4,948.92
1/2	44.32	1/2	393.35	1/2	744.45	1/2	1,095.36	1/2	1,446.48	1/2	1,797.59	1/2	2,148.71	1/2	2,499.82	1/2	2,850.94	1/2	3,201.97	1/2	3,552.99	1/2	3,904.00	1/2	4,255.02	1/2	4,604.49	1/2	4,953.32
3/4	50.80	3/4	400.66	3/4	751.76	3/4	1,102.68	3/4	1,453.79	3/4	1,804.91	3/4	2,156.02	3/4	2,507.14	3/4	2,858.25	3/4	3,209.29	3/4	3,560.30	3/4	3,911.32	3/4	4,262.33	3/4	4,611.76	3/4	4,960.46
2	57.73	2	407.98	2	759.07	2	1,109.99	2	1,461.11	2	1,812.22	2	2,163.34	2	2,514.45	2	2,865.57	2	3,216.60	2	3,567.61	2	3,918.63	2	4,269.64	2	4,619.04	2	4,967.60
1/4	64.90	1/4	415.29	1/4	766.38	1/4	1,117.31	1/4	1,468.42	1/4	1,819.54	1/4	2,170.65	1/4	2,521.77	1/4	2,872.88	1/4	3,223.91	1/4	3,574.93	1/4	3,925.94	1/4	4,276.96	1/4	4,626.31	1/4	4,974.73
1/2	72.11	1/2	422.61	1/2	773.69	1/2	1,124.62	1/2	1,475.74	1/2	1,826.85	1/2	2,177.97	1/2	2,529.08	1/2	2,880.20	1/2	3,231.22	1/2	3,582.24	1/2	3,933.25	1/2	4,284.27	1/2	4,633.59	1/2	4,981.86
3/4	79.33	3/4	429.92	3/4	781.00	3/4	1,131.94	3/4	1,483.05	3/4	1,834.17	3/4	2,185.28	3/4	2,536.40	3/4	2,887.51	3/4	3,238.54	3/4	3,589.55	3/4	3,940.57	3/4	4,291.58	3/4	4,640.87	3/4	4,988.98
3	86.57	3	437.24	3	788.31	3	1,139.25	3	1,490.37	3	1,841.48	3	2,192.60	3	2,543.71	3	2,894.83	3	3,245.85	3	3,596.86	3	3,947.88	3	4,298.89	3	4,648.14	3	4,996.09
1/4	93.81	1/4	444.55	1/4	795.62	1/4	1,146.57	1/4	1,497.68	1/4	1,848.80	1/4	2,199.91	1/4	2,551.03	1/4	2,902.14	1/4	3,253.16	1/4	3,604.18	1/4	3,955.19	1/4	4,306.17	1/4	4,655.42	1/4	5,003.20
1/2	101.07	1/2	451.86	1/2	802.93	1/2	1,153.88	1/2	1,505.00	1/2	1,856.11	1/2	2,207.23	1/2	2,558.34	1/2	2,909.46	1/2	3,260.48	1/2	3,611.49	1/2	3,962.50	1/2	4,313.45	1/2	4,662.69	1/2	5,010.29
3/4	108.33	3/4	459.18	3/4	810.24	3/4	1,161.20	3/4	1,512.31	3/4	1,863.43	3/4	2,214.54	3/4	2,565.66	3/4	2,916.77	3/4	3,267.79	3/4	3,618.80	3/4	3,969.82	3/4	4,320.72	3/4	4,669.97	3/4	5,017.39
4	115.60	4	466.49	4	817.56	4	1,168.51	4	1,519.63	4	1,870.74	4	2,221.86	4	2,572.97	4	2,924.09	4	3,275.10	4	3,626.12	4	3,977.13	4	4,328.00	4	4,677.25	4	5,024.47
1/4	122.88	1/4	473.81	1/4	824.87	1/4	1,175.83	1/4	1,526.94	1/4	1,878.06	1/4	2,229.17	1/4	2,580.29	1/4	2,931.40	1/4	3,282.41	1/4	3,633.43	1/4	3,984.44	1/4	4,335.27	1/4	4,687.52	1/4	5,031.55
1/2	130.16	1/2	481.12	1/2	832.18	1/2	1,183.14	1/2	1,534.26	1/2	1,885.37	1/2	2,236.49	1/2	2,587.60	1/2	2,938.71	1/2	3,289.73	1/2	3,640.74	1/2	3,991.76	1/2	4,342.55	1/2	4,691.80	1/2	5,038.62
3/4	137.45	3/4	488.44	3/4	839.49	3/4	1,190.46	3/4	1,541.57	3/4	1,892.69	3/4	2,243.80	3/4	2,594.92	3/4	2,946.03	3/4	3,297.04	3/4	3,648.05	3/4	3,999.07	3/4	4,349.83	3/4	4,699.07	3/4	5,045.68
5	144.74	5	495.75	5	846.80	5	1,197.77	5	1,548.89	5	1,900.00	5	2,251.12	5	2,602.23	5	2,953.34	5	3,304.35	5	3,655.37	5	4,006.38	5	4,357.10	5	4,706.35	5	5,052.74
1/4	152.03	1/4	503.07	1/4	854.11	1/4	1,205.09	1/4	1,556.20	1/4	1,907.32	1/4	2,258.43	1/4	2,609.55	1/4	2,960.65	1/4	3,311.67	1/4	3,662.68	1/4	4,013.69	1/4	4,364.38	1/4	4,713.63	1/4	5,059.80
1/2	159.33	1/2	510.38	1/2	861.42	1/2	1,212.40	1/2	1,563.52	1/2	1,914.63	1/2	2,265.75	1/2	2,616.86	1/2	2,967.96	1/2	3,318.98	1/2	3,669.99	1/2	4,021.01	1/2	4,371.65	1/2	4,720.90	1/2	5,066.71
3/4	166.63	3/4	517.70	3/4	868.73	3/4	1,219.72	3/4	1,570.83	3/4	1,921.95	3/4	2,273.06	3/4	2,624.18	3/4	2,975.28	3/4	3,326.29	3/4	3,677.31	3/4	4,028.32	3/4	4,378.93	3/4	4,728.18	3/4	5,073.33
6	173.93	6	525.01	6	876.04	6	1,227.03	6	1,578.15	6	1,929.26	6	2,280.38	6	2,631.49	6	2,982.59	6	3,333.60	6	3,684.62	6	4,035.63	6	4,386.21	6	4,735.45	6	5,079.64
1/4	181.24	1/4	532.33	1/4	883.35	1/4	1,234.35	1/4	1,585.46	1/4	1,936.58	1/4	2,287.69	1/4	2,638.81	1/4	2,989.90	1/4	3,340.92	1/4	3,691.93	1/4	4,042.95	1/4	4,393.48	1/4	4,742.73	1/4	5,085.66
1/2	188.55	1/2	539.64	1/2	890.66	1/2	1,241.66	1/2	1,592.78	1/2	1,943.89	1/2	2,295.01	1/2	2,646.12	1/2	2,997.22	1/2	3,348.23	1/2	3,699.24	1/2	4,050.26	1/2	4,400.76	1/2	4,750.01	1/2	5,091.38
3/4	195.86	3/4	546.95	3/4	897.97	3/4	1,248.97	3/4	1,600.09	3/4	1,951.21	3/4	2,302.32	3/4	2,653.44	3/4	3,004.53	3/4	3,355.54	3/4	3,706.56	3/4	4,057.57	3/4	4,408.03	3/4	4,757.28	3/4	5,096.80
7	203.17	7	554.27	7	905.28	7	1,256.29	7	1,607.41	7	1,958.52	7	2,309.64	7	2,660.75	7	3,011.84	7	3,362.86	7	3,713.87	7	4,064.88	7	4,415.31	7	4,764.56	7	5,101.93
1/4	210.48	1/4	561.58	1/4	912.59	1/4	1,263.60	1/4	1,614.72	1/4	1,965.84	1/4	2,316.95	1/4	2,668.07	1/4	3,019.15	1/4	3,370.17	1/4	3,721.18	1/4	4,072.20	1/4	4,422.59	1/4	4,771.83	1/4	5,106.75
1/2	217.80	1/2	568.90	1/2	919.90	1/2	1,270.92	1/2	1,622.03	1/2	1,973.15	1/2	2,324.27	1/2	2,675.38	1/2	3,026.47	1/2	3,377.48	1/2	3,728.50	1/2	4,079.51	1/2	4,429.86	1/2	4,779.11	1/2	5,111.28
3/4	225.11	3/4	576.21	3/4	927.21	3/4	1,278.23	3/4	1,629.35	3/4	1,980.46	3/4	2,331.58	3/4	2,682.70	3/4	3,033.78	3/4	3,384.79	3/4	3,735.81	3/4	4,086.82	3/4	4,437.14	3/4	4,786.39	3/4	5,115.51
8	232.43	8	583.53	8	934.52	8	1,285.55	8	1,636.66	8	1,987.78	8	2,338.90	8	2,690.01	8	3,041.09	8	3,392.11	8	3,743.12	8	4,094.14	8	4,444.41	8	4,793.66	8	5,119.44
1/4	239.74	1/4	590.84	1/4	941.83	1/4	1,292.86	1/4	1,643.98	1/4	1,995.09	1/4	2,346.21	1/4	2,697.33	1/4	3,048.40	1/4	3,399.42	1/4	3,750.43	1/4	4,101.45	1/4	4,451.69	1/4	4,800.94	1/4	5,123.08
1/2	247.06	1/2	598.16	1/2	949.14	1/2	1,300.18	1/2	1,651.29	1/2	2,002.41	1/2	2,353.52	1/2	2,704.64	1/2	3,055.72	1/2	3,406.73	1/2	3,757.75	1/2	4,108.76	1/2	4,458.97	1/2	4,808.22	1/2	5,126.41
3/4	254.37	3/4	605.47	3/4	956.45	3/4	1,307.49	3/4	1,658.61	3/4	2,009.72	3/4	2,360.84	3/4	2,711.95	3/4	3,063.03	3/4	3,414.04	3/4	3,765.06	3/4	4,116.07	3/4	4,466.24	3/4	4,815.50	3/4	5,129.45
9	261.69	9	612.79	9	963.76	9	1,314.81	9	1,665.92	9	2,017.04	9	2,368.15	9	2,719.27	9	3,070.34	9	3,421.36	9	3,772.37	9	4,123.39	9	4,473.52	9	4,822.77	9	5,132.19
1/4	269.00	1/4	620.10	1/4	971.07	1/4	1,322.12	1/4	1,673.24	1/4	2,024.35	1/4	2,375.47	1/4	2,726.58	1/4	3,077.66	1/4	3,428.67	1/4	3,779.68	1/4	4,130.70	1/4	4,480.79	1/4	4,830.05	1/4	5,134.63
1/2	276.31	1/2	627.42	1/2	978.38	1/2	1,																						



BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.81	0	349.33	0	700.29	0	1,049.84	0	1,400.60	0	1,751.57	0	2,102.54	0	2,453.51	0	2,804.48	0	3,155.38	0	3,506.25	0	3,857.11	0	4,207.98	0	4,557.52	0	4,906.58
1/4	18.61	1/4	356.64	1/4	707.61	1/4	1,057.12	1/4	1,407.91	1/4	1,758.88	1/4	2,109.85	1/4	2,460.82	1/4	2,811.79	1/4	3,162.69	1/4	3,513.56	1/4	3,864.42	1/4	4,215.29	1/4	4,564.80	1/4	4,913.82
1/2	22.86	1/2	363.95	1/2	714.92	1/2	1,064.40	1/2	1,415.22	1/2	1,766.19	1/2	2,117.16	1/2	2,468.13	1/2	2,819.11	1/2	3,170.00	1/2	3,520.87	1/2	3,871.73	1/2	4,222.60	1/2	4,572.07	1/2	4,921.05
3/4	27.55	3/4	371.26	3/4	722.23	3/4	1,071.68	3/4	1,422.53	3/4	1,773.50	3/4	2,124.47	3/4	2,475.45	3/4	2,826.42	3/4	3,177.31	3/4	3,528.18	3/4	3,879.04	3/4	4,229.91	3/4	4,579.34	3/4	4,928.27
1	32.69	1	378.58	1	729.54	1	1,078.96	1	1,429.84	1	1,780.82	1	2,131.79	1	2,482.76	1	2,833.73	1	3,184.62	1	3,535.49	1	3,886.35	1	4,237.22	1	4,586.62	1	4,935.49
1/4	38.27	1/4	385.89	1/4	736.82	1/4	1,086.25	1/4	1,437.16	1/4	1,788.13	1/4	2,139.10	1/4	2,490.07	1/4	2,841.04	1/4	3,191.93	1/4	3,542.80	1/4	3,893.66	1/4	4,244.53	1/4	4,593.89	1/4	4,942.70
1/2	44.30	1/2	393.20	1/2	744.10	1/2	1,093.54	1/2	1,444.47	1/2	1,795.44	1/2	2,146.41	1/2	2,497.38	1/2	2,848.35	1/2	3,199.24	1/2	3,550.11	1/2	3,900.97	1/2	4,251.84	1/2	4,601.16	1/2	4,949.85
3/4	50.78	3/4	400.51	3/4	751.38	3/4	1,100.83	3/4	1,451.78	3/4	1,802.75	3/4	2,153.72	3/4	2,504.69	3/4	2,855.66	3/4	3,206.55	3/4	3,557.42	3/4	3,908.28	3/4	4,259.15	3/4	4,608.43	3/4	4,956.99
2	57.71	2	407.82	2	758.66	2	1,108.12	2	1,459.09	2	1,810.06	2	2,161.03	2	2,512.01	2	2,862.98	2	3,213.86	2	3,564.73	2	3,915.59	2	4,266.46	2	4,615.71	2	4,964.13
1/4	64.88	1/4	415.13	1/4	765.94	1/4	1,115.43	1/4	1,466.40	1/4	1,817.37	1/4	2,168.35	1/4	2,519.32	1/4	2,870.29	1/4	3,221.17	1/4	3,572.03	1/4	3,922.90	1/4	4,273.77	1/4	4,622.98	1/4	4,971.26
1/2	72.08	1/2	422.45	1/2	773.22	1/2	1,122.74	1/2	1,473.72	1/2	1,824.69	1/2	2,175.66	1/2	2,526.63	1/2	2,877.60	1/2	3,228.48	1/2	3,579.34	1/2	3,930.21	1/2	4,281.08	1/2	4,630.25	1/2	4,978.38
3/4	79.30	3/4	429.76	3/4	780.50	3/4	1,130.06	3/4	1,481.03	3/4	1,832.00	3/4	2,182.97	3/4	2,533.94	3/4	2,884.91	3/4	3,235.79	3/4	3,586.65	3/4	3,937.52	3/4	4,288.39	3/4	4,637.53	3/4	4,985.49
3	86.54	3	437.07	3	787.78	3	1,137.37	3	1,488.34	3	1,839.31	3	2,190.28	3	2,541.25	3	2,892.22	3	3,243.10	3	3,593.96	3	3,944.83	3	4,295.70	3	4,644.80	3	4,992.60
1/4	93.78	1/4	444.38	1/4	795.06	1/4	1,144.68	1/4	1,495.65	1/4	1,846.62	1/4	2,197.59	1/4	2,548.56	1/4	2,899.54	1/4	3,250.41	1/4	3,601.27	1/4	3,952.14	1/4	4,302.97	1/4	4,652.07	1/4	4,999.71
1/2	101.03	1/2	451.69	1/2	802.34	1/2	1,151.99	1/2	1,502.96	1/2	1,853.93	1/2	2,204.91	1/2	2,555.88	1/2	2,906.85	1/2	3,257.72	1/2	3,608.58	1/2	3,959.45	1/2	4,310.24	1/2	4,659.35	1/2	5,006.80
3/4	108.29	3/4	459.01	3/4	809.62	3/4	1,159.30	3/4	1,510.27	3/4	1,861.25	3/4	2,212.22	3/4	2,563.19	3/4	2,914.16	3/4	3,265.03	3/4	3,615.89	3/4	3,966.76	3/4	4,317.51	3/4	4,666.62	3/4	5,013.89
4	115.56	4	466.32	4	816.90	4	1,166.62	4	1,517.59	4	1,868.56	4	2,219.53	4	2,570.50	4	2,921.47	4	3,272.34	4	3,623.20	4	3,974.07	4	4,324.79	4	4,673.89	4	5,020.97
1/4	122.83	1/4	473.63	1/4	824.18	1/4	1,173.93	1/4	1,524.90	1/4	1,875.87	1/4	2,226.84	1/4	2,577.81	1/4	2,928.78	1/4	3,279.65	1/4	3,630.51	1/4	3,981.38	1/4	4,332.06	1/4	4,681.16	1/4	5,028.05
1/2	130.11	1/2	480.94	1/2	831.46	1/2	1,181.24	1/2	1,532.21	1/2	1,883.18	1/2	2,234.15	1/2	2,585.12	1/2	2,936.09	1/2	3,286.96	1/2	3,637.82	1/2	3,988.69	1/2	4,339.33	1/2	4,688.44	1/2	5,035.11
3/4	137.40	3/4	488.25	3/4	838.74	3/4	1,188.55	3/4	1,539.52	3/4	1,890.49	3/4	2,241.46	3/4	2,592.44	3/4	2,943.40	3/4	3,294.27	3/4	3,645.13	3/4	3,996.00	3/4	4,346.61	3/4	4,695.71	3/4	5,042.18
5	144.68	5	495.56	5	846.02	5	1,195.86	5	1,546.83	5	1,897.81	5	2,248.78	5	2,599.75	5	2,950.71	5	3,301.58	5	3,652.44	5	4,003.31	5	4,353.88	5	4,702.98	5	5,049.23
1/4	151.98	1/4	502.88	1/4	853.30	1/4	1,203.18	1/4	1,554.15	1/4	1,905.12	1/4	2,256.09	1/4	2,607.06	1/4	2,958.02	1/4	3,308.89	1/4	3,659.75	1/4	4,010.62	1/4	4,361.15	1/4	4,710.26	1/4	5,056.28
1/2	159.27	1/2	510.19	1/2	860.57	1/2	1,210.49	1/2	1,561.46	1/2	1,912.43	1/2	2,263.40	1/2	2,614.37	1/2	2,965.33	1/2	3,316.20	1/2	3,667.06	1/2	4,017.93	1/2	4,368.43	1/2	4,717.53	1/2	5,063.19
3/4	166.57	3/4	517.50	3/4	867.85	3/4	1,217.80	3/4	1,568.77	3/4	1,919.74	3/4	2,270.71	3/4	2,621.68	3/4	2,972.64	3/4	3,323.51	3/4	3,674.37	3/4	4,025.24	3/4	4,375.70	3/4	4,724.80	3/4	5,069.80
6	173.87	6	524.81	6	875.13	6	1,225.11	6	1,576.08	6	1,927.05	6	2,278.02	6	2,629.00	6	2,979.95	6	3,330.81	6	3,681.68	6	4,032.55	6	4,382.97	6	4,732.08	6	5,076.12
1/4	181.17	1/4	532.12	1/4	882.41	1/4	1,232.42	1/4	1,583.39	1/4	1,934.37	1/4	2,285.34	1/4	2,636.31	1/4	2,987.26	1/4	3,338.12	1/4	3,688.99	1/4	4,039.86	1/4	4,390.24	1/4	4,739.35	1/4	5,082.13
1/2	188.48	1/2	539.44	1/2	889.69	1/2	1,239.73	1/2	1,590.71	1/2	1,941.68	1/2	2,292.65	1/2	2,643.62	1/2	2,994.57	1/2	3,345.43	1/2	3,696.30	1/2	4,047.17	1/2	4,397.52	1/2	4,746.62	1/2	5,087.85
3/4	195.79	3/4	546.75	3/4	896.97	3/4	1,247.05	3/4	1,598.02	3/4	1,948.99	3/4	2,299.96	3/4	2,650.93	3/4	3,001.88	3/4	3,352.74	3/4	3,703.61	3/4	4,054.48	3/4	4,404.79	3/4	4,753.89	3/4	5,093.27
7	203.10	7	554.06	7	904.25	7	1,254.36	7	1,605.33	7	1,956.30	7	2,307.27	7	2,658.24	7	3,009.19	7	3,360.05	7	3,710.92	7	4,061.78	7	4,412.06	7	4,761.17	7	5,098.39
1/4	210.41	1/4	561.37	1/4	911.53	1/4	1,261.67	1/4	1,612.64	1/4	1,963.61	1/4	2,314.58	1/4	2,665.56	1/4	3,016.50	1/4	3,367.36	1/4	3,718.23	1/4	4,069.09	1/4	4,419.34	1/4	4,768.44	1/4	5,103.22
1/2	217.72	1/2	568.68	1/2	918.81	1/2	1,268.98	1/2	1,619.95	1/2	1,970.92	1/2	2,321.90	1/2	2,672.87	1/2	3,023.81	1/2	3,374.67	1/2	3,725.54	1/2	4,076.40	1/2	4,426.61	1/2	4,775.71	1/2	5,107.74
3/4	225.03	3/4	575.99	3/4	926.09	3/4	1,276.29	3/4	1,627.27	3/4	1,978.24	3/4	2,329.21	3/4	2,680.18	3/4	3,031.12	3/4	3,381.98	3/4	3,732.85	3/4	4,083.71	3/4	4,433.88	3/4	4,782.99	3/4	5,111.97
8	232.34	8	583.31	8	933.37	8	1,283.61	8	1,634.58	8	1,985.55	8	2,336.52	8	2,687.49	8	3,038.43	8	3,389.29	8	3,740.16	8	4,091.02	8	4,441.16	8	4,790.26	8	5,115.90
1/4	239.65	1/4	590.62	1/4	940.65	1/4	1,290.92	1/4	1,641.89	1/4	1,992.86	1/4	2,343.83	1/4	2,694.80	1/4	3,045.74	1/4	3,396.60	1/4	3,747.47	1/4	4,098.33	1/4	4,448.43	1/4	4,797.53	1/4	5,119.53
1/2	246.96	1/2	597.93	1/2	947.93	1/2	1,298.23	1/2	1,649.20	1/2	2,000.17	1/2	2,351.14	1/2	2,702.11	1/2	3,053.05	1/2	3,403.91	1/2	3,754.78	1/2	4,105.64	1/2	4,455.70	1/2	4,804.81	1/2	5,122.87
3/4	254.28	3/4	605.24	3/4	955.21	3/4	1,305.54	3/4	1,656.51	3/4	2,007.48	3/4	2,358.46	3/4	2,709.43	3/4	3,060.36	3/4	3,411.22	3/4	3,762.09	3/4	4,112.95	3/4	4,462.97	3/4	4,812.08	3/4	5,125.90
9	261.59	9	612.55	9	962.49	9	1,312.85	9	1,663.82	9	2,014.80	9	2,365.77	9	2,716.74	9	3,067.67	9	3,418.53	9	3,769.40	9	4,120.26	9	4,470.25	9	4,819.36	9	5,128.64
1/4	268.90	1/4	619.87	1/4	969.77	1/4	1,320.17	1/4	1,671.14	1/4	2,022.11	1/4	2,373.08	1/4	2,724.05	1/4	3,074.98	1/4	3,425.84	1/4	3,776.71	1/4	4,127.57	1/4	4,477.52	1/4	4,826.64	1/4	5,131.08
1/2	276.21	1/2	627.18	1/2	977.05	1/2	1,327.48	1/2	1,678.45	1/2	2,029.42	1/2	2,380.39	1/2	2,731.36	1/2	3,082.29												



BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.23	0	341.06	0	691.25	0	1,040.90	0	1,391.05	0	1,741.30	0	2,091.56	0	2,441.83	0	2,791.88	0	3,141.77	0	3,444.32	0	3,685.53	0	3,926.72	0	4,167.91	0	4,409.14
1/4	14.57	1/4	348.35	1/4	698.55	1/4	1,048.18	1/4	1,398.35	1/4	1,748.60	1/4	2,098.86	1/4	2,449.13	1/4	2,799.17	1/4	3,149.05	1/4	3,449.36	1/4	3,690.55	1/4	3,931.74	1/4	4,172.93	1/4	4,414.15
1/2	18.36	1/2	355.65	1/2	705.85	1/2	1,055.47	1/2	1,405.64	1/2	1,755.90	1/2	2,106.16	1/2	2,456.43	1/2	2,806.46	1/2	3,156.34	1/2	3,454.39	1/2	3,695.58	1/2	3,936.77	1/2	4,177.96	1/2	4,419.15
3/4	22.59	3/4	362.94	3/4	713.14	3/4	1,062.75	3/4	1,412.94	3/4	1,763.19	3/4	2,113.45	3/4	2,463.72	3/4	2,813.76	3/4	3,163.63	3/4	3,459.41	3/4	3,700.60	3/4	3,941.79	3/4	4,182.98	3/4	4,424.11
1	27.27	1	370.24	1	720.44	1	1,070.04	1	1,420.24	1	1,770.49	1	2,120.75	1	2,471.02	1	2,821.05	1	3,170.92	1	3,464.44	1	3,705.63	1	3,946.82	1	4,188.01	1	4,429.05
1/4	32.40	1/4	377.53	1/4	727.73	1/4	1,077.32	1/4	1,427.53	1/4	1,777.79	1/4	2,128.05	1/4	2,478.32	1/4	2,828.34	1/4	3,178.21	1/4	3,469.46	1/4	3,710.65	1/4	3,951.84	1/4	4,193.03	1/4	4,434.00
1/2	37.97	1/2	384.83	1/2	735.03	1/2	1,084.61	1/2	1,434.83	1/2	1,785.08	1/2	2,135.35	1/2	2,485.61	1/2	2,835.63	1/2	3,185.49	1/2	3,474.49	1/2	3,715.68	1/2	3,956.87	1/2	4,198.06	1/2	4,438.93
3/4	43.99	3/4	392.13	3/4	742.32	3/4	1,091.90	3/4	1,442.13	3/4	1,792.38	3/4	2,142.64	3/4	2,492.90	3/4	2,842.92	3/4	3,192.78	3/4	3,479.51	3/4	3,720.70	3/4	3,961.89	3/4	4,203.08	3/4	4,443.87
2	50.46	2	399.42	2	749.62	2	1,099.18	2	1,449.42	2	1,799.68	2	2,149.94	2	2,500.20	2	2,850.22	2	3,200.07	2	3,484.54	2	3,725.73	2	3,966.92	2	4,208.11	2	4,448.80
1/4	57.37	1/4	406.72	1/4	756.91	1/4	1,106.47	1/4	1,456.72	1/4	1,806.97	1/4	2,157.24	1/4	2,507.49	1/4	2,857.51	1/4	3,207.36	1/4	3,489.56	1/4	3,730.75	1/4	3,971.94	1/4	4,213.13	1/4	4,453.72
1/2	64.52	1/2	414.01	1/2	764.20	1/2	1,113.77	1/2	1,464.02	1/2	1,814.27	1/2	2,164.54	1/2	2,514.78	1/2	2,864.80	1/2	3,214.65	1/2	3,494.59	1/2	3,735.78	1/2	3,976.97	1/2	4,218.16	1/2	4,458.64
3/4	71.71	3/4	421.31	3/4	771.48	3/4	1,121.06	3/4	1,471.31	3/4	1,821.57	3/4	2,171.83	3/4	2,522.07	3/4	2,872.09	3/4	3,221.93	3/4	3,499.61	3/4	3,740.80	3/4	3,981.99	3/4	4,223.18	3/4	4,463.55
3	78.92	3	428.60	3	778.77	3	1,128.36	3	1,478.61	3	1,828.87	3	2,179.13	3	2,529.36	3	2,879.38	3	3,229.22	3	3,504.64	3	3,745.83	3	3,987.02	3	4,228.21	3	4,468.46
1/4	86.13	1/4	435.90	1/4	786.05	1/4	1,135.66	1/4	1,485.91	1/4	1,836.16	1/4	2,186.43	1/4	2,536.66	1/4	2,886.68	1/4	3,236.51	1/4	3,509.66	1/4	3,750.85	1/4	3,992.04	1/4	4,233.23	1/4	4,473.37
1/2	93.36	1/2	443.20	1/2	793.34	1/2	1,142.95	1/2	1,493.21	1/2	1,843.46	1/2	2,193.72	1/2	2,543.95	1/2	2,893.97	1/2	3,243.80	1/2	3,514.69	1/2	3,755.88	1/2	3,997.07	1/2	4,238.26	1/2	4,478.27
3/4	100.60	3/4	450.49	3/4	800.62	3/4	1,150.25	3/4	1,500.50	3/4	1,850.76	3/4	2,201.02	3/4	2,551.24	3/4	2,901.26	3/4	3,251.08	3/4	3,519.71	3/4	3,760.90	3/4	4,002.09	3/4	4,243.28	3/4	4,483.16
4	107.84	4	457.79	4	807.90	4	1,157.55	4	1,507.80	4	1,858.05	4	2,208.32	4	2,558.53	4	2,908.55	4	3,258.37	4	3,524.74	4	3,765.93	4	4,007.12	4	4,248.31	4	4,488.05
1/4	115.09	1/4	465.08	1/4	815.19	1/4	1,164.85	1/4	1,515.10	1/4	1,865.35	1/4	2,215.62	1/4	2,565.82	1/4	2,915.85	1/4	3,265.66	1/4	3,529.76	1/4	3,770.95	1/4	4,012.14	1/4	4,253.33	1/4	4,492.94
1/2	122.35	1/2	472.38	1/2	822.47	1/2	1,172.14	1/2	1,522.39	1/2	1,872.65	1/2	2,222.91	1/2	2,573.12	1/2	2,923.13	1/2	3,272.57	1/2	3,534.79	1/2	3,775.98	1/2	4,017.17	1/2	4,258.36	1/2	4,497.82
3/4	129.61	3/4	479.68	3/4	829.75	3/4	1,179.44	3/4	1,529.69	3/4	1,879.94	3/4	2,230.21	3/4	2,580.41	3/4	2,930.42	3/4	3,279.48	3/4	3,539.81	3/4	3,781.00	3/4	4,022.19	3/4	4,263.38	3/4	4,502.70
5	136.88	5	486.97	5	837.03	5	1,186.74	5	1,536.99	5	1,887.24	5	2,237.51	5	2,587.70	5	2,937.71	5	3,286.40	5	3,544.83	5	3,786.03	5	4,027.22	5	4,268.41	5	4,507.57
1/4	144.15	1/4	494.27	1/4	844.31	1/4	1,194.03	1/4	1,544.28	1/4	1,894.54	1/4	2,244.81	1/4	2,594.99	1/4	2,945.00	1/4	3,293.31	1/4	3,549.86	1/4	3,791.05	1/4	4,032.24	1/4	4,273.43	1/4	4,512.44
1/2	151.43	1/2	501.56	1/2	851.59	1/2	1,201.33	1/2	1,551.58	1/2	1,901.84	1/2	2,252.10	1/2	2,602.29	1/2	2,952.28	1/2	3,299.85	1/2	3,554.88	1/2	3,796.07	1/2	4,037.27	1/2	4,278.46	1/2	4,517.31
3/4	158.71	3/4	508.86	3/4	858.87	3/4	1,208.63	3/4	1,558.88	3/4	1,909.13	3/4	2,259.40	3/4	2,609.58	3/4	2,959.57	3/4	3,306.38	3/4	3,559.91	3/4	3,801.10	3/4	4,042.29	3/4	4,283.48	3/4	4,521.97
6	165.99	6	516.15	6	866.16	6	1,215.93	6	1,566.17	6	1,916.43	6	2,266.70	6	2,616.87	6	2,966.86	6	3,312.92	6	3,564.93	6	3,806.12	6	4,047.31	6	4,288.51	6	4,526.42
1/4	173.28	1/4	523.45	1/4	873.44	1/4	1,223.22	1/4	1,573.47	1/4	1,923.73	1/4	2,273.99	1/4	2,624.16	1/4	2,974.15	1/4	3,319.46	1/4	3,569.96	1/4	3,811.15	1/4	4,052.34	1/4	4,293.53	1/4	4,530.67
1/2	180.56	1/2	530.75	1/2	880.72	1/2	1,230.52	1/2	1,580.77	1/2	1,931.02	1/2	2,281.29	1/2	2,631.45	1/2	2,981.44	1/2	3,325.62	1/2	3,574.98	1/2	3,816.17	1/2	4,057.36	1/2	4,298.55	1/2	4,534.72
3/4	187.85	3/4	538.04	3/4	888.00	3/4	1,237.82	3/4	1,588.07	3/4	1,938.32	3/4	2,288.59	3/4	2,638.75	3/4	2,988.72	3/4	3,331.78	3/4	3,580.01	3/4	3,821.20	3/4	4,062.39	3/4	4,303.58	3/4	4,538.56
7	195.15	7	545.34	7	895.28	7	1,245.11	7	1,595.36	7	1,945.62	7	2,295.89	7	2,646.04	7	2,996.01	7	3,337.95	7	3,585.03	7	3,826.22	7	4,067.41	7	4,308.60	7	4,542.19
1/4	202.44	1/4	552.63	1/4	902.56	1/4	1,252.41	1/4	1,602.66	1/4	1,952.91	1/4	2,303.18	1/4	2,653.33	1/4	3,003.30	1/4	3,344.11	1/4	3,590.06	1/4	3,831.25	1/4	4,072.44	1/4	4,313.63	1/4	4,545.62
1/2	209.73	1/2	559.93	1/2	909.84	1/2	1,259.71	1/2	1,609.96	1/2	1,960.21	1/2	2,310.48	1/2	2,660.62	1/2	3,010.59	1/2	3,349.90	1/2	3,595.08	1/2	3,836.27	1/2	4,077.46	1/2	4,318.65	1/2	4,548.84
3/4	217.03	3/4	567.22	3/4	917.12	3/4	1,267.01	3/4	1,617.25	3/4	1,967.51	3/4	2,317.78	3/4	2,667.91	3/4	3,017.87	3/4	3,355.68	3/4	3,600.11	3/4	3,841.30	3/4	4,082.49	3/4	4,323.68	3/4	4,551.86
8	224.32	8	574.52	8	924.40	8	1,274.30	8	1,624.55	8	1,974.81	8	2,325.08	8	2,675.21	8	3,025.16	8	3,361.47	8	3,605.13	8	3,846.32	8	4,087.51	8	4,328.70	8	4,554.67
1/4	231.62	1/4	581.82	1/4	931.68	1/4	1,281.60	1/4	1,631.85	1/4	1,982.10	1/4	2,332.37	1/4	2,682.50	1/4	3,032.45	1/4	3,367.26	1/4	3,610.16	1/4	3,851.35	1/4	4,092.54	1/4	4,333.73	1/4	4,557.28
1/2	238.91	1/2	589.11	1/2	938.97	1/2	1,288.90	1/2	1,639.14	1/2	1,989.40	1/2	2,339.67	1/2	2,689.79	1/2	3,039.74	1/2	3,372.67	1/2	3,615.18	1/2	3,856.37	1/2	4,097.56	1/2	4,338.76	1/2	4,559.68
3/4	246.21	3/4	596.41	3/4	946.25	3/4	1,296.19	3/4	1,646.44	3/4	1,996.70	3/4	2,346.97	3/4	2,697.08	3/4	3,047.03	3/4	3,378.08	3/4	3,620.21	3/4	3,861.40	3/4	4,102.59	3/4	4,343.79	3/4	4,561.88
9	253.51	9	603.70	9	953.53	9	1,303.49	9	1,653.74	9	2,003.99	9	2,354.27	9	2,704.37	9	3,054.31	9	3,383.49	9	3,625.23	9	3,866.42	9	4,107.61	9	4,348.82	9	4,563.87
1/4	260.80	1/4	611.00	1/4	960.81	1/4	1,310.79	1/4	1,661.03	1/4	2,011.29	1/4	2,361.56	1/4	2,711.67	1/4	3,061.60	1/4	3,388.90	1/4	3,630.26	1/4	3,871.45	1/4	4,112.64	1/4	4,353.85	1/4	4,565.65
1/2	268.10	1/2	618.30	1/2	968.09	1/2	1,318.08	1/2	1,668.33	1/2	2,018.59	1/2	2,368.86	1/2	2,718.96	1/2	3,068.89												



BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.	
IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.57	0	348.09	0	697.82	0	1,045.36	0	1,394.87	0	1,744.53	0	2,094.29	0	2,444.05	0	2,793.82	0	3,143.45	0	3,443.56	0	3,685.47	0	3,927.39	0	4,168.31	0	4,409.16
1/4	18.36	1/4	355.38	1/4	705.10	1/4	1,052.63	1/4	1,402.15	1/4	1,751.82	1/4	2,101.57	1/4	2,451.34	1/4	2,801.11	1/4	3,150.73	1/4	3,448.60	1/4	3,690.51	1/4	3,932.43	1/4	4,173.32	1/4	4,414.16
1/2	22.59	1/2	362.67	1/2	712.39	1/2	1,059.90	1/2	1,409.44	1/2	1,759.10	1/2	2,108.86	1/2	2,458.63	1/2	2,808.39	1/2	3,158.01	1/2	3,453.64	1/2	3,695.55	1/2	3,937.47	1/2	4,178.34	1/2	4,419.10
3/4	27.27	3/4	369.95	3/4	719.67	3/4	1,067.17	3/4	1,416.72	3/4	1,766.39	3/4	2,116.15	3/4	2,465.91	3/4	2,815.68	3/4	3,165.29	3/4	3,458.68	3/4	3,700.59	3/4	3,942.51	3/4	4,183.36	3/4	4,424.04
1	32.39	1	377.24	1	726.96	1	1,074.45	1	1,424.00	1	1,773.68	1	2,123.44	1	2,473.20	1	2,822.97	1	3,172.58	1	3,463.72	1	3,705.63	1	3,947.55	1	4,188.38	1	4,428.98
1/4	37.97	1/4	384.52	1/4	734.22	1/4	1,081.72	1/4	1,431.29	1/4	1,780.96	1/4	2,130.72	1/4	2,480.49	1/4	2,830.25	1/4	3,179.86	1/4	3,468.76	1/4	3,710.67	1/4	3,952.56	1/4	4,193.39	1/4	4,433.91
1/2	43.98	1/2	391.81	1/2	741.49	1/2	1,088.99	1/2	1,438.57	1/2	1,788.25	1/2	2,138.01	1/2	2,487.78	1/2	2,837.54	1/2	3,187.14	1/2	3,473.80	1/2	3,715.71	1/2	3,957.58	1/2	4,198.41	1/2	4,438.83
3/4	50.44	3/4	399.09	3/4	748.75	3/4	1,096.26	3/4	1,445.85	3/4	1,795.54	3/4	2,145.30	3/4	2,495.06	3/4	2,844.83	3/4	3,194.42	3/4	3,478.84	3/4	3,720.75	3/4	3,962.60	3/4	4,203.43	3/4	4,443.75
2	57.35	2	406.38	2	756.01	2	1,103.54	2	1,453.14	2	1,802.82	2	2,152.58	2	2,502.35	2	2,852.12	2	3,201.71	2	3,483.88	2	3,725.79	2	3,967.62	2	4,208.45	2	4,448.67
1/4	64.51	1/4	413.67	1/4	763.25	1/4	1,110.82	1/4	1,460.42	1/4	1,810.11	1/4	2,159.87	1/4	2,509.64	1/4	2,859.40	1/4	3,208.99	1/4	3,488.91	1/4	3,730.83	1/4	3,972.63	1/4	4,213.46	1/4	4,453.58
1/2	71.69	1/2	420.95	1/2	770.49	1/2	1,118.10	1/2	1,467.70	1/2	1,817.40	1/2	2,167.16	1/2	2,516.92	1/2	2,866.69	1/2	3,216.27	1/2	3,493.95	1/2	3,735.87	1/2	3,977.65	1/2	4,218.48	1/2	4,458.49
3/4	78.90	3/4	428.24	3/4	777.72	3/4	1,125.39	3/4	1,474.99	3/4	1,824.68	3/4	2,174.44	3/4	2,524.21	3/4	2,873.98	3/4	3,223.55	3/4	3,498.99	3/4	3,740.91	3/4	3,982.67	3/4	4,223.50	3/4	4,463.39
3	86.11	3	435.52	3	784.96	3	1,132.67	3	1,482.27	3	1,831.97	3	2,181.73	3	2,531.50	3	2,881.26	3	3,230.84	3	3,504.03	3	3,745.95	3	3,987.68	3	4,228.51	3	4,468.29
1/4	93.34	1/4	442.81	1/4	792.19	1/4	1,139.95	1/4	1,489.55	1/4	1,839.26	1/4	2,189.02	1/4	2,538.78	1/4	2,888.55	1/4	3,238.12	1/4	3,509.07	1/4	3,750.99	1/4	3,992.70	1/4	4,233.53	1/4	4,473.18
1/2	100.57	1/2	450.10	1/2	799.43	1/2	1,147.24	1/2	1,496.83	1/2	1,846.54	1/2	2,196.30	1/2	2,546.07	1/2	2,895.84	1/2	3,245.40	1/2	3,514.11	1/2	3,756.03	1/2	3,997.72	1/2	4,238.55	1/2	4,478.07
3/4	107.81	3/4	457.38	3/4	806.67	3/4	1,154.52	3/4	1,504.12	3/4	1,853.83	3/4	2,203.59	3/4	2,553.36	3/4	2,903.12	3/4	3,252.68	3/4	3,519.15	3/4	3,761.07	3/4	4,002.74	3/4	4,243.57	3/4	4,482.95
4	115.06	4	464.67	4	813.90	4	1,161.80	4	1,511.40	4	1,861.12	4	2,210.88	4	2,560.64	4	2,910.12	4	3,259.96	4	3,524.19	4	3,766.11	4	4,007.75	4	4,248.58	4	4,487.83
1/4	122.32	1/4	471.95	1/4	821.14	1/4	1,169.09	1/4	1,518.68	1/4	1,868.40	1/4	2,218.16	1/4	2,569.93	1/4	2,917.69	1/4	3,267.87	1/4	3,529.23	1/4	3,771.15	1/4	4,012.77	1/4	4,253.60	1/4	4,492.71
1/2	129.58	1/2	479.24	1/2	828.37	1/2	1,176.37	1/2	1,525.97	1/2	1,875.69	1/2	2,225.45	1/2	2,575.22	1/2	2,924.97	1/2	3,273.78	1/2	3,534.27	1/2	3,776.19	1/2	4,017.79	1/2	4,258.62	1/2	4,497.58
3/4	136.84	3/4	486.53	3/4	835.60	3/4	1,183.65	3/4	1,533.25	3/4	1,882.97	3/4	2,232.74	3/4	2,582.50	3/4	2,932.26	3/4	3,280.69	3/4	3,539.31	3/4	3,781.23	3/4	4,022.81	3/4	4,263.64	3/4	4,502.44
5	144.11	5	493.81	5	842.83	5	1,190.94	5	1,540.53	5	1,890.26	5	2,240.02	5	2,589.79	5	2,939.54	5	3,287.59	5	3,544.35	5	3,786.27	5	4,027.82	5	4,268.65	5	4,507.30
1/4	151.39	1/4	501.10	1/4	850.07	1/4	1,198.22	1/4	1,547.82	1/4	1,897.55	1/4	2,247.31	1/4	2,597.08	1/4	2,946.82	1/4	3,294.13	1/4	3,549.39	1/4	3,791.31	1/4	4,032.84	1/4	4,273.67	1/4	4,512.16
1/2	158.66	1/2	508.38	1/2	857.30	1/2	1,205.50	1/2	1,555.10	1/2	1,904.83	1/2	2,254.60	1/2	2,604.36	1/2	2,954.10	1/2	3,300.66	1/2	3,554.43	1/2	3,796.35	1/2	4,037.86	1/2	4,278.69	1/2	4,516.81
3/4	165.94	3/4	515.67	3/4	864.53	3/4	1,212.79	3/4	1,562.38	3/4	1,912.12	3/4	2,261.88	3/4	2,611.65	3/4	2,961.39	3/4	3,307.19	3/4	3,559.47	3/4	3,801.39	3/4	4,042.87	3/4	4,283.71	3/4	4,521.26
6	173.23	6	522.96	6	871.77	6	1,220.07	6	1,569.67	6	1,919.41	6	2,269.17	6	2,618.94	6	2,968.67	6	3,313.72	6	3,564.51	6	3,806.43	6	4,047.89	6	4,288.72	6	4,525.50
1/4	180.51	1/4	530.24	1/4	879.00	1/4	1,227.36	1/4	1,576.95	1/4	1,926.69	1/4	2,276.46	1/4	2,626.22	1/4	2,975.95	1/4	3,319.88	1/4	3,569.55	1/4	3,811.47	1/4	4,052.91	1/4	4,293.74	1/4	4,529.54
1/2	187.80	1/2	537.53	1/2	886.23	1/2	1,234.64	1/2	1,584.23	1/2	1,933.98	1/2	2,283.74	1/2	2,633.51	1/2	2,983.23	1/2	3,326.04	1/2	3,574.59	1/2	3,816.51	1/2	4,057.93	1/2	4,298.76	1/2	4,533.37
3/4	195.09	3/4	544.81	3/4	893.47	3/4	1,241.92	3/4	1,591.52	3/4	1,941.27	3/4	2,291.03	3/4	2,640.80	3/4	2,990.52	3/4	3,332.19	3/4	3,579.63	3/4	3,821.55	3/4	4,062.94	3/4	4,303.77	3/4	4,537.00
7	202.38	7	552.10	7	900.70	7	1,249.21	7	1,598.80	7	1,948.55	7	2,298.32	7	2,648.08	7	2,997.80	7	3,338.35	7	3,584.67	7	3,826.59	7	4,067.96	7	4,308.79	7	4,540.42
1/4	209.66	1/4	559.38	1/4	907.93	1/4	1,256.49	1/4	1,606.09	1/4	1,955.84	1/4	2,305.61	1/4	2,655.37	1/4	3,005.08	1/4	3,344.13	1/4	3,589.71	1/4	3,831.63	1/4	4,072.98	1/4	4,313.81	1/4	4,543.64
1/2	216.95	1/2	566.67	1/2	915.16	1/2	1,263.77	1/2	1,613.37	1/2	1,963.13	1/2	2,312.89	1/2	2,662.66	1/2	3,012.36	1/2	3,349.92	1/2	3,594.75	1/2	3,836.67	1/2	4,078.00	1/2	4,318.83	1/2	4,546.65
3/4	224.23	3/4	573.96	3/4	922.40	3/4	1,271.06	3/4	1,620.66	3/4	1,970.41	3/4	2,320.18	3/4	2,669.95	3/4	3,019.65	3/4	3,355.70	3/4	3,599.79	3/4	3,841.71	3/4	4,083.01	3/4	4,323.84	3/4	4,549.45
8	231.52	8	581.24	8	929.63	8	1,278.34	8	1,627.95	8	1,977.70	8	2,327.47	8	2,677.23	8	3,026.93	8	3,361.48	8	3,604.83	8	3,846.75	8	4,088.03	8	4,328.86	8	4,552.05
1/4	238.81	1/4	588.53	1/4	936.86	1/4	1,285.62	1/4	1,635.23	1/4	1,984.99	1/4	2,334.75	1/4	2,684.52	1/4	3,034.21	1/4	3,366.89	1/4	3,609.87	1/4	3,851.79	1/4	4,093.05	1/4	4,333.88	1/4	4,554.45
1/2	246.09	1/2	595.81	1/2	944.10	1/2	1,292.91	1/2	1,642.52	1/2	1,992.27	1/2	2,342.04	1/2	2,691.81	1/2	3,041.49	1/2	3,372.29	1/2	3,614.91	1/2	3,856.83	1/2	4,098.06	1/2	4,338.90	1/2	4,556.63
3/4	253.38	3/4	603.10	3/4	951.33	3/4	1,300.19	3/4	1,649.81	3/4	1,999.56	3/4	2,349.33	3/4	2,699.09	3/4	3,048.78	3/4	3,377.70	3/4	3,619.95	3/4	3,861.87	3/4	4,103.08	3/4	4,343.93	3/4	4,558.62
9	260.66	9	610.39	9	958.56	9	1,307.47	9	1,657.09	9	2,006.85	9	2,356.61	9	2,706.38	9	3,056.06	9	3,383.11	9	3,624.99	9	3,866.91	9	4,108.10	9	4,348.95	9	4,560.40
1/4	267.95	1/4	617.67	1/4	965.79	1/4	1,314.76	1/4	1,664.38	1/4	2,014.13	1/4	2,363.90	1/4	2,713.67	1/4	3,063.34	1/4	3,388.14	1/4	3,630.03	1/4	3,871.95	1/4	4,113.12	1/4	4,353.97	1/4	

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	4,615.95	0	4,289.39	0	3,961.71	0	3,632.26	0	3,302.81	0	2,973.36	0	2,643.90	0	2,314.45	0	1,985.00	0	1,655.54	0	1,326.09	0	996.64	0	667.27	0	315.28	0	28.88
1/4		1/4	4,609.25	1/4	4,282.57	1/4	3,954.85	1/4	3,625.40	1/4	3,295.95	1/4	2,966.49	1/4	2,637.04	1/4	2,307.59	1/4	1,978.13	1/4	1,648.68	1/4	1,319.23	1/4	989.78	1/4	660.41	1/4	308.82	1/4	24.63
1/2		1/2	4,602.54	1/2	4,275.74	1/2	3,947.99	1/2	3,618.53	1/2	3,289.08	1/2	2,959.63	1/2	2,630.18	1/2	2,300.72	1/2	1,971.27	1/2	1,641.82	1/2	1,312.36	1/2	982.91	1/2	653.54	1/2	302.37	1/2	20.74
3/4		3/4	4,595.82	3/4	4,268.92	3/4	3,941.12	3/4	3,611.67	3/4	3,282.22	3/4	2,952.77	3/4	2,623.31	3/4	2,293.86	3/4	1,964.41	3/4	1,634.95	3/4	1,305.50	3/4	976.04	3/4	646.68	3/4	295.95	3/4	17.20
1		1	4,589.09	1	4,262.09	1	3,934.26	1	3,604.81	1	3,275.35	1	2,945.90	1	2,616.45	1	2,287.00	1	1,957.54	1	1,628.09	1	1,298.64	1	969.18	1	639.81	1	289.54	1	14.00
1/4		1/4	4,582.37	1/4	4,255.27	1/4	3,927.40	1/4	3,597.94	1/4	3,268.49	1/4	2,939.04	1/4	2,609.59	1/4	2,280.13	1/4	1,950.68	1/4	1,621.23	1/4	1,291.77	1/4	962.31	1/4	632.95	1/4	283.16	1/4	11.15
1/2		1/2	4,575.63	1/2	4,248.44	1/2	3,920.53	1/2	3,591.08	1/2	3,261.63	1/2	2,932.17	1/2	2,602.72	1/2	2,273.27	1/2	1,943.82	1/2	1,614.36	1/2	1,284.91	1/2	955.45	1/2	626.08	1/2	276.79	1/2	
3/4		3/4	4,568.89	3/4	4,241.62	3/4	3,913.67	3/4	3,584.22	3/4	3,254.76	3/4	2,925.31	3/4	2,595.86	3/4	2,266.40	3/4	1,936.95	3/4	1,607.50	3/4	1,278.05	3/4	948.58	3/4	619.22	3/4	270.44	3/4	
2		2	4,562.14	2	4,234.80	2	3,906.81	2	3,577.35	2	3,247.90	2	2,918.45	2	2,588.99	2	2,259.54	2	1,930.09	2	1,600.64	2	1,271.18	2	941.72	2	612.35	2	264.11	2	
1/4		1/4	4,555.38	1/4	4,227.97	1/4	3,899.94	1/4	3,570.49	1/4	3,241.04	1/4	2,911.58	1/4	2,582.13	1/4	2,252.68	1/4	1,923.22	1/4	1,593.77	1/4	1,264.32	1/4	934.85	1/4	605.35	1/4	257.80	1/4	
1/2		1/2	4,548.62	1/2	4,221.15	1/2	3,893.08	1/2	3,563.63	1/2	3,234.17	1/2	2,904.72	1/2	2,575.27	1/2	2,245.81	1/2	1,916.36	1/2	1,586.91	1/2	1,257.46	1/2	927.99	1/2	598.62	1/2	251.51	1/2	
3/4		3/4	4,541.85	3/4	4,214.32	3/4	3,886.21	3/4	3,556.76	3/4	3,227.31	3/4	2,897.86	3/4	2,568.40	3/4	2,238.95	3/4	1,909.50	3/4	1,580.04	3/4	1,250.59	3/4	921.13	3/4	591.76	3/4	245.23	3/4	
3		3	4,535.08	3	4,207.50	3	3,879.35	3	3,549.90	3	3,220.45	3	2,890.99	3	2,561.54	3	2,232.09	3	1,902.63	3	1,573.18	3	1,243.73	3	914.27	3	584.89	3	238.98	3	
1/4	4,767.94	1/4	4,528.30	1/4	4,200.68	1/4	3,872.49	1/4	3,543.03	1/4	3,213.58	1/4	2,884.13	1/4	2,554.68	1/4	2,225.22	1/4	1,895.77	1/4	1,566.32	1/4	1,236.87	1/4	907.41	1/4	578.03	1/4	232.74	1/4	
1/2	4,767.81	1/2	4,521.47	1/2	4,193.85	1/2	3,865.62	1/2	3,536.17	1/2	3,206.72	1/2	2,877.27	1/2	2,547.81	1/2	2,218.77	1/2	1,888.91	1/2	1,559.45	1/2	1,230.00	1/2	900.55	1/2	571.16	1/2	226.52	1/2	
3/4	4,767.47	3/4	4,514.64	3/4	4,187.03	3/4	3,858.76	3/4	3,529.31	3/4	3,199.85	3/4	2,870.40	3/4	2,540.95	3/4	2,211.50	3/4	1,882.04	3/4	1,552.59	3/4	1,223.14	3/4	893.69	3/4	564.30	3/4	220.32	3/4	
4		4	4,766.85	4	4,507.82	4	4,180.20	4	3,851.90	4	3,522.44	4	3,192.99	4	2,863.54	4	2,534.09	4	2,204.63	4	1,875.18	4	1,216.27	4	886.83	4	557.43	4	214.14	4	
1/4	4,765.96	1/4	4,500.99	1/4	4,173.38	1/4	3,845.03	1/4	3,515.58	1/4	3,186.13	1/4	2,856.67	1/4	2,527.22	1/4	2,197.77	1/4	1,868.32	1/4	1,538.86	1/4	1,209.41	1/4	879.96	1/4	550.57	1/4	207.98	1/4	
1/2	4,764.78	1/2	4,494.17	1/2	4,166.56	1/2	3,838.17	1/2	3,508.72	1/2	3,179.26	1/2	2,849.81	1/2	2,520.36	1/2	2,190.91	1/2	1,861.45	1/2	1,532.00	1/2	1,202.55	1/2	873.10	1/2	543.76	1/2	201.84	1/2	
3/4	4,763.32	3/4	4,487.34	3/4	4,159.73	3/4	3,831.31	3/4	3,501.85	3/4	3,172.40	3/4	2,842.95	3/4	2,513.49	3/4	2,184.04	3/4	1,854.59	3/4	1,525.14	3/4	1,195.68	3/4	866.24	3/4	536.95	3/4	195.72	3/4	
5		5	4,761.59	5	4,480.51	5	4,152.91	5	3,824.44	5	3,494.99	5	3,165.54	5	2,836.08	5	2,506.63	5	2,177.18	5	1,847.73	5	1,188.82	5	859.38	5	530.14	5	189.61	5	
1/4	4,759.57	1/4	4,473.69	1/4	4,146.08	1/4	3,817.58	1/4	3,488.13	1/4	3,158.67	1/4	2,829.22	1/4	2,499.77	1/4	2,170.31	1/4	1,840.86	1/4	1,511.41	1/4	1,181.96	1/4	852.52	1/4	523.33	1/4	183.53	1/4	
1/2	4,757.28	1/2	4,466.86	1/2	4,139.26	1/2	3,810.72	1/2	3,481.26	1/2	3,151.81	1/2	2,822.36	1/2	2,492.90	1/2	2,163.45	1/2	1,834.00	1/2	1,504.55	1/2	1,175.09	1/2	845.66	1/2	516.52	1/2	177.46	1/2	
3/4	4,754.70	3/4	4,460.03	3/4	4,132.44	3/4	3,803.85	3/4	3,474.40	3/4	3,144.95	3/4	2,815.49	3/4	2,486.04	3/4	2,156.59	3/4	1,827.13	3/4	1,497.68	3/4	1,168.23	3/4	838.80	3/4	509.71	3/4	171.41	3/4	
6		6	4,751.85	6	4,453.21	6	4,125.61	6	3,796.99	6	3,467.54	6	3,138.08	6	2,808.63	6	2,479.18	6	2,149.72	6	1,820.27	6	1,161.37	6	831.94	6	502.90	6	165.38	6	
1/4	4,748.71	1/4	4,446.38	1/4	4,118.79	1/4	3,790.12	1/4	3,460.67	1/4	3,131.22	1/4	2,801.77	1/4	2,472.31	1/4	2,142.86	1/4	1,813.41	1/4	1,483.95	1/4	1,154.50	1/4	825.08	1/4	496.09	1/4	159.37	1/4	
1/2	4,745.30	1/2	4,439.55	1/2	4,111.96	1/2	3,783.26	1/2	3,453.81	1/2	3,124.36	1/2	2,794.90	1/2	2,465.45	1/2	2,136.00	1/2	1,806.54	1/2	1,477.09	1/2	1,147.64	1/2	818.22	1/2	489.28	1/2	153.38	1/2	
3/4	4,741.60	3/4	4,432.73	3/4	4,105.14	3/4	3,776.40	3/4	3,446.94	3/4	3,117.49	3/4	2,788.04	3/4	2,458.59	3/4	2,129.13	3/4	1,799.68	3/4	1,470.23	3/4	1,140.77	3/4	811.35	3/4	482.47	3/4	147.41	3/4	
7		7	4,737.63	7	4,425.90	7	4,098.31	7	3,769.53	7	3,440.08	7	3,110.63	7	2,781.18	7	2,451.72	7	2,122.27	7	1,792.82	7	1,163.36	7	804.49	7	475.67	7	141.46	7	
1/4	4,733.38	1/4	4,419.08	1/4	4,091.49	1/4	3,762.67	1/4	3,433.22	1/4	3,103.76	1/4	2,774.31	1/4	2,444.86	1/4	2,115.41	1/4	1,785.95	1/4	1,456.50	1/4	1,127.05	1/4	797.63	1/4	468.86	1/4	135.53	1/4	
1/2	4,728.84	1/2	4,412.25	1/2	4,084.67	1/2	3,755.81	1/2	3,426.35	1/2	3,096.90	1/2	2,767.45	1/2	2,437.99	1/2	2,108.54	1/2	1,779.09	1/2	1,449.64	1/2	1,120.18	1/2	790.77	1/2	462.05	1/2	129.63	1/2	
3/4	4,724.03	3/4	4,405.42	3/4	4,077.84	3/4	3,748.94	3/4	3,419.49	3/4	3,090.04	3/4	2,760.58	3/4	2,431.13	3/4	2,101.68	3/4	1,772.23	3/4	1,442.77	3/4	1,113.32	3/4	783.91	3/4	455.24	3/4	123.74	3/4	
8		8	4,718.94	8	4,398.60	8	4,071.02	8	3,742.08	8	3,412.63	8	3,083.17	8	2,753.72	8	2,424.27	8	2,094.81	8	1,765.36	8	1,106.46	8	777.05	8	448.43	8	117.87	8	
1/4	4,713.56	1/4	4,391.77	1/4	4,064.19	1/4	3,735.22	1/4	3,405.76	1/4	3,076.31	1/4	2,746.86	1/4	2,417.40	1/4	2,087.95	1/4	1,758.50	1/4	1,429.05	1/4	1,099.59	1/4	770.19	1/4	414.46	1/4	112.03	1/4	
1/2	4,707.91	1/2	4,384.94	1/2	4,057.37	1/2	3,728.35	1/2	3,398.90	1/2	3,069.45	1/2	2,739.99	1/2	2,410.54	1/2	2,081.09	1/2	1,751.63	1/2	1,422.18	1/2	1,092.73	1/2	763.33	1/2	407.71	1/2	106.20	1/2	
3/4	4,701.98	3/4	4,378.12	3/4	4,050.55	3/4	3,721.49																								

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	4,623.30	0	4,297.25	0	3,969.70	0	3,640.18	0	3,310.67	0	2,981.15	0	2,651.64	0	2,322.12	0	1,992.61	0	1,663.09	0	1,333.58	0	1,004.06	0	674.85	0	321.82	0	33.49
1/4		1/4	4,616.61	1/4	4,290.43	1/4	3,962.83	1/4	3,633.32	1/4	3,303.80	1/4	2,974.29	1/4	2,644.77	1/4	2,315.26	1/4	1,985.74	1/4	1,656.23	1/4	1,326.71	1/4	997.20	1/4	667.99	1/4	315.33	1/4	28.88
1/2		1/2	4,609.91	1/2	4,283.61	1/2	3,955.97	1/2	3,626.45	1/2	3,296.94	1/2	2,967.42	1/2	2,637.91	1/2	2,308.39	1/2	1,978.88	1/2	1,649.36	1/2	1,319.85	1/2	990.33	1/2	661.13	1/2	308.87	1/2	24.64
3/4		3/4	4,603.21	3/4	4,276.78	3/4	3,949.10	3/4	3,619.59	3/4	3,290.07	3/4	2,960.56	3/4	2,631.04	3/4	2,301.53	3/4	1,972.01	3/4	1,642.50	3/4	1,312.98	3/4	983.47	3/4	654.26	3/4	302.43	3/4	20.74
1		1	4,596.51	1	4,269.96	1	3,942.24	1	3,612.72	1	3,283.21	1	2,953.69	1	2,624.18	1	2,294.66	1	1,965.15	1	1,635.63	1	1,306.12	1	976.60	1	647.40	1	296.00	1	17.20
1/4		1/4	4,589.80	1/4	4,263.14	1/4	3,935.38	1/4	3,605.86	1/4	3,276.34	1/4	2,946.83	1/4	2,617.31	1/4	2,287.80	1/4	1,958.28	1/4	1,628.77	1/4	1,299.25	1/4	969.73	1/4	640.53	1/4	289.60	1/4	14.00
1/2		1/2	4,583.08	1/2	4,256.32	1/2	3,928.51	1/2	3,598.99	1/2	3,269.48	1/2	2,939.96	1/2	2,610.45	1/2	2,280.93	1/2	1,951.42	1/2	1,621.90	1/2	1,292.39	1/2	962.86	1/2	633.66	1/2	283.21	1/2	11.15
3/4		3/4	4,576.35	3/4	4,249.50	3/4	3,921.65	3/4	3,592.13	3/4	3,262.61	3/4	2,933.10	3/4	2,603.58	3/4	2,274.07	3/4	1,944.55	3/4	1,615.04	3/4	1,285.52	3/4	956.01	3/4	626.80	3/4	276.84	3/4	
2		2	4,569.62	2	4,242.67	2	3,914.78	2	3,585.27	2	3,255.75	2	2,926.23	2	2,596.72	2	2,267.20	2	1,937.69	2	1,608.17	2	1,278.66	2	949.15	2	619.93	2	270.49	2	
1/4		1/4	4,562.88	1/4	4,235.85	1/4	3,907.92	1/4	3,578.40	1/4	3,248.89	1/4	2,919.37	1/4	2,589.85	1/4	2,260.34	1/4	1,930.82	1/4	1,601.31	1/4	1,271.79	1/4	942.29	1/4	613.06	1/4	264.16	1/4	
1/2		1/2	4,556.14	1/2	4,229.03	1/2	3,901.05	1/2	3,571.54	1/2	3,242.02	1/2	2,912.50	1/2	2,582.99	1/2	2,253.47	1/2	1,923.96	1/2	1,594.44	1/2	1,264.93	1/2	935.43	1/2	606.20	1/2	257.84	1/2	
3/4		3/4	4,549.38	3/4	4,222.21	3/4	3,894.19	3/4	3,564.67	3/4	3,235.16	3/4	2,905.64	3/4	2,576.12	3/4	2,246.61	3/4	1,917.09	3/4	1,587.58	3/4	1,258.06	3/4	928.57	3/4	599.33	3/4	251.55	3/4	
3		3	4,542.63	3	4,215.38	3	3,887.32	3	3,557.81	3	3,228.29	3	2,898.78	3	2,569.26	3	2,239.74	3	1,910.23	3	1,580.71	3	1,251.20	3	921.72	3	592.46	3	245.28	3	
1/4		1/4	4,535.86	1/4	4,208.56	1/4	3,880.46	1/4	3,550.94	1/4	3,221.43	1/4	2,891.91	1/4	2,562.40	1/4	2,232.88	1/4	1,903.36	1/4	1,573.85	1/4	1,244.33	1/4	914.86	1/4	585.60	1/4	239.02	1/4	
1/2	4,775.01	1/2	4,529.09	1/2	4,201.74	1/2	3,873.59	1/2	3,544.08	1/2	3,214.56	1/2	2,885.05	1/2	2,555.53	1/2	2,226.01	1/2	1,896.50	1/2	1,566.98	1/2	1,237.47	1/2	908.00	1/2	578.73	1/2	232.78	1/2	
3/4	4,774.67	3/4	4,522.28	3/4	4,194.92	3/4	3,866.73	3/4	3,537.21	3/4	3,207.70	3/4	2,878.18	3/4	2,548.67	3/4	2,219.15	3/4	1,889.63	3/4	1,560.12	3/4	1,230.60	3/4	901.14	3/4	571.86	3/4	226.56	3/4	
4	4,774.05	4	4,515.46	4	4,188.10	4	3,859.86	4	3,530.35	4	3,200.83	4	2,871.32	4	2,541.80	4	2,212.29	4	1,882.77	4	1,553.25	4	1,223.74	4	894.29	4	565.00	4	220.36	4	
1/4	4,773.16	1/4	4,508.64	1/4	4,181.27	1/4	3,853.00	1/4	3,523.48	1/4	3,193.97	1/4	2,864.45	1/4	2,534.94	1/4	2,205.42	1/4	1,875.91	1/4	1,546.39	1/4	1,216.87	1/4	887.43	1/4	558.13	1/4	214.18	1/4	
1/2	4,771.98	1/2	4,501.82	1/2	4,174.45	1/2	3,846.13	1/2	3,516.62	1/2	3,187.10	1/2	2,857.59	1/2	2,528.07	1/2	2,198.56	1/2	1,869.04	1/2	1,539.52	1/2	1,210.01	1/2	880.57	1/2	551.26	1/2	208.02	1/2	
3/4	4,770.52	3/4	4,495.00	3/4	4,167.63	3/4	3,839.27	3/4	3,509.75	3/4	3,180.24	3/4	2,850.72	3/4	2,521.21	3/4	2,191.69	3/4	1,862.18	3/4	1,532.66	3/4	1,203.14	3/4	873.71	3/4	544.42	3/4	201.88	3/4	
5	4,768.78	5	4,488.18	5	4,160.81	5	3,832.40	5	3,502.89	5	3,173.37	5	2,843.86	5	2,514.34	5	2,184.83	5	1,855.31	5	1,525.80	5	1,196.28	5	866.86	5	537.57	5	195.75	5	
1/4	4,766.77	1/4	4,481.37	1/4	4,153.98	1/4	3,825.54	1/4	3,496.02	1/4	3,166.51	1/4	2,836.99	1/4	2,507.48	1/4	2,177.96	1/4	1,848.45	1/4	1,518.93	1/4	1,189.42	1/4	860.00	1/4	530.72	1/4	189.65	1/4	
1/2	4,764.47	1/2	4,474.55	1/2	4,147.16	1/2	3,818.67	1/2	3,489.16	1/2	3,159.64	1/2	2,830.13	1/2	2,500.61	1/2	2,171.10	1/2	1,841.58	1/2	1,512.07	1/2	1,182.55	1/2	853.14	1/2	523.87	1/2	183.56	1/2	
3/4	4,761.89	3/4	4,467.73	3/4	4,140.34	3/4	3,811.81	3/4	3,482.29	3/4	3,152.78	3/4	2,823.26	3/4	2,493.75	3/4	2,164.23	3/4	1,834.72	3/4	1,505.20	3/4	1,175.69	3/4	846.28	3/4	517.02	3/4	177.49	3/4	
6	4,759.04	6	4,460.91	6	4,133.52	6	3,804.94	6	3,475.43	6	3,145.91	6	2,816.40	6	2,486.88	6	2,157.37	6	1,827.85	6	1,498.34	6	1,168.82	6	839.43	6	510.18	6	171.44	6	
1/4	4,755.90	1/4	4,454.09	1/4	4,126.70	1/4	3,798.08	1/4	3,468.56	1/4	3,139.05	1/4	2,809.53	1/4	2,480.02	1/4	2,150.50	1/4	1,820.99	1/4	1,491.47	1/4	1,161.96	1/4	832.57	1/4	503.33	1/4	165.41	1/4	
1/2	4,752.48	1/2	4,447.27	1/2	4,119.87	1/2	3,791.21	1/2	3,461.70	1/2	3,132.18	1/2	2,802.67	1/2	2,473.15	1/2	2,143.64	1/2	1,814.12	1/2	1,484.61	1/2	1,155.09	1/2	825.71	1/2	496.48	1/2	159.40	1/2	
3/4	4,748.79	3/4	4,440.46	3/4	4,113.05	3/4	3,784.35	3/4	3,454.83	3/4	3,125.32	3/4	2,795.80	3/4	2,466.29	3/4	2,136.77	3/4	1,807.26	3/4	1,477.74	3/4	1,148.23	3/4	818.85	3/4	489.63	3/4	153.41	3/4	
7	4,744.81	7	4,433.64	7	4,106.23	7	3,777.48	7	3,447.97	7	3,118.45	7	2,788.94	7	2,459.42	7	2,129.91	7	1,800.39	7	1,470.88	7	1,141.36	7	812.00	7	482.78	7	147.44	7	
1/4	4,740.56	1/4	4,426.82	1/4	4,099.41	1/4	3,770.62	1/4	3,441.10	1/4	3,111.59	1/4	2,782.07	1/4	2,452.56	1/4	2,123.04	1/4	1,793.53	1/4	1,464.01	1/4	1,134.50	1/4	805.14	1/4	475.94	1/4	141.49	1/4	
1/2	4,736.02	1/2	4,420.00	1/2	4,092.58	1/2	3,763.75	1/2	3,434.24	1/2	3,104.72	1/2	2,775.21	1/2	2,445.69	1/2	2,116.18	1/2	1,786.66	1/2	1,457.15	1/2	1,127.63	1/2	798.28	1/2	469.09	1/2	135.56	1/2	
3/4	4,731.21	3/4	4,413.18	3/4	4,085.76	3/4	3,756.89	3/4	3,427.37	3/4	3,097.86	3/4	2,768.34	3/4	2,438.83	3/4	2,109.31	3/4	1,779.80	3/4	1,450.28	3/4	1,120.77	3/4	791.42	3/4	462.24	3/4	129.65	3/4	
8	4,726.11	8																													

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/4"

Table with columns for depth (0 to 16 FT.) and rows for gauge height (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 5/13/2015 BY: JMF

DATE COMPUTED: 5/15/2015 BY: WHF

DATE ISSUED: 5/15/2015



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 1/2"

Table with columns for depth (0 to 16 FT.) and corresponding capacity values in barrels. The table is organized into 16 vertical sections, each representing a 1-foot depth interval. Each section contains 5 rows for different gauge heights (0, 1/4, 1/2, 3/4, and full depth).

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 5/13/2015 BY: JMF
DATE COMPUTED: 5/15/2015 BY: WHF
DATE ISSUED: 5/15/2015





BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 1 3/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	4,443.87	0	4,203.08	0	3,961.89	0	3,720.70	0	3,479.51	0	3,192.78	0	2,842.92	0	2,492.90	0	2,142.64	0	1,792.38	0	1,442.13	0	1,091.90	0	742.32	0	392.13	0	43.99
1/4		1/4	4,438.93	1/4	4,198.06	1/4	3,956.87	1/4	3,715.68	1/4	3,474.49	1/4	3,185.49	1/4	2,835.63	1/4	2,485.61	1/4	2,135.35	1/4	1,785.08	1/4	1,434.83	1/4	1,084.61	1/4	735.03	1/4	384.83	1/4	37.97
1/2		1/2	4,434.00	1/2	4,193.03	1/2	3,951.84	1/2	3,710.65	1/2	3,469.46	1/2	3,178.21	1/2	2,828.34	1/2	2,478.32	1/2	2,128.05	1/2	1,777.79	1/2	1,427.53	1/2	1,077.32	1/2	727.73	1/2	377.53	1/2	32.40
3/4		3/4	4,429.05	3/4	4,188.01	3/4	3,946.82	3/4	3,705.63	3/4	3,464.44	3/4	3,170.92	3/4	2,821.05	3/4	2,471.02	3/4	2,120.75	3/4	1,770.49	3/4	1,420.24	3/4	1,070.04	3/4	720.44	3/4	370.24	3/4	27.27
1		1	4,424.11	1	4,182.98	1	3,941.79	1	3,700.60	1	3,459.41	1	3,163.63	1	2,813.76	1	2,463.72	1	2,113.45	1	1,763.19	1	1,412.94	1	1,062.75	1	713.14	1	362.94	1	22.59
1/4		1/4	4,419.15	1/4	4,177.96	1/4	3,936.77	1/4	3,695.58	1/4	3,454.39	1/4	3,156.34	1/4	2,806.46	1/4	2,456.43	1/4	2,106.16	1/4	1,755.90	1/4	1,405.64	1/4	1,055.47	1/4	705.85	1/4	355.65	1/4	18.36
1/2		1/2	4,414.15	1/2	4,172.93	1/2	3,931.74	1/2	3,690.55	1/2	3,449.36	1/2	3,149.05	1/2	2,799.17	1/2	2,449.13	1/2	2,098.86	1/2	1,748.60	1/2	1,398.35	1/2	1,048.18	1/2	698.55	1/2	348.35	1/2	14.57
3/4		3/4	4,409.14	3/4	4,167.91	3/4	3,926.72	3/4	3,685.53	3/4	3,444.32	3/4	3,141.77	3/4	2,791.88	3/4	2,441.83	3/4	2,091.56	3/4	1,741.30	3/4	1,391.05	3/4	1,040.90	3/4	691.25	3/4	341.06	3/4	11.23
2		2	4,404.12	2	4,162.89	2	3,921.69	2	3,680.50	2	3,439.28	2	3,134.48	2	2,784.59	2	2,434.54	2	2,084.27	2	1,734.00	2	1,383.75	2	1,033.62	2	683.96	2	333.76	2	=====
1/4		1/4	4,399.10	1/4	4,157.86	1/4	3,916.67	1/4	3,675.48	1/4	3,434.24	1/4	3,127.19	1/4	2,777.30	1/4	2,427.24	1/4	2,076.97	1/4	1,726.71	1/4	1,376.46	1/4	1,026.34	1/4	676.66	1/4	326.46	1/4	=====
1/2	4,572.52	1/2	4,394.08	1/2	4,152.84	1/2	3,911.65	1/2	3,670.45	1/2	3,429.20	1/2	3,119.90	1/2	2,770.00	1/2	2,419.94	1/2	2,069.67	1/2	1,719.41	1/2	1,369.16	1/2	1,019.06	1/2	669.37	1/2	319.17	1/2	=====
3/4	4,572.38	3/4	4,389.05	3/4	4,147.81	3/4	3,906.62	3/4	3,665.43	3/4	3,424.16	3/4	3,112.62	3/4	2,762.71	3/4	2,412.64	3/4	2,062.37	3/4	1,712.11	3/4	1,361.86	3/4	1,011.78	3/4	662.07	3/4	311.87	3/4	=====
3	4,572.04	3	4,384.02	3	4,142.79	3	3,901.60	3	3,660.41	3	3,419.12	3	3,105.33	3	2,755.42	3	2,405.35	3	2,055.08	3	1,704.82	3	1,354.57	3	1,004.49	3	654.77	3	304.58	3	=====
1/4	4,571.48	1/4	4,378.99	1/4	4,137.76	1/4	3,896.57	1/4	3,655.38	1/4	3,414.09	1/4	3,098.04	1/4	2,748.13	1/4	2,398.05	1/4	2,047.78	1/4	1,697.52	1/4	1,347.27	1/4	997.21	1/4	647.48	1/4	297.28	1/4	=====
1/2	4,570.73	1/2	4,373.96	1/2	4,132.74	1/2	3,891.55	1/2	3,650.36	1/2	3,409.05	1/2	3,090.75	1/2	2,740.83	1/2	2,390.75	1/2	2,040.48	1/2	1,690.22	1/2	1,339.97	1/2	989.93	1/2	640.18	1/2	289.98	1/2	=====
3/4	4,569.77	3/4	4,368.93	3/4	4,127.71	3/4	3,886.52	3/4	3,645.33	3/4	3,404.01	3/4	3,083.46	3/4	2,733.54	3/4	2,383.45	3/4	2,033.18	3/4	1,682.93	3/4	1,332.68	3/4	982.65	3/4	632.89	3/4	282.69	3/4	=====
4	4,568.60	4	4,363.90	4	4,122.69	4	3,881.50	4	3,640.31	4	3,398.98	4	3,076.18	4	2,726.25	4	2,376.16	4	2,025.89	4	1,675.63	4	1,325.38	4	975.37	4	625.59	4	275.39	4	=====
1/4	4,567.23	1/4	4,358.87	1/4	4,117.66	1/4	3,876.47	1/4	3,635.28	1/4	3,393.94	1/4	3,068.89	1/4	2,718.96	1/4	2,368.86	1/4	2,018.59	1/4	1,668.33	1/4	1,318.08	1/4	968.09	1/4	618.30	1/4	268.10	1/4	=====
1/2	4,565.65	1/2	4,353.85	1/2	4,112.64	1/2	3,871.45	1/2	3,630.26	1/2	3,388.90	1/2	3,061.60	1/2	2,711.67	1/2	2,361.56	1/2	2,011.29	1/2	1,661.03	1/2	1,310.79	1/2	960.81	1/2	611.00	1/2	260.80	1/2	=====
3/4	4,563.87	3/4	4,348.82	3/4	4,107.61	3/4	3,866.42	3/4	3,625.23	3/4	3,383.49	3/4	3,054.31	3/4	2,704.37	3/4	2,354.27	3/4	2,003.99	3/4	1,653.74	3/4	1,303.49	3/4	953.53	3/4	603.70	3/4	253.51	3/4	=====
5	4,561.88	5	4,343.79	5	4,102.59	5	3,861.40	5	3,620.21	5	3,378.08	5	3,047.03	5	2,697.08	5	2,346.97	5	1,996.70	5	1,646.44	5	1,296.19	5	946.25	5	596.41	5	246.21	5	=====
1/4	4,559.68	1/4	4,338.76	1/4	4,097.56	1/4	3,856.37	1/4	3,615.18	1/4	3,372.67	1/4	3,039.74	1/4	2,689.79	1/4	2,339.67	1/4	1,989.40	1/4	1,639.14	1/4	1,288.90	1/4	938.97	1/4	589.11	1/4	238.91	1/4	=====
1/2	4,557.28	1/2	4,333.73	1/2	4,092.54	1/2	3,851.35	1/2	3,610.16	1/2	3,367.26	1/2	3,032.45	1/2	2,682.50	1/2	2,332.37	1/2	1,982.10	1/2	1,631.85	1/2	1,281.60	1/2	931.68	1/2	581.82	1/2	231.62	1/2	=====
3/4	4,554.67	3/4	4,328.70	3/4	4,087.51	3/4	3,846.32	3/4	3,605.13	3/4	3,361.47	3/4	3,025.16	3/4	2,675.21	3/4	2,325.08	3/4	1,974.81	3/4	1,624.55	3/4	1,274.30	3/4	924.40	3/4	574.52	3/4	224.32	3/4	=====
6	4,551.86	6	4,323.68	6	4,082.49	6	3,841.30	6	3,600.11	6	3,355.68	6	3,017.87	6	2,667.91	6	2,317.78	6	1,967.51	6	1,617.25	6	1,267.01	6	917.12	6	567.22	6	217.03	6	=====
1/4	4,548.84	1/4	4,318.65	1/4	4,077.46	1/4	3,836.27	1/4	3,595.08	1/4	3,349.90	1/4	3,010.59	1/4	2,660.62	1/4	2,310.48	1/4	1,960.21	1/4	1,609.96	1/4	1,259.71	1/4	909.84	1/4	559.93	1/4	209.73	1/4	=====
1/2	4,545.62	1/2	4,313.63	1/2	4,072.44	1/2	3,831.25	1/2	3,590.06	1/2	3,344.11	1/2	3,003.30	1/2	2,653.33	1/2	2,303.18	1/2	1,952.91	1/2	1,602.66	1/2	1,252.41	1/2	902.56	1/2	552.63	1/2	202.44	1/2	=====
3/4	4,542.19	3/4	4,308.60	3/4	4,067.41	3/4	3,826.22	3/4	3,585.03	3/4	3,337.95	3/4	2,996.01	3/4	2,646.04	3/4	2,295.89	3/4	1,945.62	3/4	1,595.36	3/4	1,245.11	3/4	895.28	3/4	545.34	3/4	195.15	3/4	=====
7	4,538.56	7	4,303.58	7	4,062.39	7	3,821.20	7	3,580.01	7	3,331.78	7	2,988.72	7	2,638.75	7	2,288.59	7	1,938.32	7	1,588.07	7	1,237.82	7	888.00	7	538.04	7	187.85	7	=====
1/4	4,534.72	1/4	4,298.55	1/4	4,057.36	1/4	3,816.17	1/4	3,574.98	1/4	3,325.62	1/4	2,981.44	1/4	2,631.45	1/4	2,281.29	1/4	1,931.02	1/4	1,580.77	1/4	1,230.52	1/4	880.72	1/4	530.75	1/4	180.56	1/4	=====
1/2	4,530.67	1/2	4,293.53	1/2	4,052.34	1/2	3,811.15	1/2	3,569.96	1/2	3,319.46	1/2	2,974.15	1/2	2,624.16	1/2	2,273.99	1/2	1,923.73	1/2	1,573.47	1/2	1,223.22	1/2	873.44	1/2	523.45	1/2	173.28	1/2	=====
3/4	4,526.42	3/4	4,288.51	3/4	4,047.31	3/4	3,806.12	3/4	3,564.93	3/4	3,312.92	3/4	2,966.86	3/4	2,616.87	3/4	2,266.70	3/4	1,916.43	3/4	1,566.17	3/4	1,215.93	3/4	866.16	3/4	516.15	3/4	165.99	3/4	=====
8	4,521.97	8	4,283.48	8	4,042.29	8	3,801.10	8	3,559.91	8	3,306.38	8	2,959.57	8	2,609.58	8	2,259.40	8	1,909.13	8	1,558.88	8	1,208.63	8	858.87	8	508.86	8	158.71	8	=====
1/4	4,517.31	1/4	4,278.46	1/4	4,037.27	1/4	3,796.07	1/4	3,554.88	1/4	3,299.85	1/4	2,952.28	1/4	2,602.29	1/4	2,252.10	1/4	1,901.84	1/4	1,551.58	1/4	1,201.33	1/4	851.59	1/4	501.56	1/4	151.43	1/4	=====
1/2	4,512.44	1/2	4,273.43	1/2	4,032.24	1/2	3,791.05	1/2	3,549.86	1/2	3,293.31	1/2	2,945.00	1/2	2,594.99	1/2	2,244.81	1/2	1,894.54	1/2	1,544.28	1/2	1,194.03	1/2	844.31	1/2	494.27				



BARGE: NGL 3018

HULL No. JEFFBOAT 14-2897

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	4,448.67	0	4,208.45	0	3,967.62	0	3,725.79	0	3,483.88	0	3,201.71	0	2,852.12	0	2,502.35	0	2,152.58	0	1,802.82	0	1,453.14	0	1,103.54	0	756.01	0	406.38	0	57.35
1/4		1/4	4,443.75	1/4	4,203.43	1/4	3,962.60	1/4	3,720.75	1/4	3,478.84	1/4	3,194.42	1/4	2,844.83	1/4	2,495.06	1/4	2,145.30	1/4	1,795.54	1/4	1,445.85	1/4	1,096.26	1/4	748.75	1/4	399.09	1/4	50.44
1/2		1/2	4,438.83	1/2	4,198.41	1/2	3,957.58	1/2	3,715.71	1/2	3,473.80	1/2	3,187.14	1/2	2,837.54	1/2	2,487.78	1/2	2,138.01	1/2	1,788.25	1/2	1,438.57	1/2	1,088.99	1/2	741.49	1/2	391.81	1/2	43.98
3/4		3/4	4,433.91	3/4	4,193.39	3/4	3,952.56	3/4	3,710.67	3/4	3,468.76	3/4	3,179.86	3/4	2,830.25	3/4	2,480.49	3/4	2,130.72	3/4	1,780.96	3/4	1,431.29	3/4	1,081.72	3/4	734.22	3/4	384.52	3/4	37.97
1		1	4,428.98	1	4,188.38	1	3,947.55	1	3,705.63	1	3,463.72	1	3,172.58	1	2,822.97	1	2,473.20	1	2,123.44	1	1,773.68	1	1,424.00	1	1,074.45	1	726.96	1	377.24	1	32.39
1/4		1/4	4,424.04	1/4	4,183.36	1/4	3,942.51	1/4	3,700.59	1/4	3,458.68	1/4	3,165.29	1/4	2,815.68	1/4	2,465.91	1/4	2,116.15	1/4	1,766.39	1/4	1,416.72	1/4	1,067.17	1/4	719.67	1/4	369.95	1/4	27.27
1/2		1/2	4,419.10	1/2	4,178.34	1/2	3,937.47	1/2	3,695.55	1/2	3,453.64	1/2	3,158.01	1/2	2,808.39	1/2	2,458.63	1/2	2,108.86	1/2	1,759.10	1/2	1,409.44	1/2	1,059.90	1/2	712.39	1/2	362.67	1/2	22.59
3/4		3/4	4,414.16	3/4	4,173.32	3/4	3,932.43	3/4	3,690.51	3/4	3,448.60	3/4	3,150.73	3/4	2,801.11	3/4	2,451.34	3/4	2,101.57	3/4	1,751.82	3/4	1,402.15	3/4	1,052.63	3/4	705.10	3/4	355.38	3/4	18.36
2		2	4,409.16	2	4,168.31	2	3,927.39	2	3,685.47	2	3,443.56	2	3,143.45	2	2,793.82	2	2,444.05	2	2,094.29	2	1,744.53	2	1,394.87	2	1,045.36	2	697.82	2	348.09	2	14.57
1/4		1/4	4,404.16	1/4	4,163.29	1/4	3,922.35	1/4	3,680.43	1/4	3,438.52	1/4	3,136.16	1/4	2,786.53	1/4	2,436.77	1/4	2,087.00	1/4	1,737.24	1/4	1,387.59	1/4	1,038.12	1/4	690.53	1/4	340.81	1/4	
1/2		1/2	4,399.15	1/2	4,158.27	1/2	3,917.31	1/2	3,675.39	1/2	3,433.48	1/2	3,128.88	1/2	2,779.25	1/2	2,429.48	1/2	2,079.71	1/2	1,729.96	1/2	1,380.30	1/2	1,030.89	1/2	683.24	1/2	333.52	1/2	
3/4		3/4	4,394.14	3/4	4,153.26	3/4	3,912.27	3/4	3,670.35	3/4	3,428.44	3/4	3,121.60	3/4	2,771.96	3/4	2,422.19	3/4	2,072.43	3/4	1,722.67	3/4	1,373.02	3/4	1,023.66	3/4	675.96	3/4	326.24	3/4	
3	4,567.22	3	4,389.12	3	4,148.24	3	3,907.23	3	3,665.31	3	3,423.40	3	3,114.32	3	2,764.67	3	2,414.91	3	2,065.14	3	1,715.39	3	1,365.74	3	1,016.42	3	668.67	3	318.95	3	
1/4	4,567.08	1/4	4,384.10	1/4	4,143.22	1/4	3,902.19	1/4	3,660.27	1/4	3,418.36	1/4	3,107.03	1/4	2,757.39	1/4	2,407.62	1/4	2,057.85	1/4	1,708.10	1/4	1,358.45	1/4	1,009.19	1/4	661.39	1/4	311.66	1/4	
1/2	4,566.75	1/2	4,379.08	1/2	4,138.20	1/2	3,897.15	1/2	3,655.23	1/2	3,413.32	1/2	3,099.75	1/2	2,750.10	1/2	2,400.33	1/2	2,050.57	1/2	1,700.81	1/2	1,351.17	1/2	1,001.96	1/2	654.10	1/2	304.38	1/2	
3/4	4,566.20	3/4	4,374.06	3/4	4,133.19	3/4	3,892.11	3/4	3,650.19	3/4	3,408.28	3/4	3,092.47	3/4	2,742.81	3/4	2,393.05	3/4	2,043.28	3/4	1,693.53	3/4	1,343.89	3/4	994.73	3/4	646.82	3/4	297.09	3/4	
4	4,565.45	4	4,369.03	4	4,128.17	4	3,887.07	4	3,645.15	4	3,403.24	4	3,085.19	4	2,735.53	4	2,385.76	4	2,035.99	4	1,686.24	4	1,336.61	4	987.49	4	639.53	4	289.81	4	
1/4	4,564.49	1/4	4,364.01	1/4	4,123.15	1/4	3,882.03	1/4	3,640.11	1/4	3,398.21	1/4	3,077.90	1/4	2,728.24	1/4	2,378.47	1/4	2,028.71	1/4	1,678.95	1/4	1,329.32	1/4	980.26	1/4	632.24	1/4	282.52	1/4	
1/2	4,563.33	1/2	4,358.99	1/2	4,118.13	1/2	3,876.99	1/2	3,635.07	1/2	3,393.17	1/2	3,072.62	1/2	2,720.95	1/2	2,371.19	1/2	2,021.42	1/2	1,671.67	1/2	1,322.04	1/2	973.03	1/2	624.96	1/2	275.23	1/2	
3/4	4,561.97	3/4	4,353.97	3/4	4,113.12	3/4	3,871.95	3/4	3,630.03	3/4	3,388.14	3/4	3,070.63	3/4	2,713.67	3/4	2,363.90	3/4	2,014.13	3/4	1,664.38	3/4	1,314.76	3/4	965.79	3/4	617.67	3/4	267.95	3/4	
5	4,560.40	5	4,348.95	5	4,108.10	5	3,866.91	5	3,624.99	5	3,383.11	5	3,056.06	5	2,706.38	5	2,356.61	5	2,006.85	5	1,657.09	5	1,307.47	5	958.56	5	610.39	5	260.66	5	
1/4	4,558.62	1/4	4,343.93	1/4	4,103.08	1/4	3,861.87	1/4	3,619.95	1/4	3,377.70	1/4	3,048.78	1/4	2,699.09	1/4	2,349.33	1/4	1,999.56	1/4	1,649.81	1/4	1,300.19	1/4	951.33	1/4	603.10	1/4	253.38	1/4	
1/2	4,556.63	1/2	4,338.90	1/2	4,098.06	1/2	3,856.83	1/2	3,614.91	1/2	3,372.29	1/2	3,041.49	1/2	2,691.81	1/2	2,342.04	1/2	1,992.27	1/2	1,642.52	1/2	1,292.91	1/2	944.10	1/2	595.81	1/2	246.09	1/2	
3/4	4,554.45	3/4	4,333.88	3/4	4,093.05	3/4	3,851.79	3/4	3,609.87	3/4	3,366.89	3/4	3,034.21	3/4	2,684.52	3/4	2,334.75	3/4	1,984.99	3/4	1,635.23	3/4	1,285.62	3/4	936.86	3/4	588.53	3/4	238.81	3/4	
6	4,552.05	6	4,328.86	6	4,088.03	6	3,846.75	6	3,604.83	6	3,361.48	6	3,026.93	6	2,677.23	6	2,327.47	6	1,977.70	6	1,627.95	6	1,278.34	6	929.63	6	581.24	6	231.52	6	
1/4	4,549.45	1/4	4,323.84	1/4	4,083.01	1/4	3,841.71	1/4	3,599.79	1/4	3,355.70	1/4	3,019.65	1/4	2,669.95	1/4	2,320.18	1/4	1,970.41	1/4	1,620.66	1/4	1,271.06	1/4	922.40	1/4	573.96	1/4	224.23	1/4	
1/2	4,546.65	1/2	4,318.83	1/2	4,078.00	1/2	3,836.67	1/2	3,594.75	1/2	3,349.92	1/2	3,012.36	1/2	2,662.66	1/2	2,312.89	1/2	1,963.13	1/2	1,613.37	1/2	1,263.77	1/2	915.16	1/2	566.67	1/2	216.95	1/2	
3/4	4,543.64	3/4	4,313.81	3/4	4,072.98	3/4	3,831.63	3/4	3,589.71	3/4	3,344.13	3/4	3,005.08	3/4	2,655.37	3/4	2,305.61	3/4	1,955.84	3/4	1,606.09	3/4	1,256.49	3/4	907.93	3/4	559.38	3/4	209.66	3/4	
7	4,540.42	7	4,308.79	7	4,067.96	7	3,826.59	7	3,584.67	7	3,338.35	7	2,997.80	7	2,648.08	7	2,298.32	7	1,948.55	7	1,598.80	7	1,249.21	7	900.70	7	552.10	7	202.38	7	
1/4	4,537.00	1/4	4,303.77	1/4	4,062.94	1/4	3,821.55	1/4	3,579.63	1/4	3,332.19	1/4	2,990.52	1/4	2,640.80	1/4	2,291.03	1/4	1,941.27	1/4	1,591.52	1/4	1,241.92	1/4	893.47	1/4	544.81	1/4	195.09	1/4	
1/2	4,533.37	1/2	4,298.76	1/2	4,057.93	1/2	3,816.51	1/2	3,574.59	1/2	3,326.04	1/2	2,983.23	1/2	2,633.51	1/2	2,283.74	1/2	1,933.98	1/2	1,584.23	1/2	1,234.64	1/2	886.23	1/2	537.53	1/2	187.80	1/2	
3/4	4,529.54	3/4	4,293.74	3/4	4,052.91	3/4	3,811.47	3/4	3,569.55	3/4	3,319.88	3/4	2,975.95	3/4	2,626.22	3/4	2,276.46	3/4	1,926.69	3/4	1,576.95	3/4	1,227.36	3/4	879.00	3/4	530.24	3/4	180.51	3/4	
8	4,525																														



BARGE: NGL 3018
HULL No. JEFFBOAT 14-2897

SLOP TANK PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 4 1/2"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	1	6	361	0	924	6	1,486	0	2,049	6	2,611	0	3,174	6	3,736	0	4,299	6	4,861	0	
1/8	2	1/8	373	1/8	935	1/8	1,498	1/8	2,060	1/8	2,623	1/8	3,186	1/8	3,748	1/8	4,311	1/8	4,873	1/8	
1/4	4	1/4	384	1/4	947	1/4	1,510	1/4	2,072	1/4	2,635	1/4	3,197	1/4	3,760	1/4	4,322	1/4	4,885	1/4	
3/8	5	3/8	396	3/8	959	3/8	1,521	3/8	2,084	3/8	2,646	3/8	3,209	3/8	3,772	3/8	4,334	3/8	4,897	3/8	
1/2	7	1/2	408	1/2	970	1/2	1,533	1/2	2,096	1/2	2,658	1/2	3,221	1/2	3,783	1/2	4,346	1/2	4,908	1/2	
5/8	9	5/8	420	5/8	982	5/8	1,545	5/8	2,107	5/8	2,670	5/8	3,232	5/8	3,795	5/8	4,358	5/8	4,920	5/8	
3/4	12	3/4	431	3/4	994	3/4	1,556	3/4	2,119	3/4	2,682	3/4	3,244	3/4	3,807	3/4	4,369	3/4	4,932	3/4	
7/8	14	7/8	443	7/8	1,006	7/8	1,568	7/8	2,131	7/8	2,693	7/8	3,256	7/8	3,818	7/8	4,381	7/8	4,944	7/8	
1	17	7	455	1	1,017	7	1,580	1	2,142	7	2,705	1	3,268	7	3,830	1	4,393	7	4,955	1	
1/8	21	1/8	467	1/8	1,029	1/8	1,592	1/8	2,154	1/8	2,717	1/8	3,279	1/8	3,842	1/8	4,404	1/8	4,967	1/8	
1/4	24	1/4	478	1/4	1,041	1/4	1,603	1/4	2,166	1/4	2,728	1/4	3,291	1/4	3,854	1/4	4,416	1/4	4,979	1/4	
3/8	28	3/8	490	3/8	1,053	3/8	1,615	3/8	2,178	3/8	2,740	3/8	3,303	3/8	3,865	3/8	4,428	3/8	4,990	3/8	
1/2	32	1/2	502	1/2	1,064	1/2	1,627	1/2	2,189	1/2	2,752	1/2	3,314	1/2	3,877	1/2	4,440	1/2	5,002	1/2	
5/8	37	5/8	513	5/8	1,076	5/8	1,639	5/8	2,201	5/8	2,764	5/8	3,326	5/8	3,889	5/8	4,451	5/8	5,014	5/8	
3/4	41	3/4	525	3/4	1,088	3/4	1,650	3/4	2,213	3/4	2,775	3/4	3,338	3/4	3,900	3/4	4,463	3/4	5,026	3/4	
7/8	46	7/8	537	7/8	1,099	7/8	1,662	7/8	2,224	7/8	2,787	7/8	3,350	7/8	3,912	7/8	4,475	7/8	5,037	7/8	
2	52	8	549	2	1,111	8	1,674	2	2,236	8	2,799	2	3,361	8	3,924	2	4,486	8	5,049	2	
1/8	57	1/8	560	1/8	1,123	1/8	1,685	1/8	2,248	1/8	2,810	1/8	3,373	1/8	3,936	1/8	4,498	1/8	5,061	1/8	
1/4	63	1/4	572	1/4	1,135	1/4	1,697	1/4	2,260	1/4	2,822	1/4	3,385	1/4	3,947	1/4	4,510	1/4	5,072	1/4	
3/8	69	3/8	584	3/8	1,146	3/8	1,709	3/8	2,271	3/8	2,834	3/8	3,396	3/8	3,959	3/8	4,522	3/8	5,084	3/8	
1/2	76	1/2	595	1/2	1,158	1/2	1,721	1/2	2,283	1/2	2,846	1/2	3,408	1/2	3,971	1/2	4,533	1/2	5,096	1/2	
5/8	82	5/8	607	5/8	1,170	5/8	1,732	5/8	2,295	5/8	2,857	5/8	3,420	5/8	3,982	5/8	4,545	5/8	5,108	5/8	
3/4	89	3/4	619	3/4	1,181	3/4	1,744	3/4	2,307	3/4	2,869	3/4	3,432	3/4	3,994	3/4	4,557	3/4	5,119	3/4	
7/8	97	7/8	631	7/8	1,193	7/8	1,756	7/8	2,318	7/8	2,881	7/8	3,443	7/8	4,006	7/8	4,568	7/8	5,131	7/8	
3	104	9	642	3	1,205	9	1,767	3	2,330	9	2,893	3	3,455	9	4,018	3	4,580	9	5,143	3	
1/8	112	1/8	654	1/8	1,217	1/8	1,779	1/8	2,342	1/8	2,904	1/8	3,467	1/8	4,029	1/8	4,592	1/8	5,154	1/8	
1/4	120	1/4	666	1/4	1,228	1/4	1,791	1/4	2,353	1/4	2,916	1/4	3,479	1/4	4,041	1/4	4,604	1/4	5,166	1/4	
3/8	129	3/8	677	3/8	1,240	3/8	1,803	3/8	2,365	3/8	2,928	3/8	3,490	3/8	4,053	3/8	4,615	3/8	5,178	3/8	
1/2	137	1/2	689	1/2	1,252	1/2	1,814	1/2	2,377	1/2	2,939	1/2	3,502	1/2	4,065	1/2	4,627	1/2	5,190	1/2	
5/8	146	5/8	701	5/8	1,263	5/8	1,826	5/8	2,389	5/8	2,951	5/8	3,514	5/8	4,076	5/8	4,639	5/8	5,201	5/8	
3/4	156	3/4	713	3/4	1,275	3/4	1,838	3/4	2,400	3/4	2,963	3/4	3,525	3/4	4,088	3/4	4,651	3/4	5,213	3/4	
7/8	165	7/8	724	7/8	1,287	7/8	1,849	7/8	2,412	7/8	2,975	7/8	3,537	7/8	4,100	7/8	4,662	7/8	5,225	7/8	
4	175	10	736	4	1,299	10	1,861	4	2,424	10	2,986	4	3,549	10	4,111	4	4,674	10	5,237	4	
1/8	185	1/8	748	1/8	1,310	1/8	1,873	1/8	2,435	1/8	2,998	1/8	3,561	1/8	4,123	1/8	4,686	1/8	5,248	1/8	
1/4	197	1/4	760	1/4	1,322	1/4	1,885	1/4	2,447	1/4	3,010	1/4	3,572	1/4	4,135	1/4	4,697	1/4	5,260	1/4	
3/8	209	3/8	771	3/8	1,334	3/8	1,896	3/8	2,459	3/8	3,021	3/8	3,584	3/8	4,147	3/8	4,709	3/8	5,272	3/8	
1/2	220	1/2	783	1/2	1,346	1/2	1,908	1/2	2,471	1/2	3,033	1/2	3,596	1/2	4,158	1/2	4,721	1/2	5,283	1/2	
5/8	232	5/8	795	5/8	1,357	5/8	1,920	5/8	2,482	5/8	3,045	5/8	3,607	5/8	4,170	5/8	4,733	5/8	5,295	5/8	
3/4	244	3/4	806	3/4	1,369	3/4	1,932	3/4	2,494	3/4	3,057	3/4	3,619	3/4	4,182	3/4	4,744	3/4	5,307	3/4	
5	267	11	830	5	1,392	11	1,955	5	2,517	11	3,080	5	3,643	11	4,205	5	4,768	11	5,330	5	
1/8	279	1/8	842	1/8	1,404	1/8	1,967	1/8	2,529	1/8	3,092	1/8	3,654	1/8	4,217	1/8	4,779	1/8	5,342	1/8	
1/4	291	1/4	853	1/4	1,416	1/4	1,978	1/4	2,541	1/4	3,103	1/4	3,666	1/4	4,229	1/4	4,791	1/4	5,354	1/4	
3/8	302	3/8	865	3/8	1,428	3/8	1,990	3/8	2,553	3/8	3,115	3/8	3,678	3/8	4,240	3/8	4,803	3/8	5,365	3/8	
1/2	314	1/2	877	1/2	1,439	1/2	2,002	1/2	2,564	1/2	3,127	1/2	3,689	1/2	4,252	1/2	4,815	1/2		1/2	
5/8	326	5/8	888	5/8	1,451	5/8	2,014	5/8	2,576	5/8	3,139	5/8	3,701	5/8	4,264	5/8	4,826	5/8		5/8	
3/4	338	3/4	900	3/4	1,463	3/4	2,025	3/4	2,588	3/4	3,150	3/4	3,713	3/4	4,275	3/4	4,838	3/4		3/4	
7/8	349	7/8	912	7/8	1,474	7/8	2,037	7/8	2,600	7/8	3,162	7/8	3,725	7/8	4,287	7/8	4,850	7/8		7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 5/13/2015 BY: JMF
DATE COMPUTED: 5/15/2015 BY: WHF
DATE ISSUED: 5/15/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK



BARGE: NGL 3018
HULL No. JEFFBOAT 14-2897

SLOP TANK STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	57	6	548	0	1,091	6	1,634	0	2,177	6	2,720	0	3,264	6	3,807	0	4,350	6	4,893	0	
1/8	63	1/8	559	1/8	1,102	1/8	1,645	1/8	2,188	1/8	2,732	1/8	3,275	1/8	3,818	1/8	4,361	1/8	4,904	1/8	
1/4	69	1/4	570	1/4	1,113	1/4	1,657	1/4	2,200	1/4	2,743	1/4	3,286	1/4	3,829	1/4	4,373	1/4	4,916	1/4	
3/8	76	3/8	581	3/8	1,125	3/8	1,668	3/8	2,211	3/8	2,754	3/8	3,297	3/8	3,841	3/8	4,384	3/8	4,927	3/8	
1/2	82	1/2	593	1/2	1,136	1/2	1,679	1/2	2,222	1/2	2,766	1/2	3,309	1/2	3,852	1/2	4,395	1/2	4,938	1/2	
5/8	89	5/8	604	5/8	1,147	5/8	1,691	5/8	2,234	5/8	2,777	5/8	3,320	5/8	3,863	5/8	4,407	5/8	4,950	5/8	
3/4	97	3/4	615	3/4	1,159	3/4	1,702	3/4	2,245	3/4	2,788	3/4	3,331	3/4	3,875	3/4	4,418	3/4	4,961	3/4	
7/8	104	7/8	627	7/8	1,170	7/8	1,713	7/8	2,256	7/8	2,800	7/8	3,343	7/8	3,886	7/8	4,429	7/8	4,972	7/8	
1	112	7	638	1	1,181	7	1,724	1	2,268	7	2,811	1	3,354	7	3,897	1	4,440	7	4,984	1	
1/8	120	1/8	649	1/8	1,193	1/8	1,736	1/8	2,279	1/8	2,822	1/8	3,365	1/8	3,909	1/8	4,452	1/8	4,995	1/8	
1/4	129	1/4	661	1/4	1,204	1/4	1,747	1/4	2,290	1/4	2,834	1/4	3,377	1/4	3,920	1/4	4,463	1/4	5,006	1/4	
3/8	137	3/8	672	3/8	1,215	3/8	1,758	3/8	2,302	3/8	2,845	3/8	3,388	3/8	3,931	3/8	4,474	3/8	5,018	3/8	
1/2	146	1/2	683	1/2	1,227	1/2	1,770	1/2	2,313	1/2	2,856	1/2	3,399	1/2	3,943	1/2	4,486	1/2	5,029	1/2	
5/8	156	5/8	695	5/8	1,238	5/8	1,781	5/8	2,324	5/8	2,867	5/8	3,411	5/8	3,954	5/8	4,497	5/8	5,040	5/8	
3/4	165	3/4	706	3/4	1,249	3/4	1,792	3/4	2,336	3/4	2,879	3/4	3,422	3/4	3,965	3/4	4,508	3/4	5,052	3/4	
7/8	175	7/8	717	7/8	1,260	7/8	1,804	7/8	2,347	7/8	2,890	7/8	3,433	7/8	3,977	7/8	4,520	7/8	5,063	7/8	
2	185	8	729	2	1,272	8	1,815	2	2,358	8	2,901	2	3,445	8	3,988	2	4,531	8	5,074	2	
1/8	197	1/8	740	1/8	1,283	1/8	1,826	1/8	2,370	1/8	2,913	1/8	3,456	1/8	3,999	1/8	4,542	1/8	5,086	1/8	
1/4	208	1/4	751	1/4	1,294	1/4	1,838	1/4	2,381	1/4	2,924	1/4	3,467	1/4	4,010	1/4	4,554	1/4	5,097	1/4	
3/8	219	3/8	763	3/8	1,306	3/8	1,849	3/8	2,392	3/8	2,935	3/8	3,479	3/8	4,022	3/8	4,565	3/8		3/8	
1/2	231	1/2	774	1/2	1,317	1/2	1,860	1/2	2,403	1/2	2,947	1/2	3,490	1/2	4,033	1/2	4,576	1/2		1/2	
5/8	242	5/8	785	5/8	1,328	5/8	1,872	5/8	2,415	5/8	2,958	5/8	3,501	5/8	4,044	5/8	4,588	5/8		5/8	
3/4	253	3/4	796	3/4	1,340	3/4	1,883	3/4	2,426	3/4	2,969	3/4	3,513	3/4	4,056	3/4	4,599	3/4		3/4	
7/8	265	7/8	808	7/8	1,351	7/8	1,894	7/8	2,437	7/8	2,981	7/8	3,524	7/8	4,067	7/8	4,610	7/8		7/8	
3	276	9	819	3	1,362	9	1,906	3	2,449	9	2,992	3	3,535	9	4,078	3	4,622	9		3	
1/8	287	1/8	830	1/8	1,374	1/8	1,917	1/8	2,460	1/8	3,003	1/8	3,546	1/8	4,090	1/8	4,633	1/8		1/8	
1/4	299	1/4	842	1/4	1,385	1/4	1,928	1/4	2,471	1/4	3,015	1/4	3,558	1/4	4,101	1/4	4,644	1/4		1/4	
3/8	310	3/8	853	3/8	1,396	3/8	1,939	3/8	2,483	3/8	3,026	3/8	3,569	3/8	4,112	3/8	4,656	3/8		3/8	
1/2	321	1/2	864	1/2	1,408	1/2	1,951	1/2	2,494	1/2	3,037	1/2	3,580	1/2	4,124	1/2	4,667	1/2		1/2	
5/8	332	5/8	876	5/8	1,419	5/8	1,962	5/8	2,505	5/8	3,049	5/8	3,592	5/8	4,135	5/8	4,678	5/8		5/8	
3/4	344	3/4	887	3/4	1,430	3/4	1,973	3/4	2,517	3/4	3,060	3/4	3,603	3/4	4,146	3/4	4,689	3/4		3/4	
7/8	355	7/8	898	7/8	1,442	7/8	1,985	7/8	2,528	7/8	3,071	7/8	3,614	7/8	4,158	7/8	4,701	7/8		7/8	
4	366	10	910	4	1,453	10	1,996	4	2,539	10	3,082	4	3,626	10	4,169	4	4,712	10		4	
1/8	378	1/8	921	1/8	1,464	1/8	2,007	1/8	2,551	1/8	3,094	1/8	3,637	1/8	4,180	1/8	4,723	1/8		1/8	
1/4	389	1/4	932	1/4	1,475	1/4	2,019	1/4	2,562	1/4	3,105	1/4	3,648	1/4	4,192	1/4	4,735	1/4		1/4	
3/8	400	3/8	944	3/8	1,487	3/8	2,030	3/8	2,573	3/8	3,116	3/8	3,660	3/8	4,203	3/8	4,746	3/8		3/8	
1/2	412	1/2	955	1/2	1,498	1/2	2,041	1/2	2,585	1/2	3,128	1/2	3,671	1/2	4,214	1/2	4,757	1/2		1/2	
5/8	423	5/8	966	5/8	1,509	5/8	2,053	5/8	2,596	5/8	3,139	5/8	3,682	5/8	4,225	5/8	4,769	5/8		5/8	
3/4	434	3/4	978	3/4	1,521	3/4	2,064	3/4	2,607	3/4	3,150	3/4	3,694	3/4	4,237	3/4	4,780	3/4		3/4	
7/8	446	7/8	989	7/8	1,532	7/8	2,075	7/8	2,618	7/8	3,162	7/8	3,705	7/8	4,248	7/8	4,791	7/8		7/8	
5	457	11	1,000	5	1,543	11	2,087	5	2,630	11	3,173	5	3,716	11	4,259	5	4,803	11		5	
1/8	468	1/8	1,012	1/8	1,555	1/8	2,098	1/8	2,641	1/8	3,184	1/8	3,728	1/8	4,271	1/8	4,814	1/8		1/8	
1/4	480	1/4	1,023	1/4	1,566	1/4	2,109	1/4	2,652	1/4	3,196	1/4	3,739	1/4	4,282	1/4	4,825	1/4		1/4	
3/8	491	3/8	1,034	3/8	1,577	3/8	2,121	3/8	2,664	3/8	3,207	3/8	3,750	3/8	4,293	3/8	4,837	3/8		3/8	
1/2	502	1/2	1,045	1/2	1,589	1/2	2,132	1/2	2,675	1/2	3,218	1/2	3,761	1/2	4,305	1/2	4,848	1/2		1/2	
5/8	514	5/8	1,057	5/8	1,600	5/8	2,143	5/8	2,686	5/8	3,230	5/8	3,773	5/8	4,316	5/8	4,859	5/8		5/8	
3/4	525	3/4	1,068	3/4	1,611	3/4	2,154	3/4	2,698	3/4	3,241	3/4	3,784	3/4	4,327	3/4	4,871	3/4		3/4	
7/8	536	7/8	1,079	7/8	1,623	7/8	2,166	7/8	2,709	7/8	3,252	7/8	3,795	7/8	4,339	7/8	4,882	7/8		7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 5/13/2015 BY: JMF
DATE COMPUTED: 5/15/2015 BY: WHF
DATE ISSUED: 5/15/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK



BARGE: NGL 3018
HULL No. JEFFBOAT 14-2897

SLOP TANK PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 4 1/2"

IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.
0		6	5,283	0	4,721	6	4,158	0	3,596	6	3,033	0	2,471	6	1,908	0	1,346	6	783	0	220
1/8		1/8	5,272	1/8	4,709	1/8	4,147	1/8	3,584	1/8	3,021	1/8	2,459	1/8	1,896	1/8	1,334	1/8	771	1/8	209
1/4		1/4	5,260	1/4	4,697	1/4	4,135	1/4	3,572	1/4	3,010	1/4	2,447	1/4	1,885	1/4	1,322	1/4	760	1/4	197
3/8		3/8	5,248	3/8	4,686	3/8	4,123	3/8	3,561	3/8	2,998	3/8	2,435	3/8	1,873	3/8	1,310	3/8	748	3/8	185
1/2		1/2	5,237	1/2	4,674	1/2	4,111	1/2	3,549	1/2	2,986	1/2	2,424	1/2	1,861	1/2	1,299	1/2	736	1/2	175
5/8		5/8	5,225	5/8	4,662	5/8	4,100	5/8	3,537	5/8	2,975	5/8	2,412	5/8	1,849	5/8	1,287	5/8	724	5/8	165
3/4		3/4	5,213	3/4	4,651	3/4	4,088	3/4	3,525	3/4	2,963	3/4	2,400	3/4	1,838	3/4	1,275	3/4	713	3/4	156
7/8		7/8	5,201	7/8	4,639	7/8	4,076	7/8	3,514	7/8	2,951	7/8	2,389	7/8	1,826	7/8	1,263	7/8	701	7/8	146
1		7	5,190	1	4,627	7	4,065	1	3,502	7	2,939	1	2,377	7	1,814	1	1,252	7	689	1	137
1/8		1/8	5,178	1/8	4,615	1/8	4,053	1/8	3,490	1/8	2,928	1/8	2,365	1/8	1,803	1/8	1,240	1/8	677	1/8	129
1/4		1/4	5,166	1/4	4,604	1/4	4,041	1/4	3,479	1/4	2,916	1/4	2,353	1/4	1,791	1/4	1,228	1/4	666	1/4	120
3/8		3/8	5,154	3/8	4,592	3/8	4,029	3/8	3,467	3/8	2,904	3/8	2,342	3/8	1,779	3/8	1,217	3/8	654	3/8	112
1/2		1/2	5,143	1/2	4,580	1/2	4,018	1/2	3,455	1/2	2,893	1/2	2,330	1/2	1,767	1/2	1,205	1/2	642	1/2	104
5/8		5/8	5,131	5/8	4,568	5/8	4,006	5/8	3,443	5/8	2,881	5/8	2,318	5/8	1,756	5/8	1,193	5/8	631	5/8	97
3/4		3/4	5,119	3/4	4,557	3/4	3,994	3/4	3,432	3/4	2,869	3/4	2,307	3/4	1,744	3/4	1,181	3/4	619	3/4	89
7/8		7/8	5,108	7/8	4,545	7/8	3,982	7/8	3,420	7/8	2,857	7/8	2,295	7/8	1,732	7/8	1,170	7/8	607	7/8	82
2		8	5,096	2	4,533	8	3,971	2	3,408	8	2,846	2	2,283	8	1,721	2	1,158	8	595	2	76
1/8		1/8	5,084	1/8	4,522	1/8	3,959	1/8	3,396	1/8	2,834	1/8	2,271	1/8	1,709	1/8	1,146	1/8	584	1/8	69
1/4		1/4	5,072	1/4	4,510	1/4	3,947	1/4	3,385	1/4	2,822	1/4	2,260	1/4	1,697	1/4	1,135	1/4	572	1/4	63
3/8		3/8	5,061	3/8	4,498	3/8	3,936	3/8	3,373	3/8	2,810	3/8	2,248	3/8	1,685	3/8	1,123	3/8	560	3/8	57
1/2		1/2	5,049	1/2	4,486	1/2	3,924	1/2	3,361	1/2	2,799	1/2	2,236	1/2	1,674	1/2	1,111	1/2	549	1/2	52
5/8		5/8	5,037	5/8	4,475	5/8	3,912	5/8	3,350	5/8	2,787	5/8	2,224	5/8	1,662	5/8	1,099	5/8	537	5/8	46
3/4		3/4	5,026	3/4	4,463	3/4	3,900	3/4	3,338	3/4	2,775	3/4	2,213	3/4	1,650	3/4	1,088	3/4	525	3/4	41
7/8		7/8	5,014	7/8	4,451	7/8	3,889	7/8	3,326	7/8	2,764	7/8	2,201	7/8	1,639	7/8	1,076	7/8	513	7/8	37
3		9	5,002	3	4,440	9	3,877	3	3,314	9	2,752	3	2,189	9	1,627	3	1,064	9	502	3	32
1/8		1/8	4,990	1/8	4,428	1/8	3,865	1/8	3,303	1/8	2,740	1/8	2,178	1/8	1,615	1/8	1,053	1/8	490	1/8	28
1/4		1/4	4,979	1/4	4,416	1/4	3,854	1/4	3,291	1/4	2,728	1/4	2,166	1/4	1,603	1/4	1,041	1/4	478	1/4	24
3/8		3/8	4,967	3/8	4,404	3/8	3,842	3/8	3,279	3/8	2,717	3/8	2,154	3/8	1,592	3/8	1,029	3/8	467	3/8	21
1/2		1/2	4,955	1/2	4,393	1/2	3,830	1/2	3,268	1/2	2,705	1/2	2,142	1/2	1,580	1/2	1,017	1/2	455	1/2	17
5/8		5/8	4,944	5/8	4,381	5/8	3,818	5/8	3,256	5/8	2,693	5/8	2,131	5/8	1,568	5/8	1,006	5/8	443	5/8	14
3/4		3/4	4,932	3/4	4,369	3/4	3,807	3/4	3,244	3/4	2,682	3/4	2,119	3/4	1,556	3/4	994	3/4	431	3/4	12
7/8		7/8	4,920	7/8	4,358	7/8	3,795	7/8	3,232	7/8	2,670	7/8	2,107	7/8	1,545	7/8	982	7/8	420	7/8	9
4		10	4,908	4	4,346	10	3,783	4	3,221	10	2,658	4	2,096	10	1,533	4	970	10	408	4	7
1/8		1/8	4,897	1/8	4,334	1/8	3,772	1/8	3,209	1/8	2,646	1/8	2,084	1/8	1,521	1/8	959	1/8	396	1/8	5
1/4		1/4	4,885	1/4	4,322	1/4	3,760	1/4	3,197	1/4	2,635	1/4	2,072	1/4	1,510	1/4	947	1/4	384	1/4	4
3/8		3/8	4,873	3/8	4,311	3/8	3,748	3/8	3,186	3/8	2,623	3/8	2,060	3/8	1,498	3/8	935	3/8	373	3/8	2
1/2		1/2	4,861	1/2	4,299	1/2	3,736	1/2	3,174	1/2	2,611	1/2	2,049	1/2	1,486	1/2	924	1/2	361	1/2	1
5/8		5/8	4,850	5/8	4,287	5/8	3,725	5/8	3,162	5/8	2,600	5/8	2,037	5/8	1,474	5/8	912	5/8	349	5/8	0.6
3/4		3/4	4,838	3/4	4,275	3/4	3,713	3/4	3,150	3/4	2,588	3/4	2,025	3/4	1,463	3/4	900	3/4	338	3/4	0.1
7/8		7/8	4,826	7/8	4,264	7/8	3,701	7/8	3,139	7/8	2,576	7/8	2,014	7/8	1,451	7/8	888	7/8	326	7/8	0.0
5		11	4,815	5	4,252	11	3,689	5	3,127	11	2,564	5	2,002	11	1,439	5	877	11	314	5	
1/8	5,365	1/8	4,803	1/8	4,240	1/8	3,678	1/8	3,115	1/8	2,553	1/8	1,990	1/8	1,428	1/8	865	1/8	302	1/8	
1/4	5,354	1/4	4,791	1/4	4,229	1/4	3,666	1/4	3,103	1/4	2,541	1/4	1,978	1/4	1,416	1/4	853	1/4	291	1/4	
3/8	5,342	3/8	4,779	3/8	4,217	3/8	3,654	3/8	3,092	3/8	2,529	3/8	1,967	3/8	1,404	3/8	842	3/8	279	3/8	
1/2	5,330	1/2	4,768	1/2	4,205	1/2	3,643	1/2	3,080	1/2	2,517	1/2	1,955	1/2	1,392	1/2	830	1/2	267	1/2	
5/8	5,319	5/8	4,756	5/8	4,193	5/8	3,631	5/8	3,068	5/8	2,506	5/8	1,943	5/8	1,381	5/8	818	5/8	256	5/8	
3/4	5,307	3/4	4,744	3/4	4,182	3/4	3,619	3/4	3,057	3/4	2,494	3/4	1,932	3/4	1,369	3/4	806	3/4	244	3/4	
7/8	5,295	7/8	4,733	7/8	4,170	7/8	3,607	7/8	3,045	7/8	2,482	7/8	1,920	7/8	1,357	7/8	795	7/8	232	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.
SHADED AREA OF TABLE IS THE VOLUMES BELOW THE STRIKE POINT DUE TO CAMBERED BOTTOM.

DATE STRAPPED: 5/13/2015 BY: JMF
DATE COMPUTED: 5/15/2015 BY: WHF
DATE ISSUED: 5/15/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK





BARGE: NGL 3018
HULL No. JEFFBOAT 14-2897

SLOP TANK STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 4"

IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.
0		6		0	4,712	6	4,169	0	3,626	6	3,082	0	2,539	6	1,996	0	1,453	6	910	0	366
1/8		1/8		1/8	4,701	1/8	4,158	1/8	3,614	1/8	3,071	1/8	2,528	1/8	1,985	1/8	1,442	1/8	898	1/8	355
1/4		1/4		1/4	4,689	1/4	4,146	1/4	3,603	1/4	3,060	1/4	2,517	1/4	1,973	1/4	1,430	1/4	887	1/4	344
3/8		3/8		3/8	4,678	3/8	4,135	3/8	3,592	3/8	3,049	3/8	2,505	3/8	1,962	3/8	1,419	3/8	876	3/8	332
1/2		1/2		1/2	4,667	1/2	4,124	1/2	3,580	1/2	3,037	1/2	2,494	1/2	1,951	1/2	1,408	1/2	864	1/2	321
5/8		5/8		5/8	4,656	5/8	4,112	5/8	3,569	5/8	3,026	5/8	2,483	5/8	1,939	5/8	1,396	5/8	853	5/8	310
3/4		3/4		3/4	4,644	3/4	4,101	3/4	3,558	3/4	3,015	3/4	2,471	3/4	1,928	3/4	1,385	3/4	842	3/4	299
7/8		7/8		7/8	4,633	7/8	4,090	7/8	3,546	7/8	3,003	7/8	2,460	7/8	1,917	7/8	1,374	7/8	830	7/8	287
1		7		1	4,622	7	4,078	1	3,535	7	2,992	1	2,449	7	1,906	1	1,362	7	819	1	276
1/8		1/8		1/8	4,610	1/8	4,067	1/8	3,524	1/8	2,981	1/8	2,437	1/8	1,894	1/8	1,351	1/8	808	1/8	265
1/4		1/4		1/4	4,599	1/4	4,056	1/4	3,513	1/4	2,969	1/4	2,426	1/4	1,883	1/4	1,340	1/4	796	1/4	253
3/8		3/8		3/8	4,588	3/8	4,044	3/8	3,501	3/8	2,958	3/8	2,415	3/8	1,872	3/8	1,328	3/8	785	3/8	242
1/2		1/2		1/2	4,576	1/2	4,033	1/2	3,490	1/2	2,947	1/2	2,403	1/2	1,860	1/2	1,317	1/2	774	1/2	231
5/8		5/8		5/8	4,565	5/8	4,022	5/8	3,479	5/8	2,935	5/8	2,392	5/8	1,849	5/8	1,306	5/8	763	5/8	219
3/4		3/4	5,097	3/4	4,554	3/4	4,010	3/4	3,467	3/4	2,924	3/4	2,381	3/4	1,838	3/4	1,294	3/4	751	3/4	208
7/8		7/8	5,086	7/8	4,542	7/8	3,999	7/8	3,456	7/8	2,913	7/8	2,370	7/8	1,826	7/8	1,283	7/8	740	7/8	197
2		8	5,074	2	4,531	8	3,988	2	3,445	8	2,901	2	2,358	8	1,815	2	1,272	8	729	2	185
1/8		1/8	5,063	1/8	4,520	1/8	3,977	1/8	3,433	1/8	2,890	1/8	2,347	1/8	1,804	1/8	1,260	1/8	717	1/8	175
1/4		1/4	5,052	1/4	4,508	1/4	3,965	1/4	3,422	1/4	2,879	1/4	2,336	1/4	1,792	1/4	1,249	1/4	706	1/4	165
3/8		3/8	5,040	3/8	4,497	3/8	3,954	3/8	3,411	3/8	2,867	3/8	2,324	3/8	1,781	3/8	1,238	3/8	695	3/8	156
1/2		1/2	5,029	1/2	4,486	1/2	3,943	1/2	3,399	1/2	2,856	1/2	2,313	1/2	1,770	1/2	1,227	1/2	683	1/2	146
5/8		5/8	5,018	5/8	4,474	5/8	3,931	5/8	3,388	5/8	2,845	5/8	2,302	5/8	1,758	5/8	1,215	5/8	672	5/8	137
3/4		3/4	5,006	3/4	4,463	3/4	3,920	3/4	3,377	3/4	2,834	3/4	2,290	3/4	1,747	3/4	1,204	3/4	661	3/4	129
7/8		7/8	4,995	7/8	4,452	7/8	3,909	7/8	3,365	7/8	2,822	7/8	2,279	7/8	1,736	7/8	1,193	7/8	649	7/8	120
3		9	4,984	3	4,440	9	3,897	3	3,354	9	2,811	3	2,268	9	1,724	3	1,181	9	638	3	112
1/8		1/8	4,972	1/8	4,429	1/8	3,886	1/8	3,343	1/8	2,800	1/8	2,256	1/8	1,713	1/8	1,170	1/8	627	1/8	104
1/4		1/4	4,961	1/4	4,418	1/4	3,875	1/4	3,331	1/4	2,788	1/4	2,245	1/4	1,702	1/4	1,159	1/4	615	1/4	97
3/8		3/8	4,950	3/8	4,407	3/8	3,863	3/8	3,320	3/8	2,777	3/8	2,234	3/8	1,691	3/8	1,147	3/8	604	3/8	89
1/2		1/2	4,938	1/2	4,395	1/2	3,852	1/2	3,309	1/2	2,766	1/2	2,222	1/2	1,679	1/2	1,136	1/2	593	1/2	82
5/8		5/8	4,927	5/8	4,384	5/8	3,841	5/8	3,297	5/8	2,754	5/8	2,211	5/8	1,668	5/8	1,125	5/8	581	5/8	76
3/4		3/4	4,916	3/4	4,373	3/4	3,829	3/4	3,286	3/4	2,743	3/4	2,200	3/4	1,657	3/4	1,113	3/4	570	3/4	69
7/8		7/8	4,904	7/8	4,361	7/8	3,818	7/8	3,275	7/8	2,732	7/8	2,188	7/8	1,645	7/8	1,102	7/8	559	7/8	63
4		10	4,893	4	4,350	10	3,807	4	3,264	10	2,720	4	2,177	10	1,634	4	1,091	10	548	4	57
1/8		1/8	4,882	1/8	4,339	1/8	3,795	1/8	3,252	1/8	2,709	1/8	2,166	1/8	1,623	1/8	1,079	1/8	536	1/8	52
1/4		1/4	4,871	1/4	4,327	1/4	3,784	1/4	3,241	1/4	2,698	1/4	2,154	1/4	1,611	1/4	1,068	1/4	525	1/4	46
3/8		3/8	4,859	3/8	4,316	3/8	3,773	3/8	3,230	3/8	2,686	3/8	2,143	3/8	1,600	3/8	1,057	3/8	514	3/8	41
1/2		1/2	4,848	1/2	4,305	1/2	3,761	1/2	3,218	1/2	2,675	1/2	2,132	1/2	1,589	1/2	1,045	1/2	502	1/2	37
5/8		5/8	4,837	5/8	4,293	5/8	3,750	5/8	3,207	5/8	2,664	5/8	2,121	5/8	1,577	5/8	1,034	5/8	491	5/8	32
3/4		3/4	4,825	3/4	4,282	3/4	3,739	3/4	3,196	3/4	2,652	3/4	2,109	3/4	1,566	3/4	1,023	3/4	480	3/4	28
7/8		7/8	4,814	7/8	4,271	7/8	3,728	7/8	3,184	7/8	2,641	7/8	2,098	7/8	1,555	7/8	1,012	7/8	468	7/8	24
5		11	4,803	5	4,259	11	3,716	5	3,173	11	2,630	5	2,087	11	1,543	5	1,000	11	457	5	21
1/8		1/8	4,791	1/8	4,248	1/8	3,705	1/8	3,162	1/8	2,618	1/8	2,075	1/8	1,532	1/8	989	1/8	446	1/8	17
1/4		1/4	4,780	1/4	4,237	1/4	3,694	1/4	3,150	1/4	2,607	1/4	2,064	1/4	1,521	1/4	978	1/4	434	1/4	14
3/8		3/8	4,769	3/8	4,225	3/8	3,682	3/8	3,139	3/8	2,596	3/8	2,053	3/8	1,509	3/8	966	3/8	423	3/8	12
1/2		1/2	4,757	1/2	4,214	1/2	3,671	1/2	3,128	1/2	2,585	1/2	2,041	1/2	1,498	1/2	955	1/2	412	1/2	9
5/8		5/8	4,746	5/8	4,203	5/8	3,660	5/8	3,116	5/8	2,573	5/8	2,030	5/8	1,487	5/8	944	5/8	400	5/8	7
3/4		3/4	4,735	3/4	4,192	3/4	3,648	3/4	3,105	3/4	2,562	3/4	2,019	3/4	1,475	3/4	932	3/4	389	3/4	5
7/8		7/8	4,723	7/8	4,180	7/8	3,637	7/8	3,094	7/8	2,551	7/8	2,007	7/8	1,464	7/8	921	7/8	378	7/8	4

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.
SHADED AREA OF TABLE IS THE VOLUMES BELOW THE STRIKE POINT DUE TO CAMBERED BOTTOM.

DATE STRAPPED: 5/13/2015 BY: JMF
DATE COMPUTED: 5/15/2015 BY: WHF
DATE ISSUED: 5/15/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK

