



# BARGE "NGL 3025"

## INNAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 6'-00"  
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 237'-03"

October 26, 2021

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "NGL 3025"

**1 PORT  
INNAGE TABLE  
HERMETIC  
GAUGE HEIGHT 16'-04 1/2"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,360.88	0	3,703.16	0	4,045.51	0	4,387.21	0	4,728.00	0		0		0		0		0	
1/4	3,368.01	1/4	3,710.30	1/4	4,052.64	1/4	4,394.31	1/4	4,735.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,375.14	1/2	3,717.43	1/2	4,059.77	1/2	4,401.41	1/2	4,742.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,382.27	3/4	3,724.56	3/4	4,066.91	3/4	4,408.51	3/4	4,749.30	3/4		3/4		3/4		3/4		3/4	
1	3,389.40	1	3,731.69	1	4,074.04	1	4,415.61	1	4,756.40	1		1		1		1		1	
1/4	3,396.53	1/4	3,738.82	1/4	4,081.17	1/4	4,422.71	1/4	4,763.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,403.66	1/2	3,745.96	1/2	4,088.30	1/2	4,429.81	1/2	4,770.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,410.80	3/4	3,753.09	3/4	4,095.43	3/4	4,436.90	3/4	4,777.70	3/4		3/4		3/4		3/4		3/4	
2	3,417.93	2	3,760.22	2	4,102.57	2	4,444.00	2	4,784.80	2		2		2		2		2	
1/4	3,425.06	1/4	3,767.35	1/4	4,109.70	1/4	4,451.10	1/4	4,791.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,432.19	1/2	3,774.49	1/2	4,116.83	1/2	4,458.20	1/2	4,798.99	1/2		1/2		1/2		1/2		1/2	
3/4	3,439.32	3/4	3,781.62	3/4	4,123.96	3/4	4,465.30	3/4	4,806.09	3/4		3/4		3/4		3/4		3/4	
3	3,446.45	3	3,788.75	3	4,131.10	3	4,472.40	3	4,813.19	3		3		3		3		3	
1/4	3,453.58	1/4	3,795.88	1/4	4,138.23	1/4	4,479.50	1/4	4,820.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,460.71	1/2	3,803.01	1/2	4,145.36	1/2	4,486.60	1/2	4,827.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,467.84	3/4	3,810.15	3/4	4,152.49	3/4	4,493.70	3/4	4,834.36	3/4		3/4		3/4		3/4		3/4	
4	3,474.97	4	3,817.28	4	4,159.62	4	4,500.80	4	4,841.41	4		4		4		4		4	
1/4	3,482.10	1/4	3,824.41	1/4	4,166.76	1/4	4,507.90	1/4	4,848.47	1/4		1/4		1/4		1/4		1/4	
1/2	3,489.23	1/2	3,831.54	1/2	4,173.89	1/2	4,515.00	1/2	4,855.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,496.36	3/4	3,838.67	3/4	4,181.02	3/4	4,522.10	3/4	4,862.58	3/4		3/4		3/4		3/4		3/4	
5	3,503.49	5	3,845.81	5	4,188.15	5	4,529.20	5	4,869.63	5		5		5		5		5	
1/4	3,510.62	1/4	3,852.94	1/4	4,195.28	1/4	4,536.30	1/4	4,876.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,517.75	1/2	3,860.07	1/2	4,202.42	1/2	4,543.40	1/2	4,883.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,524.88	3/4	3,867.20	3/4	4,209.55	3/4	4,550.50	3/4	4,890.80	3/4		3/4		3/4		3/4		3/4	
6	3,532.01	6	3,874.34	6	4,216.68	6	4,557.60	6	4,897.85	6		6		6		6		6	
1/4	3,539.14	1/4	3,881.47	1/4	4,223.81	1/4	4,564.70	1/4	4,904.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,546.27	1/2	3,888.60	1/2	4,230.95	1/2	4,571.80	1/2	4,911.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,553.40	3/4	3,895.73	3/4	4,238.08	3/4	4,578.90	3/4	4,918.97	3/4		3/4		3/4		3/4		3/4	
7	3,560.53	7	3,902.86	7	4,245.21	7	4,586.00	7	4,926.01	7		7		7		7		7	
1/4	3,567.66	1/4	3,910.00	1/4	4,252.31	1/4	4,593.10	1/4	4,933.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,574.79	1/2	3,917.13	1/2	4,259.41	1/2	4,600.20	1/2	4,939.99	1/2		1/2		1/2		1/2		1/2	
3/4	3,581.92	3/4	3,924.26	3/4	4,266.51	3/4	4,607.30	3/4	4,946.97	3/4		3/4		3/4		3/4		3/4	
8	3,589.06	8	3,931.39	8	4,273.61	8	4,614.40	8	4,953.96	8		8		8		8		8	
1/4	3,596.19	1/4	3,938.53	1/4	4,280.71	1/4	4,621.50	1/4	4,960.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,603.32	1/2	3,945.66	1/2	4,287.81	1/2	4,628.60	1/2	4,966.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,610.45	3/4	3,952.79	3/4	4,294.91	3/4	4,635.70	3/4	4,972.45	3/4		3/4		3/4		3/4		3/4	
9	3,617.58	9	3,959.92	9	4,302.01	9	4,642.80	9	4,978.61	9		9		9		9		9	
1/4	3,624.71	1/4	3,967.05	1/4	4,309.11	1/4	4,649.90	1/4	4,983.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,631.84	1/2	3,974.19	1/2	4,316.21	1/2	4,657.00	1/2	4,988.56	1/2		1/2		1/2		1/2		1/2	
3/4	3,638.97	3/4	3,981.32	3/4	4,323.31	3/4	4,664.10	3/4	4,993.53	3/4		3/4		3/4		3/4		3/4	
10	3,646.11	10	3,988.45	10	4,330.41	10	4,671.20	10	4,998.51	10		10		10		10		10	
1/4	3,653.24	1/4	3,995.58	1/4	4,337.51	1/4	4,678.30	1/4	5,002.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,660.37	1/2	4,002.72	1/2	4,344.61	1/2	4,685.40	1/2	5,006.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,667.50	3/4	4,009.85	3/4	4,351.71	3/4	4,692.50	3/4	5,009.87	3/4		3/4		3/4		3/4		3/4	
11	3,674.63	11	4,016.98	11	4,358.81	11	4,699.60	11	5,013.65	11		11		11		11		11	
1/4	3,681.77	1/4	4,024.11	1/4	4,365.91	1/4	4,706.70	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,688.90	1/2	4,031.24	1/2	4,373.01	1/2	4,713.80	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,696.03	3/4	4,038.38	3/4	4,380.11	3/4	4,720.90	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/26/2021 JS  
CALCULATED: 10/27/2021 CL  
PRINTED: 10/28/2021 SW

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2021





# BARGE "NGL 3025"

## 1 STBD

### INNAGE TABLE

### HERMETIC

### GAUGE HEIGHT 16'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,360.12	0	3,702.09	0	4,044.12	0	4,385.50	0	4,725.98	0		0		0		0		0	
1/4	3,367.24	1/4	3,709.21	1/4	4,051.25	1/4	4,392.60	1/4	4,733.07	1/4		1/4		1/4		1/4		1/4	
1/2	3,374.36	1/2	3,716.34	1/2	4,058.37	1/2	4,399.69	1/2	4,740.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,381.49	3/4	3,723.46	3/4	4,065.50	3/4	4,406.78	3/4	4,747.26	3/4		3/4		3/4		3/4		3/4	
1	3,388.61	1	3,730.59	1	4,072.62	1	4,413.88	1	4,754.35	1		1		1		1		1	
1/4	3,395.74	1/4	3,737.71	1/4	4,079.75	1/4	4,420.97	1/4	4,761.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,402.86	1/2	3,744.84	1/2	4,086.87	1/2	4,428.06	1/2	4,768.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,409.98	3/4	3,751.97	3/4	4,094.00	3/4	4,435.16	3/4	4,775.63	3/4		3/4		3/4		3/4		3/4	
2	3,417.11	2	3,759.09	2	4,101.12	2	4,442.25	2	4,782.72	2		2		2		2		2	
1/4	3,424.23	1/4	3,766.22	1/4	4,108.25	1/4	4,449.34	1/4	4,789.82	1/4		1/4		1/4		1/4		1/4	
1/2	3,431.36	1/2	3,773.34	1/2	4,115.38	1/2	4,456.43	1/2	4,796.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,438.48	3/4	3,780.47	3/4	4,122.50	3/4	4,463.53	3/4	4,804.00	3/4		3/4		3/4		3/4		3/4	
3	3,445.60	3	3,787.59	3	4,129.63	3	4,470.62	3	4,811.09	3		3		3		3		3	
1/4	3,452.73	1/4	3,794.72	1/4	4,136.75	1/4	4,477.71	1/4	4,818.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,459.85	1/2	3,801.85	1/2	4,143.88	1/2	4,484.81	1/2	4,825.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,466.98	3/4	3,808.97	3/4	4,151.00	3/4	4,491.90	3/4	4,832.24	3/4		3/4		3/4		3/4		3/4	
4	3,474.10	4	3,816.10	4	4,158.13	4	4,498.99	4	4,839.29	4		4		4		4		4	
1/4	3,481.22	1/4	3,823.22	1/4	4,165.26	1/4	4,506.09	1/4	4,846.34	1/4		1/4		1/4		1/4		1/4	
1/2	3,488.35	1/2	3,830.35	1/2	4,172.38	1/2	4,513.18	1/2	4,853.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,495.47	3/4	3,837.47	3/4	4,179.51	3/4	4,520.27	3/4	4,860.43	3/4		3/4		3/4		3/4		3/4	
5	3,502.59	5	3,844.60	5	4,186.63	5	4,527.37	5	4,867.48	5		5		5		5		5	
1/4	3,509.72	1/4	3,851.73	1/4	4,193.76	1/4	4,534.46	1/4	4,874.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,516.84	1/2	3,858.85	1/2	4,200.88	1/2	4,541.55	1/2	4,881.58	1/2		1/2		1/2		1/2		1/2	
3/4	3,523.97	3/4	3,865.98	3/4	4,208.01	3/4	4,548.65	3/4	4,888.62	3/4		3/4		3/4		3/4		3/4	
6	3,531.09	6	3,873.10	6	4,215.14	6	4,555.74	6	4,895.67	6		6		6		6		6	
1/4	3,538.21	1/4	3,880.23	1/4	4,222.26	1/4	4,562.83	1/4	4,902.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,545.34	1/2	3,887.35	1/2	4,229.39	1/2	4,569.93	1/2	4,909.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,552.46	3/4	3,894.48	3/4	4,236.51	3/4	4,577.02	3/4	4,916.77	3/4		3/4		3/4		3/4		3/4	
7	3,559.59	7	3,901.61	7	4,243.64	7	4,584.11	7	4,923.80	7		7		7		7		7	
1/4	3,566.71	1/4	3,908.73	1/4	4,250.73	1/4	4,591.21	1/4	4,930.78	1/4		1/4		1/4		1/4		1/4	
1/2	3,573.83	1/2	3,915.86	1/2	4,257.83	1/2	4,598.30	1/2	4,937.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,580.96	3/4	3,922.98	3/4	4,264.92	3/4	4,605.39	3/4	4,944.74	3/4		3/4		3/4		3/4		3/4	
8	3,588.08	8	3,930.11	8	4,272.01	8	4,612.49	8	4,951.72	8		8		8		8		8	
1/4	3,595.21	1/4	3,937.23	1/4	4,279.10	1/4	4,619.58	1/4	4,957.88	1/4		1/4		1/4		1/4		1/4	
1/2	3,602.33	1/2	3,944.36	1/2	4,286.20	1/2	4,626.67	1/2	4,964.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,609.45	3/4	3,951.49	3/4	4,293.29	3/4	4,633.76	3/4	4,970.20	3/4		3/4		3/4		3/4		3/4	
9	3,616.58	9	3,958.61	9	4,300.38	9	4,640.86	9	4,976.35	9		9		9		9		9	
1/4	3,623.70	1/4	3,965.74	1/4	4,307.48	1/4	4,647.95	1/4	4,981.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,630.83	1/2	3,972.86	1/2	4,314.57	1/2	4,655.04	1/2	4,986.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,637.95	3/4	3,979.99	3/4	4,321.66	3/4	4,662.14	3/4	4,991.26	3/4		3/4		3/4		3/4		3/4	
10	3,645.08	10	3,987.11	10	4,328.76	10	4,669.23	10	4,996.23	10		10		10		10		10	
1/4	3,652.21	1/4	3,994.24	1/4	4,335.85	1/4	4,676.32	1/4	5,000.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,659.33	1/2	4,001.37	1/2	4,342.94	1/2	4,683.42	1/2	5,003.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,666.46	3/4	4,008.49	3/4	4,350.04	3/4	4,690.51	3/4	5,007.58	3/4		3/4		3/4		3/4		3/4	
11	3,673.58	11	4,015.62	11	4,357.13	11	4,697.60	11	5,011.36	11		11		11		11		11	
1/4	3,680.71	1/4	4,022.74	1/4	4,364.22	1/4	4,704.70	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,687.83	1/2	4,029.87	1/2	4,371.32	1/2	4,711.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,694.96	3/4	4,036.99	3/4	4,378.41	3/4	4,718.88	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/26/2021 JS  
CALCULATED: 10/27/2021 CL  
PRINTED: 10/28/2021 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2021

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "NGL 3025"

## 2 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-04 3/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,414.38	0	3,757.17	0	4,099.96	0	4,442.09	0	4,783.30	0		0		0		0		0	
1/4	3,421.52	1/4	3,764.31	1/4	4,107.10	1/4	4,449.20	1/4	4,790.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,428.66	1/2	3,771.45	1/2	4,114.24	1/2	4,456.30	1/2	4,797.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,435.81	3/4	3,778.59	3/4	4,121.38	3/4	4,463.41	3/4	4,804.63	3/4		3/4		3/4		3/4		3/4	
1	3,442.95	1	3,785.73	1	4,128.52	1	4,470.52	1	4,811.73	1		1		1		1		1	
1/4	3,450.09	1/4	3,792.88	1/4	4,135.66	1/4	4,477.63	1/4	4,818.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,457.23	1/2	3,800.02	1/2	4,142.80	1/2	4,484.74	1/2	4,825.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,464.37	3/4	3,807.16	3/4	4,149.95	3/4	4,491.85	3/4	4,833.06	3/4		3/4		3/4		3/4		3/4	
2	3,471.51	2	3,814.30	2	4,157.09	2	4,498.96	2	4,840.17	2		2		2		2		2	
1/4	3,478.65	1/4	3,821.44	1/4	4,164.23	1/4	4,506.06	1/4	4,847.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,485.79	1/2	3,828.58	1/2	4,171.37	1/2	4,513.17	1/2	4,854.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,492.94	3/4	3,835.72	3/4	4,178.51	3/4	4,520.28	3/4	4,861.49	3/4		3/4		3/4		3/4		3/4	
3	3,500.08	3	3,842.86	3	4,185.65	3	4,527.39	3	4,868.60	3		3		3		3		3	
1/4	3,507.22	1/4	3,850.01	1/4	4,192.79	1/4	4,534.50	1/4	4,875.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,514.36	1/2	3,857.15	1/2	4,199.93	1/2	4,541.61	1/2	4,882.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,521.50	3/4	3,864.29	3/4	4,207.08	3/4	4,548.72	3/4	4,889.80	3/4		3/4		3/4		3/4		3/4	
4	3,528.64	4	3,871.43	4	4,214.22	4	4,555.82	4	4,896.86	4		4		4		4		4	
1/4	3,535.78	1/4	3,878.57	1/4	4,221.36	1/4	4,562.93	1/4	4,903.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,542.93	1/2	3,885.71	1/2	4,228.50	1/2	4,570.04	1/2	4,910.99	1/2		1/2		1/2		1/2		1/2	
3/4	3,550.07	3/4	3,892.85	3/4	4,235.64	3/4	4,577.15	3/4	4,918.05	3/4		3/4		3/4		3/4		3/4	
5	3,557.21	5	3,900.00	5	4,242.78	5	4,584.26	5	4,925.12	5		5		5		5		5	
1/4	3,564.35	1/4	3,907.14	1/4	4,249.92	1/4	4,591.37	1/4	4,932.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,571.49	1/2	3,914.28	1/2	4,257.07	1/2	4,598.48	1/2	4,939.24	1/2		1/2		1/2		1/2		1/2	
3/4	3,578.63	3/4	3,921.42	3/4	4,264.21	3/4	4,605.58	3/4	4,946.30	3/4		3/4		3/4		3/4		3/4	
6	3,585.77	6	3,928.56	6	4,271.35	6	4,612.69	6	4,953.36	6		6		6		6		6	
1/4	3,592.92	1/4	3,935.70	1/4	4,278.49	1/4	4,619.80	1/4	4,960.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,600.06	1/2	3,942.84	1/2	4,285.63	1/2	4,626.91	1/2	4,967.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,607.20	3/4	3,949.99	3/4	4,292.77	3/4	4,634.02	3/4	4,974.51	3/4		3/4		3/4		3/4		3/4	
7	3,614.34	7	3,957.13	7	4,299.91	7	4,641.13	7	4,981.56	7		7		7		7		7	
1/4	3,621.48	1/4	3,964.27	1/4	4,307.02	1/4	4,648.24	1/4	4,988.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,628.62	1/2	3,971.41	1/2	4,314.13	1/2	4,655.34	1/2	4,995.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,635.76	3/4	3,978.55	3/4	4,321.24	3/4	4,662.45	3/4	5,002.55	3/4		3/4		3/4		3/4		3/4	
8	3,642.91	8	3,985.69	8	4,328.35	8	4,669.56	8	5,009.54	8		8		8		8		8	
1/4	3,650.05	1/4	3,992.83	1/4	4,335.46	1/4	4,676.67	1/4	5,015.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,657.19	1/2	3,999.98	1/2	4,342.57	1/2	4,683.78	1/2	5,021.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,664.33	3/4	4,007.12	3/4	4,349.67	3/4	4,690.89	3/4	5,028.05	3/4		3/4		3/4		3/4		3/4	
9	3,671.47	9	4,014.26	9	4,356.78	9	4,698.00	9	5,034.22	9		9		9		9		9	
1/4	3,678.61	1/4	4,021.40	1/4	4,363.89	1/4	4,705.10	1/4	5,039.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,685.75	1/2	4,028.54	1/2	4,371.00	1/2	4,712.21	1/2	5,044.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,692.90	3/4	4,035.68	3/4	4,378.11	3/4	4,719.32	3/4	5,049.17	3/4		3/4		3/4		3/4		3/4	
10	3,700.04	10	4,042.82	10	4,385.22	10	4,726.43	10	5,054.15	10		10		10		10		10	
1/4	3,707.18	1/4	4,049.97	1/4	4,392.33	1/4	4,733.54	1/4	5,057.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,714.32	1/2	4,057.11	1/2	4,399.43	1/2	4,740.65	1/2	5,061.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,721.46	3/4	4,064.25	3/4	4,406.54	3/4	4,747.76	3/4	5,065.52	3/4		3/4		3/4		3/4		3/4	
11	3,728.60	11	4,071.39	11	4,413.65	11	4,754.86	11	5,069.31	11		11		11		11		11	
1/4	3,735.74	1/4	4,078.53	1/4	4,420.76	1/4	4,761.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,742.89	1/2	4,085.67	1/2	4,427.87	1/2	4,769.08	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,750.03	3/4	4,092.81	3/4	4,434.98	3/4	4,776.19	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/26/2021 JS  
CALCULATED: 10/27/2021 CL  
PRINTED: 10/28/2021 SW

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2021







# BARGE "NGL 3025"

## 2 STBD INNAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-04 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,427.59	0	3,770.32	0	4,113.13	0	4,455.28	0	4,796.52	0		0		0		0		0	
1/4	3,434.73	1/4	3,777.47	1/4	4,120.27	1/4	4,462.39	1/4	4,803.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,441.87	1/2	3,784.61	1/2	4,127.41	1/2	4,469.50	1/2	4,810.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,449.01	3/4	3,791.75	3/4	4,134.56	3/4	4,476.61	3/4	4,817.85	3/4		3/4		3/4		3/4		3/4	
1	3,456.15	1	3,798.89	1	4,141.70	1	4,483.72	1	4,824.96	1		1		1		1		1	
1/4	3,463.29	1/4	3,806.03	1/4	4,148.84	1/4	4,490.83	1/4	4,832.06	1/4		1/4		1/4		1/4		1/4	
1/2	3,470.43	1/2	3,813.17	1/2	4,155.98	1/2	4,497.94	1/2	4,839.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,477.57	3/4	3,820.32	3/4	4,163.12	3/4	4,505.05	3/4	4,846.28	3/4		3/4		3/4		3/4		3/4	
2	3,484.71	2	3,827.46	2	4,170.26	2	4,512.16	2	4,853.39	2		2		2		2		2	
1/4	3,491.85	1/4	3,834.60	1/4	4,177.41	1/4	4,519.26	1/4	4,860.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,498.99	1/2	3,841.74	1/2	4,184.55	1/2	4,526.37	1/2	4,867.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,506.13	3/4	3,848.88	3/4	4,191.69	3/4	4,533.48	3/4	4,874.72	3/4		3/4		3/4		3/4		3/4	
3	3,513.27	3	3,856.03	3	4,198.83	3	4,540.59	3	4,881.83	3		3		3		3		3	
1/4	3,520.41	1/4	3,863.17	1/4	4,205.97	1/4	4,547.70	1/4	4,888.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,527.55	1/2	3,870.31	1/2	4,213.12	1/2	4,554.81	1/2	4,895.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,534.69	3/4	3,877.45	3/4	4,220.26	3/4	4,561.92	3/4	4,903.02	3/4		3/4		3/4		3/4		3/4	
4	3,541.83	4	3,884.59	4	4,227.40	4	4,569.03	4	4,910.09	4		4		4		4		4	
1/4	3,548.97	1/4	3,891.73	1/4	4,234.54	1/4	4,576.14	1/4	4,917.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,556.11	1/2	3,898.88	1/2	4,241.68	1/2	4,583.25	1/2	4,924.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,563.25	3/4	3,906.02	3/4	4,248.82	3/4	4,590.36	3/4	4,931.28	3/4		3/4		3/4		3/4		3/4	
5	3,570.39	5	3,913.16	5	4,255.97	5	4,597.46	5	4,938.34	5		5		5		5		5	
1/4	3,577.53	1/4	3,920.30	1/4	4,263.11	1/4	4,604.57	1/4	4,945.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,584.67	1/2	3,927.44	1/2	4,270.25	1/2	4,611.68	1/2	4,952.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,591.81	3/4	3,934.58	3/4	4,277.39	3/4	4,618.79	3/4	4,959.53	3/4		3/4		3/4		3/4		3/4	
6	3,598.95	6	3,941.73	6	4,284.53	6	4,625.90	6	4,966.59	6		6		6		6		6	
1/4	3,606.09	1/4	3,948.87	1/4	4,291.67	1/4	4,633.01	1/4	4,973.64	1/4		1/4		1/4		1/4		1/4	
1/2	3,613.22	1/2	3,956.01	1/2	4,298.82	1/2	4,640.12	1/2	4,980.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,620.36	3/4	3,963.15	3/4	4,305.96	3/4	4,647.23	3/4	4,987.74	3/4		3/4		3/4		3/4		3/4	
7	3,627.50	7	3,970.29	7	4,313.10	7	4,654.34	7	4,994.79	7		7		7		7		7	
1/4	3,634.64	1/4	3,977.44	1/4	4,320.21	1/4	4,661.45	1/4	5,001.79	1/4		1/4		1/4		1/4		1/4	
1/2	3,641.78	1/2	3,984.58	1/2	4,327.32	1/2	4,668.56	1/2	5,008.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,648.92	3/4	3,991.72	3/4	4,334.43	3/4	4,675.66	3/4	5,015.78	3/4		3/4		3/4		3/4		3/4	
8	3,656.06	8	3,998.86	8	4,341.54	8	4,682.77	8	5,022.77	8		8		8		8		8	
1/4	3,663.20	1/4	4,006.00	1/4	4,348.65	1/4	4,689.88	1/4	5,028.95	1/4		1/4		1/4		1/4		1/4	
1/2	3,670.34	1/2	4,013.14	1/2	4,355.75	1/2	4,696.99	1/2	5,035.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,677.48	3/4	4,020.29	3/4	4,362.86	3/4	4,704.10	3/4	5,041.29	3/4		3/4		3/4		3/4		3/4	
9	3,684.62	9	4,027.43	9	4,369.97	9	4,711.21	9	5,047.46	9		9		9		9		9	
1/4	3,691.76	1/4	4,034.57	1/4	4,377.08	1/4	4,718.32	1/4	5,052.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,698.91	1/2	4,041.71	1/2	4,384.19	1/2	4,725.43	1/2	5,057.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,706.05	3/4	4,048.85	3/4	4,391.30	3/4	4,732.54	3/4	5,062.40	3/4		3/4		3/4		3/4		3/4	
10	3,713.19	10	4,056.00	10	4,398.41	10	4,739.65	10	5,067.39	10		10		10		10		10	
1/4	3,720.33	1/4	4,063.14	1/4	4,405.52	1/4	4,746.76	1/4	5,071.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,727.47	1/2	4,070.28	1/2	4,412.63	1/2	4,753.86	1/2	5,074.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,734.61	3/4	4,077.42	3/4	4,419.74	3/4	4,760.97	3/4	5,078.76	3/4		3/4		3/4		3/4		3/4	
11	3,741.76	11	4,084.56	11	4,426.85	11	4,768.08	11	5,082.55	11		11		11		11		11	
1/4	3,748.90	1/4	4,091.70	1/4	4,433.95	1/4	4,775.19	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,756.04	1/2	4,098.85	1/2	4,441.06	1/2	4,782.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,763.18	3/4	4,105.99	3/4	4,448.17	3/4	4,789.41	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/26/2021 JS  
CALCULATED: 10/27/2021 CL  
PRINTED: 10/28/2021 SW

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2021





# BARGE "NGL 3025"

## 3 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,372.35	0	3,581.05	0	3,790.32	0	3,999.20	0	4,207.55	0		0		0		0		0	
1/4	3,376.69	1/4	3,585.41	1/4	3,794.67	1/4	4,003.54	1/4	4,211.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,381.04	1/2	3,589.77	1/2	3,799.03	1/2	4,007.88	1/2	4,216.24	1/2		1/2		1/2		1/2		1/2	
3/4	3,385.38	3/4	3,594.13	3/4	3,803.39	3/4	4,012.22	3/4	4,220.58	3/4		3/4		3/4		3/4		3/4	
1	3,389.73	1	3,598.49	1	3,807.75	1	4,016.56	1	4,224.92	1		1		1		1		1	
1/4	3,394.07	1/4	3,602.85	1/4	3,812.11	1/4	4,020.90	1/4	4,229.26	1/4		1/4		1/4		1/4		1/4	
1/2	3,398.41	1/2	3,607.21	1/2	3,816.47	1/2	4,025.25	1/2	4,233.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,402.76	3/4	3,611.57	3/4	3,820.83	3/4	4,029.59	3/4	4,237.94	3/4		3/4		3/4		3/4		3/4	
2	3,407.10	2	3,615.93	2	3,825.19	2	4,033.93	2	4,242.28	2		2		2		2		2	
1/4	3,411.45	1/4	3,620.29	1/4	3,829.55	1/4	4,038.27	1/4	4,246.62	1/4		1/4		1/4		1/4		1/4	
1/2	3,415.79	1/2	3,624.65	1/2	3,833.91	1/2	4,042.61	1/2	4,250.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,420.13	3/4	3,629.01	3/4	3,838.27	3/4	4,046.95	3/4	4,255.30	3/4		3/4		3/4		3/4		3/4	
3	3,424.48	3	3,633.37	3	3,842.63	3	4,051.29	3	4,259.64	3		3		3		3		3	
1/4	3,428.82	1/4	3,637.73	1/4	3,846.99	1/4	4,055.63	1/4	4,263.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,433.17	1/2	3,642.09	1/2	3,851.35	1/2	4,059.97	1/2	4,268.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,437.51	3/4	3,646.45	3/4	3,855.71	3/4	4,064.31	3/4	4,272.58	3/4		3/4		3/4		3/4		3/4	
4	3,441.85	4	3,650.80	4	3,860.07	4	4,068.65	4	4,276.90	4		4		4		4		4	
1/4	3,446.20	1/4	3,655.16	1/4	3,864.43	1/4	4,072.99	1/4	4,281.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,450.54	1/2	3,659.52	1/2	3,868.79	1/2	4,077.33	1/2	4,285.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,454.89	3/4	3,663.88	3/4	3,873.15	3/4	4,081.67	3/4	4,289.84	3/4		3/4		3/4		3/4		3/4	
5	3,459.23	5	3,668.24	5	3,877.51	5	4,086.01	5	4,294.15	5		5		5		5		5	
1/4	3,463.57	1/4	3,672.60	1/4	3,881.87	1/4	4,090.36	1/4	4,298.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,467.92	1/2	3,676.96	1/2	3,886.23	1/2	4,094.70	1/2	4,302.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,472.26	3/4	3,681.32	3/4	3,890.59	3/4	4,099.04	3/4	4,307.08	3/4		3/4		3/4		3/4		3/4	
6	3,476.61	6	3,685.68	6	3,894.95	6	4,103.38	6	4,311.39	6		6		6		6		6	
1/4	3,480.95	1/4	3,690.04	1/4	3,899.31	1/4	4,107.72	1/4	4,315.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,485.29	1/2	3,694.40	1/2	3,903.67	1/2	4,112.06	1/2	4,319.99	1/2		1/2		1/2		1/2		1/2	
3/4	3,489.64	3/4	3,698.76	3/4	3,908.03	3/4	4,116.40	3/4	4,324.29	3/4		3/4		3/4		3/4		3/4	
7	3,493.98	7	3,703.12	7	3,912.39	7	4,120.74	7	4,328.58	7		7		7		7		7	
1/4	3,498.33	1/4	3,707.48	1/4	3,916.73	1/4	4,125.08	1/4	4,332.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,502.67	1/2	3,711.84	1/2	3,921.07	1/2	4,129.42	1/2	4,337.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,507.01	3/4	3,716.20	3/4	3,925.41	3/4	4,133.76	3/4	4,341.32	3/4		3/4		3/4		3/4		3/4	
8	3,511.36	8	3,720.56	8	3,929.75	8	4,138.10	8	4,345.56	8		8		8		8		8	
1/4	3,515.70	1/4	3,724.92	1/4	3,934.09	1/4	4,142.44	1/4	4,348.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,520.05	1/2	3,729.28	1/2	3,938.43	1/2	4,146.78	1/2	4,352.41	1/2		1/2		1/2		1/2		1/2	
3/4	3,524.39	3/4	3,733.64	3/4	3,942.77	3/4	4,151.13	3/4	4,355.84	3/4		3/4		3/4		3/4		3/4	
9	3,528.73	9	3,738.00	9	3,947.11	9	4,155.47	9	4,359.26	9		9		9		9		9	
1/4	3,533.09	1/4	3,742.36	1/4	3,951.45	1/4	4,159.81	1/4	4,361.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,537.45	1/2	3,746.72	1/2	3,955.79	1/2	4,164.15	1/2	4,363.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,541.81	3/4	3,751.08	3/4	3,960.13	3/4	4,168.49	3/4	4,365.97	3/4		3/4		3/4		3/4		3/4	
10	3,546.17	10	3,755.44	10	3,964.48	10	4,172.83	10	4,368.21	10		10		10		10		10	
1/4	3,550.53	1/4	3,759.80	1/4	3,968.82	1/4	4,177.17	1/4	4,369.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,554.89	1/2	3,764.16	1/2	3,973.16	1/2	4,181.51	1/2	4,371.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,559.25	3/4	3,768.52	3/4	3,977.50	3/4	4,185.85	3/4	4,373.32	3/4		3/4		3/4		3/4		3/4	
11	3,563.61	11	3,772.88	11	3,981.84	11	4,190.19	11	4,375.03	11		11		11		11		11	
1/4	3,567.97	1/4	3,777.24	1/4	3,986.18	1/4	4,194.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,572.33	1/2	3,781.60	1/2	3,990.52	1/2	4,198.87	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,576.69	3/4	3,785.96	3/4	3,994.86	3/4	4,203.21	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/26/2021 JS  
CALCULATED: 10/27/2021 CL  
PRINTED: 10/28/2021 SW

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2021





# BARGE "NGL 3025"

## 3 STBD INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,389.62	0	3,599.04	0	3,808.46	0	4,017.49	0	4,226.00	0		0		0		0		0	
1/4	3,393.98	1/4	3,603.40	1/4	3,812.82	1/4	4,021.84	1/4	4,230.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,398.34	1/2	3,607.76	1/2	3,817.18	1/2	4,026.18	1/2	4,234.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,402.71	3/4	3,612.13	3/4	3,821.54	3/4	4,030.53	3/4	4,239.03	3/4		3/4		3/4		3/4		3/4	
1	3,407.07	1	3,616.49	1	3,825.91	1	4,034.87	1	4,243.38	1		1		1		1		1	
1/4	3,411.43	1/4	3,620.85	1/4	3,830.27	1/4	4,039.21	1/4	4,247.72	1/4		1/4		1/4		1/4		1/4	
1/2	3,415.79	1/2	3,625.21	1/2	3,834.63	1/2	4,043.56	1/2	4,252.07	1/2		1/2		1/2		1/2		1/2	
3/4	3,420.16	3/4	3,629.58	3/4	3,839.00	3/4	4,047.90	3/4	4,256.41	3/4		3/4		3/4		3/4		3/4	
2	3,424.52	2	3,633.94	2	3,843.36	2	4,052.25	2	4,260.75	2		2		2		2		2	
1/4	3,428.88	1/4	3,638.30	1/4	3,847.72	1/4	4,056.59	1/4	4,265.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,433.25	1/2	3,642.67	1/2	3,852.08	1/2	4,060.93	1/2	4,269.44	1/2		1/2		1/2		1/2		1/2	
3/4	3,437.61	3/4	3,647.03	3/4	3,856.45	3/4	4,065.28	3/4	4,273.78	3/4		3/4		3/4		3/4		3/4	
3	3,441.97	3	3,651.39	3	3,860.81	3	4,069.62	3	4,278.13	3		3		3		3		3	
1/4	3,446.33	1/4	3,655.75	1/4	3,865.17	1/4	4,073.97	1/4	4,282.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,450.70	1/2	3,660.12	1/2	3,869.54	1/2	4,078.31	1/2	4,286.76	1/2		1/2		1/2		1/2		1/2	
3/4	3,455.06	3/4	3,664.48	3/4	3,873.90	3/4	4,082.65	3/4	4,291.08	3/4		3/4		3/4		3/4		3/4	
4	3,459.42	4	3,668.84	4	3,878.26	4	4,087.00	4	4,295.39	4		4		4		4		4	
1/4	3,463.79	1/4	3,673.21	1/4	3,882.62	1/4	4,091.34	1/4	4,299.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,468.15	1/2	3,677.57	1/2	3,886.99	1/2	4,095.68	1/2	4,304.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,472.51	3/4	3,681.93	3/4	3,891.35	3/4	4,100.03	3/4	4,308.34	3/4		3/4		3/4		3/4		3/4	
5	3,476.88	5	3,686.29	5	3,895.71	5	4,104.37	5	4,312.66	5		5		5		5		5	
1/4	3,481.24	1/4	3,690.66	1/4	3,900.08	1/4	4,108.72	1/4	4,316.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,485.60	1/2	3,695.02	1/2	3,904.44	1/2	4,113.06	1/2	4,321.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,489.96	3/4	3,699.38	3/4	3,908.80	3/4	4,117.40	3/4	4,325.59	3/4		3/4		3/4		3/4		3/4	
6	3,494.33	6	3,703.75	6	3,913.17	6	4,121.75	6	4,329.91	6		6		6		6		6	
1/4	3,498.69	1/4	3,708.11	1/4	3,917.53	1/4	4,126.09	1/4	4,334.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,503.05	1/2	3,712.47	1/2	3,921.89	1/2	4,130.44	1/2	4,338.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,507.42	3/4	3,716.83	3/4	3,926.25	3/4	4,134.78	3/4	4,342.81	3/4		3/4		3/4		3/4		3/4	
7	3,511.78	7	3,721.20	7	3,930.62	7	4,139.12	7	4,347.12	7		7		7		7		7	
1/4	3,516.14	1/4	3,725.56	1/4	3,934.96	1/4	4,143.47	1/4	4,351.36	1/4		1/4		1/4		1/4		1/4	
1/2	3,520.50	1/2	3,729.92	1/2	3,939.30	1/2	4,147.81	1/2	4,355.61	1/2		1/2		1/2		1/2		1/2	
3/4	3,524.87	3/4	3,734.29	3/4	3,943.65	3/4	4,152.16	3/4	4,359.86	3/4		3/4		3/4		3/4		3/4	
8	3,529.23	8	3,738.65	8	3,947.99	8	4,156.50	8	4,364.11	8		8		8		8		8	
1/4	3,533.59	1/4	3,743.01	1/4	3,952.34	1/4	4,160.84	1/4	4,367.53	1/4		1/4		1/4		1/4		1/4	
1/2	3,537.96	1/2	3,747.37	1/2	3,956.68	1/2	4,165.19	1/2	4,370.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,542.32	3/4	3,751.74	3/4	3,961.02	3/4	4,169.53	3/4	4,374.39	3/4		3/4		3/4		3/4		3/4	
9	3,546.68	9	3,756.10	9	3,965.37	9	4,173.88	9	4,377.82	9		9		9		9		9	
1/4	3,551.04	1/4	3,760.46	1/4	3,969.71	1/4	4,178.22	1/4	4,380.06	1/4		1/4		1/4		1/4		1/4	
1/2	3,555.41	1/2	3,764.83	1/2	3,974.06	1/2	4,182.56	1/2	4,382.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,559.77	3/4	3,769.19	3/4	3,978.40	3/4	4,186.91	3/4	4,384.54	3/4		3/4		3/4		3/4		3/4	
10	3,564.13	10	3,773.55	10	3,982.74	10	4,191.25	10	4,386.78	10		10		10		10		10	
1/4	3,568.50	1/4	3,777.92	1/4	3,987.09	1/4	4,195.59	1/4	4,388.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,572.86	1/2	3,782.28	1/2	3,991.43	1/2	4,199.94	1/2	4,390.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,577.22	3/4	3,786.64	3/4	3,995.78	3/4	4,204.28	3/4	4,391.90	3/4		3/4		3/4		3/4		3/4	
11	3,581.58	11	3,791.00	11	4,000.12	11	4,208.63	11	4,393.60	11		11		11		11		11	
1/4	3,585.95	1/4	3,795.37	1/4	4,004.46	1/4	4,212.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,590.31	1/2	3,799.73	1/2	4,008.81	1/2	4,217.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,594.67	3/4	3,804.09	3/4	4,013.15	3/4	4,221.66	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/26/2021 JS  
CALCULATED: 10/27/2021 CL  
PRINTED: 10/28/2021 SW

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES  
ALL PRIOR TO 10/2021