



BARGE "NGL 3026"

INNAGE (HERMETIC)

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 6'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 237'-03"

November 10, 2021

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "NGL 3026"

1 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,356.10	0	3,698.37	0	4,040.71	0	4,382.41	0	4,723.19	0		0		0		0		0	
1/4	3,363.23	1/4	3,705.50	1/4	4,047.85	1/4	4,389.51	1/4	4,730.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,370.36	1/2	3,712.63	1/2	4,054.98	1/2	4,396.61	1/2	4,737.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,377.49	3/4	3,719.77	3/4	4,062.11	3/4	4,403.71	3/4	4,744.49	3/4		3/4		3/4		3/4		3/4	
1	3,384.62	1	3,726.90	1	4,069.24	1	4,410.81	1	4,751.59	1		1		1		1		1	
1/4	3,391.75	1/4	3,734.03	1/4	4,076.38	1/4	4,417.91	1/4	4,758.69	1/4		1/4		1/4		1/4		1/4	
1/2	3,398.88	1/2	3,741.16	1/2	4,083.51	1/2	4,425.01	1/2	4,765.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,406.01	3/4	3,748.29	3/4	4,090.64	3/4	4,432.11	3/4	4,772.89	3/4		3/4		3/4		3/4		3/4	
2	3,413.14	2	3,755.43	2	4,097.77	2	4,439.21	2	4,779.99	2		2		2		2		2	
1/4	3,420.27	1/4	3,762.56	1/4	4,104.90	1/4	4,446.30	1/4	4,787.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,427.40	1/2	3,769.69	1/2	4,112.04	1/2	4,453.40	1/2	4,794.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,434.53	3/4	3,776.82	3/4	4,119.17	3/4	4,460.50	3/4	4,801.28	3/4		3/4		3/4		3/4		3/4	
3	3,441.66	3	3,783.96	3	4,126.30	3	4,467.60	3	4,808.38	3		3		3		3		3	
1/4	3,448.79	1/4	3,791.09	1/4	4,133.43	1/4	4,474.70	1/4	4,815.44	1/4		1/4		1/4		1/4		1/4	
1/2	3,455.92	1/2	3,798.22	1/2	4,140.57	1/2	4,481.80	1/2	4,822.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,463.05	3/4	3,805.35	3/4	4,147.70	3/4	4,488.90	3/4	4,829.55	3/4		3/4		3/4		3/4		3/4	
4	3,470.18	4	3,812.48	4	4,154.83	4	4,496.00	4	4,836.60	4		4		4		4		4	
1/4	3,477.31	1/4	3,819.62	1/4	4,161.96	1/4	4,503.10	1/4	4,843.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,484.44	1/2	3,826.75	1/2	4,169.09	1/2	4,510.20	1/2	4,850.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,491.57	3/4	3,833.88	3/4	4,176.23	3/4	4,517.30	3/4	4,857.77	3/4		3/4		3/4		3/4		3/4	
5	3,498.70	5	3,841.01	5	4,183.36	5	4,524.40	5	4,864.82	5		5		5		5		5	
1/4	3,505.83	1/4	3,848.15	1/4	4,190.49	1/4	4,531.50	1/4	4,871.87	1/4		1/4		1/4		1/4		1/4	
1/2	3,512.96	1/2	3,855.28	1/2	4,197.62	1/2	4,538.60	1/2	4,878.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,520.09	3/4	3,862.41	3/4	4,204.76	3/4	4,545.70	3/4	4,885.98	3/4		3/4		3/4		3/4		3/4	
6	3,527.22	6	3,869.54	6	4,211.89	6	4,552.80	6	4,893.04	6		6		6		6		6	
1/4	3,534.35	1/4	3,876.67	1/4	4,219.02	1/4	4,559.90	1/4	4,900.08	1/4		1/4		1/4		1/4		1/4	
1/2	3,541.48	1/2	3,883.81	1/2	4,226.15	1/2	4,567.00	1/2	4,907.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,548.61	3/4	3,890.94	3/4	4,233.28	3/4	4,574.10	3/4	4,914.16	3/4		3/4		3/4		3/4		3/4	
7	3,555.74	7	3,898.07	7	4,240.42	7	4,581.20	7	4,921.20	7		7		7		7		7	
1/4	3,562.87	1/4	3,905.20	1/4	4,247.52	1/4	4,588.30	1/4	4,928.19	1/4		1/4		1/4		1/4		1/4	
1/2	3,570.00	1/2	3,912.34	1/2	4,254.62	1/2	4,595.40	1/2	4,935.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,577.13	3/4	3,919.47	3/4	4,261.72	3/4	4,602.50	3/4	4,942.16	3/4		3/4		3/4		3/4		3/4	
8	3,584.26	8	3,926.60	8	4,268.81	8	4,609.60	8	4,949.14	8		8		8		8		8	
1/4	3,591.39	1/4	3,933.73	1/4	4,275.91	1/4	4,616.70	1/4	4,955.31	1/4		1/4		1/4		1/4		1/4	
1/2	3,598.52	1/2	3,940.86	1/2	4,283.01	1/2	4,623.79	1/2	4,961.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,605.65	3/4	3,948.00	3/4	4,290.11	3/4	4,630.89	3/4	4,967.63	3/4		3/4		3/4		3/4		3/4	
9	3,612.78	9	3,955.13	9	4,297.21	9	4,637.99	9	4,973.80	9		9		9		9		9	
1/4	3,619.91	1/4	3,962.26	1/4	4,304.31	1/4	4,645.09	1/4	4,978.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,627.05	1/2	3,969.39	1/2	4,311.41	1/2	4,652.19	1/2	4,983.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,634.18	3/4	3,976.52	3/4	4,318.51	3/4	4,659.29	3/4	4,988.72	3/4		3/4		3/4		3/4		3/4	
10	3,641.31	10	3,983.66	10	4,325.61	10	4,666.39	10	4,993.69	10		10		10		10		10	
1/4	3,648.44	1/4	3,990.79	1/4	4,332.71	1/4	4,673.49	1/4	4,997.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,655.58	1/2	3,997.92	1/2	4,339.81	1/2	4,680.59	1/2	5,001.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,662.71	3/4	4,005.05	3/4	4,346.91	3/4	4,687.69	3/4	5,005.05	3/4		3/4		3/4		3/4		3/4	
11	3,669.84	11	4,012.19	11	4,354.01	11	4,694.79	11	5,008.84	11		11		11		11		11	
1/4	3,676.97	1/4	4,019.32	1/4	4,361.11	1/4	4,701.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,684.10	1/2	4,026.45	1/2	4,368.21	1/2	4,708.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,691.24	3/4	4,033.58	3/4	4,375.31	3/4	4,716.09	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/10/2021 CL
CALCULATED: 11/10/2021 CL
PRINTED: 11/11/2021 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021



BARGE "NGL 3026"

1 STBD INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,350.69	0	3,693.34	0	4,036.05	0	4,378.11	0	4,719.26	0		0		0		0		0	
1/4	3,357.83	1/4	3,700.48	1/4	4,043.19	1/4	4,385.22	1/4	4,726.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,364.97	1/2	3,707.62	1/2	4,050.33	1/2	4,392.33	1/2	4,733.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,372.11	3/4	3,714.76	3/4	4,057.47	3/4	4,399.43	3/4	4,740.58	3/4		3/4		3/4		3/4		3/4	
1	3,379.25	1	3,721.90	1	4,064.61	1	4,406.54	1	4,747.69	1		1		1		1		1	
1/4	3,386.38	1/4	3,729.04	1/4	4,071.75	1/4	4,413.65	1/4	4,754.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,393.52	1/2	3,736.18	1/2	4,078.89	1/2	4,420.75	1/2	4,761.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,400.66	3/4	3,743.32	3/4	4,086.03	3/4	4,427.86	3/4	4,769.01	3/4		3/4		3/4		3/4		3/4	
2	3,407.80	2	3,750.46	2	4,093.17	2	4,434.97	2	4,776.12	2		2		2		2		2	
1/4	3,414.94	1/4	3,757.60	1/4	4,100.31	1/4	4,442.08	1/4	4,783.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,422.07	1/2	3,764.74	1/2	4,107.45	1/2	4,449.18	1/2	4,790.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,429.21	3/4	3,771.88	3/4	4,114.59	3/4	4,456.29	3/4	4,797.44	3/4		3/4		3/4		3/4		3/4	
3	3,436.35	3	3,779.02	3	4,121.73	3	4,463.40	3	4,804.55	3		3		3		3		3	
1/4	3,443.49	1/4	3,786.16	1/4	4,128.87	1/4	4,470.51	1/4	4,811.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,450.63	1/2	3,793.30	1/2	4,136.01	1/2	4,477.61	1/2	4,818.67	1/2		1/2		1/2		1/2		1/2	
3/4	3,457.76	3/4	3,800.44	3/4	4,143.15	3/4	4,484.72	3/4	4,825.74	3/4		3/4		3/4		3/4		3/4	
4	3,464.90	4	3,807.58	4	4,150.29	4	4,491.83	4	4,832.80	4		4		4		4		4	
1/4	3,472.04	1/4	3,814.72	1/4	4,157.43	1/4	4,498.94	1/4	4,839.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,479.18	1/2	3,821.86	1/2	4,164.57	1/2	4,506.04	1/2	4,846.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,486.32	3/4	3,829.00	3/4	4,171.71	3/4	4,513.15	3/4	4,853.99	3/4		3/4		3/4		3/4		3/4	
5	3,493.45	5	3,836.14	5	4,178.85	5	4,520.26	5	4,861.05	5		5		5		5		5	
1/4	3,500.59	1/4	3,843.28	1/4	4,185.99	1/4	4,527.36	1/4	4,868.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,507.73	1/2	3,850.42	1/2	4,193.13	1/2	4,534.47	1/2	4,875.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,514.87	3/4	3,857.56	3/4	4,200.27	3/4	4,541.58	3/4	4,882.23	3/4		3/4		3/4		3/4		3/4	
6	3,522.01	6	3,864.70	6	4,207.41	6	4,548.69	6	4,889.29	6		6		6		6		6	
1/4	3,529.14	1/4	3,871.84	1/4	4,214.55	1/4	4,555.79	1/4	4,896.34	1/4		1/4		1/4		1/4		1/4	
1/2	3,536.28	1/2	3,878.98	1/2	4,221.69	1/2	4,562.90	1/2	4,903.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,543.42	3/4	3,886.11	3/4	4,228.83	3/4	4,570.01	3/4	4,910.44	3/4		3/4		3/4		3/4		3/4	
7	3,550.56	7	3,893.25	7	4,235.97	7	4,577.12	7	4,917.49	7		7		7		7		7	
1/4	3,557.70	1/4	3,900.39	1/4	4,243.07	1/4	4,584.22	1/4	4,924.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,564.83	1/2	3,907.53	1/2	4,250.18	1/2	4,591.33	1/2	4,931.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,571.97	3/4	3,914.67	3/4	4,257.29	3/4	4,598.44	3/4	4,938.47	3/4		3/4		3/4		3/4		3/4	
8	3,579.11	8	3,921.81	8	4,264.39	8	4,605.54	8	4,945.46	8		8		8		8		8	
1/4	3,586.25	1/4	3,928.95	1/4	4,271.50	1/4	4,612.65	1/4	4,951.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,593.39	1/2	3,936.09	1/2	4,278.61	1/2	4,619.76	1/2	4,957.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,600.52	3/4	3,943.23	3/4	4,285.72	3/4	4,626.87	3/4	4,963.97	3/4		3/4		3/4		3/4		3/4	
9	3,607.66	9	3,950.37	9	4,292.82	9	4,633.97	9	4,970.14	9		9		9		9		9	
1/4	3,614.80	1/4	3,957.51	1/4	4,299.93	1/4	4,641.08	1/4	4,975.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,621.94	1/2	3,964.65	1/2	4,307.04	1/2	4,648.19	1/2	4,980.10	1/2		1/2		1/2		1/2		1/2	
3/4	3,629.08	3/4	3,971.79	3/4	4,314.15	3/4	4,655.30	3/4	4,985.08	3/4		3/4		3/4		3/4		3/4	
10	3,636.22	10	3,978.93	10	4,321.25	10	4,662.40	10	4,990.06	10		10		10		10		10	
1/4	3,643.36	1/4	3,986.07	1/4	4,328.36	1/4	4,669.51	1/4	4,993.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,650.50	1/2	3,993.21	1/2	4,335.47	1/2	4,676.62	1/2	4,997.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,657.64	3/4	4,000.35	3/4	4,342.57	3/4	4,683.72	3/4	5,001.43	3/4		3/4		3/4		3/4		3/4	
11	3,664.78	11	4,007.49	11	4,349.68	11	4,690.83	11	5,005.22	11		11		11		11		11	
1/4	3,671.92	1/4	4,014.63	1/4	4,356.79	1/4	4,697.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,679.06	1/2	4,021.77	1/2	4,363.90	1/2	4,705.05	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,686.20	3/4	4,028.91	3/4	4,371.00	3/4	4,712.15	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/10/2021 CL
CALCULATED: 11/10/2021 CL
PRINTED: 11/11/2021 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021



BARGE "NGL 3026"

2 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-05 1/4"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,413.61	0	3,756.79	0	4,099.96	0	4,442.48	0	4,784.09	0		0		0		0		0	
1/4	3,420.76	1/4	3,763.94	1/4	4,107.11	1/4	4,449.60	1/4	4,791.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,427.91	1/2	3,771.08	1/2	4,114.26	1/2	4,456.72	1/2	4,798.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,435.06	3/4	3,778.23	3/4	4,121.41	3/4	4,463.83	3/4	4,805.44	3/4		3/4		3/4		3/4		3/4	
1	3,442.21	1	3,785.38	1	4,128.56	1	4,470.95	1	4,812.56	1		1		1		1		1	
1/4	3,449.36	1/4	3,792.53	1/4	4,135.71	1/4	4,478.07	1/4	4,819.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,456.51	1/2	3,799.68	1/2	4,142.86	1/2	4,485.18	1/2	4,826.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,463.66	3/4	3,806.83	3/4	4,150.01	3/4	4,492.30	3/4	4,833.91	3/4		3/4		3/4		3/4		3/4	
2	3,470.81	2	3,813.98	2	4,157.16	2	4,499.42	2	4,841.02	2		2		2		2		2	
1/4	3,477.96	1/4	3,821.13	1/4	4,164.31	1/4	4,506.53	1/4	4,848.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,485.10	1/2	3,828.28	1/2	4,171.46	1/2	4,513.65	1/2	4,855.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,492.25	3/4	3,835.43	3/4	4,178.61	3/4	4,520.77	3/4	4,862.37	3/4		3/4		3/4		3/4		3/4	
3	3,499.40	3	3,842.58	3	4,185.76	3	4,527.89	3	4,869.49	3		3		3		3		3	
1/4	3,506.55	1/4	3,849.73	1/4	4,192.91	1/4	4,535.00	1/4	4,876.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,513.70	1/2	3,856.88	1/2	4,200.05	1/2	4,542.12	1/2	4,883.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,520.85	3/4	3,864.03	3/4	4,207.20	3/4	4,549.24	3/4	4,890.71	3/4		3/4		3/4		3/4		3/4	
4	3,528.00	4	3,871.18	4	4,214.35	4	4,556.35	4	4,897.78	4		4		4		4		4	
1/4	3,535.15	1/4	3,878.33	1/4	4,221.50	1/4	4,563.47	1/4	4,904.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,542.30	1/2	3,885.48	1/2	4,228.65	1/2	4,570.59	1/2	4,911.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,549.45	3/4	3,892.63	3/4	4,235.80	3/4	4,577.70	3/4	4,919.00	3/4		3/4		3/4		3/4		3/4	
5	3,556.60	5	3,899.78	5	4,242.95	5	4,584.82	5	4,926.07	5		5		5		5		5	
1/4	3,563.75	1/4	3,906.93	1/4	4,250.10	1/4	4,591.94	1/4	4,933.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,570.90	1/2	3,914.07	1/2	4,257.25	1/2	4,599.05	1/2	4,940.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,578.05	3/4	3,921.22	3/4	4,264.40	3/4	4,606.17	3/4	4,947.28	3/4		3/4		3/4		3/4		3/4	
6	3,585.20	6	3,928.37	6	4,271.55	6	4,613.29	6	4,954.35	6		6		6		6		6	
1/4	3,592.35	1/4	3,935.52	1/4	4,278.70	1/4	4,620.40	1/4	4,961.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,599.50	1/2	3,942.67	1/2	4,285.85	1/2	4,627.52	1/2	4,968.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,606.65	3/4	3,949.82	3/4	4,293.00	3/4	4,634.64	3/4	4,975.52	3/4		3/4		3/4		3/4		3/4	
7	3,613.80	7	3,956.97	7	4,300.15	7	4,641.75	7	4,982.58	7		7		7		7		7	
1/4	3,620.95	1/4	3,964.12	1/4	4,307.26	1/4	4,648.87	1/4	4,989.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,628.09	1/2	3,971.27	1/2	4,314.38	1/2	4,655.99	1/2	4,996.59	1/2		1/2		1/2		1/2		1/2	
3/4	3,635.24	3/4	3,978.42	3/4	4,321.50	3/4	4,663.10	3/4	5,003.59	3/4		3/4		3/4		3/4		3/4	
8	3,642.39	8	3,985.57	8	4,328.61	8	4,670.22	8	5,010.59	8		8		8		8		8	
1/4	3,649.54	1/4	3,992.72	1/4	4,335.73	1/4	4,677.34	1/4	5,016.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,656.69	1/2	3,999.87	1/2	4,342.85	1/2	4,684.45	1/2	5,022.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,663.84	3/4	4,007.02	3/4	4,349.97	3/4	4,691.57	3/4	5,029.13	3/4		3/4		3/4		3/4		3/4	
9	3,670.99	9	4,014.17	9	4,357.08	9	4,698.69	9	5,035.31	9		9		9		9		9	
1/4	3,678.14	1/4	4,021.32	1/4	4,364.20	1/4	4,705.81	1/4	5,040.29	1/4		1/4		1/4		1/4		1/4	
1/2	3,685.29	1/2	4,028.47	1/2	4,371.32	1/2	4,712.92	1/2	5,045.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,692.44	3/4	4,035.62	3/4	4,378.43	3/4	4,720.04	3/4	5,050.26	3/4		3/4		3/4		3/4		3/4	
10	3,699.59	10	4,042.77	10	4,385.55	10	4,727.16	10	5,055.25	10		10		10		10		10	
1/4	3,706.74	1/4	4,049.92	1/4	4,392.67	1/4	4,734.27	1/4	5,059.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,713.89	1/2	4,057.06	1/2	4,399.78	1/2	4,741.39	1/2	5,062.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,721.04	3/4	4,064.21	3/4	4,406.90	3/4	4,748.51	3/4	5,066.63	3/4		3/4		3/4		3/4		3/4	
11	3,728.19	11	4,071.36	11	4,414.02	11	4,755.62	11	5,070.43	11		11		11		11		11	
1/4	3,735.34	1/4	4,078.51	1/4	4,421.13	1/4	4,762.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,742.49	1/2	4,085.66	1/2	4,428.25	1/2	4,769.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,749.64	3/4	4,092.81	3/4	4,435.37	3/4	4,776.97	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/10/2021 CL
CALCULATED: 11/10/2021 CL
PRINTED: 11/11/2021 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021



BARGE "NGL 3026"

**2 STBD
INNAGE TABLE
HERMETIC
GAUGE HEIGHT 16'-05"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,410.45	0	3,753.41	0	4,096.45	0	4,438.82	0	4,780.28	0		0		0		0		0	
1/4	3,417.60	1/4	3,760.56	1/4	4,103.59	1/4	4,445.94	1/4	4,787.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,424.74	1/2	3,767.71	1/2	4,110.74	1/2	4,453.05	1/2	4,794.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,431.89	3/4	3,774.85	3/4	4,117.89	3/4	4,460.16	3/4	4,801.62	3/4		3/4		3/4		3/4		3/4	
1	3,439.03	1	3,782.00	1	4,125.03	1	4,467.28	1	4,808.73	1		1		1		1		1	
1/4	3,446.18	1/4	3,789.15	1/4	4,132.18	1/4	4,474.39	1/4	4,815.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,453.32	1/2	3,796.29	1/2	4,139.33	1/2	4,481.50	1/2	4,822.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,460.47	3/4	3,803.44	3/4	4,146.47	3/4	4,488.62	3/4	4,830.08	3/4		3/4		3/4		3/4		3/4	
2	3,467.61	2	3,810.59	2	4,153.62	2	4,495.73	2	4,837.19	2		2		2		2		2	
1/4	3,474.76	1/4	3,817.73	1/4	4,160.77	1/4	4,502.85	1/4	4,844.30	1/4		1/4		1/4		1/4		1/4	
1/2	3,481.90	1/2	3,824.88	1/2	4,167.91	1/2	4,509.96	1/2	4,851.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,489.04	3/4	3,832.03	3/4	4,175.06	3/4	4,517.07	3/4	4,858.53	3/4		3/4		3/4		3/4		3/4	
3	3,496.19	3	3,839.17	3	4,182.20	3	4,524.19	3	4,865.64	3		3		3		3		3	
1/4	3,503.33	1/4	3,846.32	1/4	4,189.35	1/4	4,531.30	1/4	4,872.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,510.48	1/2	3,853.47	1/2	4,196.50	1/2	4,538.41	1/2	4,879.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,517.62	3/4	3,860.61	3/4	4,203.64	3/4	4,545.53	3/4	4,886.85	3/4		3/4		3/4		3/4		3/4	
4	3,524.77	4	3,867.76	4	4,210.79	4	4,552.64	4	4,893.92	4		4		4		4		4	
1/4	3,531.91	1/4	3,874.91	1/4	4,217.94	1/4	4,559.76	1/4	4,900.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,539.06	1/2	3,882.05	1/2	4,225.08	1/2	4,566.87	1/2	4,908.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,546.20	3/4	3,889.20	3/4	4,232.23	3/4	4,573.98	3/4	4,915.13	3/4		3/4		3/4		3/4		3/4	
5	3,553.34	5	3,896.34	5	4,239.38	5	4,581.10	5	4,922.19	5		5		5		5		5	
1/4	3,560.49	1/4	3,903.49	1/4	4,246.52	1/4	4,588.21	1/4	4,929.26	1/4		1/4		1/4		1/4		1/4	
1/2	3,567.63	1/2	3,910.64	1/2	4,253.67	1/2	4,595.32	1/2	4,936.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,574.78	3/4	3,917.78	3/4	4,260.82	3/4	4,602.44	3/4	4,943.40	3/4		3/4		3/4		3/4		3/4	
6	3,581.92	6	3,924.93	6	4,267.96	6	4,609.55	6	4,950.46	6		6		6		6		6	
1/4	3,589.07	1/4	3,932.08	1/4	4,275.11	1/4	4,616.66	1/4	4,957.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,596.21	1/2	3,939.22	1/2	4,282.26	1/2	4,623.78	1/2	4,964.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,603.36	3/4	3,946.37	3/4	4,289.40	3/4	4,630.89	3/4	4,971.63	3/4		3/4		3/4		3/4		3/4	
7	3,610.50	7	3,953.52	7	4,296.55	7	4,638.01	7	4,978.68	7		7		7		7		7	
1/4	3,617.65	1/4	3,960.66	1/4	4,303.66	1/4	4,645.12	1/4	4,985.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,624.79	1/2	3,967.81	1/2	4,310.78	1/2	4,652.23	1/2	4,992.68	1/2		1/2		1/2		1/2		1/2	
3/4	3,631.93	3/4	3,974.96	3/4	4,317.89	3/4	4,659.35	3/4	4,999.68	3/4		3/4		3/4		3/4		3/4	
8	3,639.08	8	3,982.10	8	4,325.00	8	4,666.46	8	5,006.68	8		8		8		8		8	
1/4	3,646.22	1/4	3,989.25	1/4	4,332.12	1/4	4,673.57	1/4	5,012.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,653.37	1/2	3,996.40	1/2	4,339.23	1/2	4,680.69	1/2	5,019.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,660.51	3/4	4,003.54	3/4	4,346.34	3/4	4,687.80	3/4	5,025.21	3/4		3/4		3/4		3/4		3/4	
9	3,667.66	9	4,010.69	9	4,353.46	9	4,694.92	9	5,031.38	9		9		9		9		9	
1/4	3,674.80	1/4	4,017.84	1/4	4,360.57	1/4	4,702.03	1/4	5,036.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,681.95	1/2	4,024.98	1/2	4,367.69	1/2	4,709.14	1/2	5,041.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,689.10	3/4	4,032.13	3/4	4,374.80	3/4	4,716.26	3/4	5,046.34	3/4		3/4		3/4		3/4		3/4	
10	3,696.24	10	4,039.27	10	4,381.91	10	4,723.37	10	5,051.32	10		10		10		10		10	
1/4	3,703.39	1/4	4,046.42	1/4	4,389.03	1/4	4,730.48	1/4	5,055.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,710.54	1/2	4,053.57	1/2	4,396.14	1/2	4,737.60	1/2	5,058.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,717.68	3/4	4,060.71	3/4	4,403.25	3/4	4,744.71	3/4	5,062.70	3/4		3/4		3/4		3/4		3/4	
11	3,724.83	11	4,067.86	11	4,410.37	11	4,751.83	11	5,066.49	11		11		11		11		11	
1/4	3,731.98	1/4	4,075.01	1/4	4,417.48	1/4	4,758.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,739.12	1/2	4,082.15	1/2	4,424.60	1/2	4,766.05	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,746.27	3/4	4,089.30	3/4	4,431.71	3/4	4,773.17	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/10/2021 CL
CALCULATED: 11/10/2021 CL
PRINTED: 11/11/2021 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021



BARGE "NGL 3026"

3 PORT INNAGE TABLE

HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.60	0	337.07	0	678.18	0	1,009.66	0	1,346.06	0	1,687.06	0	2,028.06	0	2,369.07	0	2,710.03	0	3,051.15
1/4	19.05	1/4	344.19	1/4	685.29	1/4	1,016.45	1/4	1,353.17	1/4	1,694.17	1/4	2,035.17	1/4	2,376.17	1/4	2,717.14	1/4	3,058.25
1/2	23.50	1/2	351.30	1/2	692.39	1/2	1,023.25	1/2	1,360.27	1/2	1,701.27	1/2	2,042.27	1/2	2,383.27	1/2	2,724.24	1/2	3,065.35
3/4	27.94	3/4	358.42	3/4	699.50	3/4	1,030.04	3/4	1,367.37	3/4	1,708.38	3/4	2,049.38	3/4	2,390.38	3/4	2,731.34	3/4	3,072.45
1	32.39	1	365.54	1	706.60	1	1,036.84	1	1,374.48	1	1,715.48	1	2,056.48	1	2,397.48	1	2,738.44	1	3,079.55
1/4	38.62	1/4	372.64	1/4	713.71	1/4	1,043.63	1/4	1,381.58	1/4	1,722.58	1/4	2,063.59	1/4	2,404.59	1/4	2,745.55	1/4	3,086.65
1/2	44.84	1/2	379.75	1/2	720.81	1/2	1,050.43	1/2	1,388.69	1/2	1,729.69	1/2	2,070.69	1/2	2,411.69	1/2	2,752.65	1/2	3,093.75
3/4	51.07	3/4	386.85	3/4	727.92	3/4	1,057.22	3/4	1,395.79	3/4	1,736.79	3/4	2,077.79	3/4	2,418.80	3/4	2,759.75	3/4	3,100.85
2	57.30	2	393.96	2	735.02	2	1,064.02	2	1,402.89	2	1,743.90	2	2,084.90	2	2,425.90	2	2,766.86	2	3,107.95
1/4	64.38	1/4	401.07	1/4	742.13	1/4	1,070.82	1/4	1,410.00	1/4	1,751.00	1/4	2,092.00	1/4	2,433.00	1/4	2,773.96	1/4	3,115.03
1/2	71.46	1/2	408.17	1/2	749.23	1/2	1,077.63	1/2	1,417.10	1/2	1,758.10	1/2	2,099.11	1/2	2,440.11	1/2	2,781.06	1/2	3,122.11
3/4	78.54	3/4	415.28	3/4	756.34	3/4	1,084.43	3/4	1,424.21	3/4	1,765.21	3/4	2,106.21	3/4	2,447.21	3/4	2,788.17	3/4	3,129.19
3	85.62	3	422.38	3	763.45	3	1,091.23	3	1,431.31	3	1,772.31	3	2,113.31	3	2,454.32	3	2,795.27	3	3,136.28
1/4	92.73	1/4	429.49	1/4	770.55	1/4	1,098.11	1/4	1,438.42	1/4	1,779.42	1/4	2,120.42	1/4	2,461.42	1/4	2,802.37	1/4	3,143.36
1/2	99.83	1/2	436.59	1/2	777.66	1/2	1,104.98	1/2	1,445.52	1/2	1,786.52	1/2	2,127.52	1/2	2,468.52	1/2	2,809.48	1/2	3,150.44
3/4	106.94	3/4	443.70	3/4	784.76	3/4	1,111.85	3/4	1,452.62	3/4	1,793.63	3/4	2,134.63	3/4	2,475.63	3/4	2,816.58	3/4	3,157.52
4	114.05	4	450.80	4	791.87	4	1,118.73	4	1,459.73	4	1,800.73	4	2,141.73	4	2,482.73	4	2,823.68	4	3,164.60
1/4	121.16	1/4	457.91	1/4	798.74	1/4	1,125.83	1/4	1,466.83	1/4	1,807.83	1/4	2,148.84	1/4	2,489.84	1/4	2,830.78	1/4	3,171.69
1/2	128.28	1/2	465.01	1/2	805.61	1/2	1,132.93	1/2	1,473.94	1/2	1,814.94	1/2	2,155.94	1/2	2,496.94	1/2	2,837.89	1/2	3,178.77
3/4	135.39	3/4	472.12	3/4	812.49	3/4	1,140.04	3/4	1,481.04	3/4	1,822.04	3/4	2,163.04	3/4	2,504.04	3/4	2,844.99	3/4	3,185.85
5	142.51	5	479.23	5	819.36	5	1,147.14	5	1,488.14	5	1,829.15	5	2,170.15	5	2,511.15	5	2,852.09	5	3,192.93
1/4	149.63	1/4	486.33	1/4	826.16	1/4	1,154.25	1/4	1,495.25	1/4	1,836.25	1/4	2,177.25	1/4	2,518.25	1/4	2,859.20	1/4	3,200.01
1/2	156.74	1/2	493.44	1/2	832.97	1/2	1,161.35	1/2	1,502.35	1/2	1,843.35	1/2	2,184.36	1/2	2,525.35	1/2	2,866.30	1/2	3,207.10
3/4	163.86	3/4	500.54	3/4	839.77	3/4	1,168.46	3/4	1,509.46	3/4	1,850.46	3/4	2,191.46	3/4	2,532.45	3/4	2,873.40	3/4	3,214.18
6	170.98	6	507.65	6	846.57	6	1,175.56	6	1,516.56	6	1,857.56	6	2,198.56	6	2,539.56	6	2,880.51	6	3,221.26
1/4	178.09	1/4	514.75	1/4	853.37	1/4	1,182.66	1/4	1,523.67	1/4	1,864.67	1/4	2,205.67	1/4	2,546.66	1/4	2,887.61	1/4	3,228.34
1/2	185.21	1/2	521.86	1/2	860.16	1/2	1,189.77	1/2	1,530.77	1/2	1,871.77	1/2	2,212.77	1/2	2,553.76	1/2	2,894.71	1/2	3,235.42
3/4	192.33	3/4	528.96	3/4	866.96	3/4	1,196.87	3/4	1,537.87	3/4	1,878.88	3/4	2,219.88	3/4	2,560.87	3/4	2,901.82	3/4	3,242.50
7	199.44	7	536.07	7	873.75	7	1,203.98	7	1,544.98	7	1,885.98	7	2,226.98	7	2,567.97	7	2,908.92	7	3,249.59
1/4	206.27	1/4	543.18	1/4	880.55	1/4	1,211.08	1/4	1,552.08	1/4	1,893.08	1/4	2,234.09	1/4	2,575.07	1/4	2,916.03	1/4	3,256.67
1/2	213.09	1/2	550.28	1/2	887.34	1/2	1,218.19	1/2	1,559.19	1/2	1,900.19	1/2	2,241.19	1/2	2,582.18	1/2	2,923.15	1/2	3,263.75
3/4	219.91	3/4	557.39	3/4	894.14	3/4	1,225.29	3/4	1,566.29	3/4	1,907.29	3/4	2,248.29	3/4	2,589.28	3/4	2,930.26	3/4	3,270.84
8	226.73	8	564.49	8	900.93	8	1,232.39	8	1,573.40	8	1,914.40	8	2,255.40	8	2,596.38	8	2,937.38	8	3,277.92
1/4	233.56	1/4	571.60	1/4	907.73	1/4	1,239.50	1/4	1,580.50	1/4	1,921.50	1/4	2,262.50	1/4	2,603.49	1/4	2,944.49	1/4	3,285.00
1/2	240.38	1/2	578.70	1/2	914.52	1/2	1,246.60	1/2	1,587.60	1/2	1,928.61	1/2	2,269.61	1/2	2,610.59	1/2	2,951.61	1/2	3,292.09
3/4	247.20	3/4	585.81	3/4	921.32	3/4	1,253.71	3/4	1,594.71	3/4	1,935.71	3/4	2,276.71	3/4	2,617.69	3/4	2,958.72	3/4	3,299.17
9	254.02	9	592.91	9	928.11	9	1,260.81	9	1,601.81	9	1,942.81	9	2,283.82	9	2,624.79	9	2,965.84	9	3,306.25
1/4	260.84	1/4	600.02	1/4	934.91	1/4	1,267.91	1/4	1,608.92	1/4	1,949.92	1/4	2,290.92	1/4	2,631.90	1/4	2,972.95	1/4	3,313.34
1/2	267.67	1/2	607.12	1/2	941.70	1/2	1,275.02	1/2	1,616.02	1/2	1,957.02	1/2	2,298.02	1/2	2,639.00	1/2	2,980.07	1/2	3,320.42
3/4	274.49	3/4	614.23	3/4	948.50	3/4	1,282.12	3/4	1,623.12	3/4	1,964.13	3/4	2,305.13	3/4	2,646.10	3/4	2,987.18	3/4	3,327.50
10	281.31	10	621.34	10	955.29	10	1,289.23	10	1,630.23	10	1,971.23	10	2,312.23	10	2,653.21	10	2,994.30	10	3,334.59
1/4	288.13	1/4	628.44	1/4	962.09	1/4	1,296.33	1/4	1,637.33	1/4	1,978.33	1/4	2,319.34	1/4	2,660.31	1/4	3,001.41	1/4	3,338.91
1/2	294.96	1/2	635.55	1/2	968.89	1/2	1,303.44	1/2	1,644.44	1/2	1,985.44	1/2	2,326.44	1/2	2,667.41	1/2	3,008.53	1/2	3,343.24
3/4	301.78	3/4	642.65	3/4	975.68	3/4	1,310.54	3/4	1,651.54	3/4	1,992.54	3/4	2,333.54	3/4	2,674.52	3/4	3,015.64	3/4	3,347.57
11	308.60	11	649.76	11	982.48	11	1,317.64	11	1,658.65	11	1,999.65	11	2,340.65	11	2,681.62	11	3,022.76	11	3,351.90
1/4	315.72	1/4	656.86	1/4	989.27	1/4	1,324.75	1/4	1,665.75	1/4	2,006.75	1/4	2,347.75	1/4	2,688.72	1/4	3,029.86	1/4	3,356.23
1/2	322.84	1/2	663.97	1/2	996.07	1/2	1,331.85	1/2	1,672.85	1/2	2,013.86	1/2	2,354.86	1/2	2,695.83	1/2	3,036.96	1/2	3,360.55
3/4	329.95	3/4	671.07	3/4	1,002.86	3/4	1,338.96	3/4	1,679.96	3/4	2,020.96	3/4	2,361.96	3/4	2,702.93	3/4	3,044.06	3/4	3,364.88

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.

GAUGE POINT: (HERMETIC) LOCATED 11'-06" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "NGL 3026"

3 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 16'-05"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,369.21	0	3,578.01	0	3,787.37	0	3,996.36	0	4,204.81	0		0		0		0		0	
1/4	3,373.56	1/4	3,582.37	1/4	3,791.74	1/4	4,000.70	1/4	4,209.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,377.90	1/2	3,586.73	1/2	3,796.10	1/2	4,005.04	1/2	4,213.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,382.25	3/4	3,591.09	3/4	3,800.46	3/4	4,009.39	3/4	4,217.84	3/4		3/4		3/4		3/4		3/4	
1	3,386.59	1	3,595.45	1	3,804.82	1	4,013.73	1	4,222.18	1		1		1		1		1	
1/4	3,390.94	1/4	3,599.82	1/4	3,809.18	1/4	4,018.07	1/4	4,226.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,395.29	1/2	3,604.18	1/2	3,813.54	1/2	4,022.41	1/2	4,230.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,399.63	3/4	3,608.54	3/4	3,817.91	3/4	4,026.76	3/4	4,235.21	3/4		3/4		3/4		3/4		3/4	
2	3,403.98	2	3,612.90	2	3,822.27	2	4,031.10	2	4,239.55	2		2		2		2		2	
1/4	3,408.32	1/4	3,617.26	1/4	3,826.63	1/4	4,035.44	1/4	4,243.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,412.67	1/2	3,621.63	1/2	3,830.99	1/2	4,039.79	1/2	4,248.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,417.02	3/4	3,625.99	3/4	3,835.35	3/4	4,044.13	3/4	4,252.58	3/4		3/4		3/4		3/4		3/4	
3	3,421.36	3	3,630.35	3	3,839.72	3	4,048.47	3	4,256.92	3		3		3		3		3	
1/4	3,425.71	1/4	3,634.71	1/4	3,844.08	1/4	4,052.81	1/4	4,261.24	1/4		1/4		1/4		1/4		1/4	
1/2	3,430.05	1/2	3,639.07	1/2	3,848.44	1/2	4,057.16	1/2	4,265.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,434.40	3/4	3,643.43	3/4	3,852.80	3/4	4,061.50	3/4	4,269.87	3/4		3/4		3/4		3/4		3/4	
4	3,438.75	4	3,647.80	4	3,857.16	4	4,065.84	4	4,274.18	4		4		4		4		4	
1/4	3,443.09	1/4	3,652.16	1/4	3,861.52	1/4	4,070.18	1/4	4,278.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,447.44	1/2	3,656.52	1/2	3,865.89	1/2	4,074.53	1/2	4,282.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,451.78	3/4	3,660.88	3/4	3,870.25	3/4	4,078.87	3/4	4,287.13	3/4		3/4		3/4		3/4		3/4	
5	3,456.13	5	3,665.24	5	3,874.61	5	4,083.21	5	4,291.44	5		5		5		5		5	
1/4	3,460.48	1/4	3,669.61	1/4	3,878.97	1/4	4,087.55	1/4	4,295.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,464.82	1/2	3,673.97	1/2	3,883.33	1/2	4,091.90	1/2	4,300.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,469.17	3/4	3,678.33	3/4	3,887.70	3/4	4,096.24	3/4	4,304.38	3/4		3/4		3/4		3/4		3/4	
6	3,473.51	6	3,682.69	6	3,892.06	6	4,100.58	6	4,308.69	6		6		6		6		6	
1/4	3,477.86	1/4	3,687.05	1/4	3,896.42	1/4	4,104.93	1/4	4,312.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,482.21	1/2	3,691.41	1/2	3,900.78	1/2	4,109.27	1/2	4,317.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,486.55	3/4	3,695.78	3/4	3,905.14	3/4	4,113.61	3/4	4,321.59	3/4		3/4		3/4		3/4		3/4	
7	3,490.90	7	3,700.14	7	3,909.50	7	4,117.95	7	4,325.89	7		7		7		7		7	
1/4	3,495.24	1/4	3,704.50	1/4	3,913.85	1/4	4,122.30	1/4	4,330.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,499.59	1/2	3,708.86	1/2	3,918.19	1/2	4,126.64	1/2	4,334.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,503.94	3/4	3,713.22	3/4	3,922.53	3/4	4,130.98	3/4	4,338.63	3/4		3/4		3/4		3/4		3/4	
8	3,508.28	8	3,717.58	8	3,926.87	8	4,135.32	8	4,342.88	8		8		8		8		8	
1/4	3,512.63	1/4	3,721.95	1/4	3,931.22	1/4	4,139.67	1/4	4,346.30	1/4		1/4		1/4		1/4		1/4	
1/2	3,516.97	1/2	3,726.31	1/2	3,935.56	1/2	4,144.01	1/2	4,349.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,521.32	3/4	3,730.67	3/4	3,939.90	3/4	4,148.35	3/4	4,353.15	3/4		3/4		3/4		3/4		3/4	
9	3,525.67	9	3,735.03	9	3,944.25	9	4,152.70	9	4,356.58	9		9		9		9		9	
1/4	3,530.03	1/4	3,739.39	1/4	3,948.59	1/4	4,157.04	1/4	4,358.82	1/4		1/4		1/4		1/4		1/4	
1/2	3,534.39	1/2	3,743.76	1/2	3,952.93	1/2	4,161.38	1/2	4,361.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,538.75	3/4	3,748.12	3/4	3,957.27	3/4	4,165.72	3/4	4,363.30	3/4		3/4		3/4		3/4		3/4	
10	3,543.11	10	3,752.48	10	3,961.62	10	4,170.07	10	4,365.54	10		10		10		10		10	
1/4	3,547.47	1/4	3,756.84	1/4	3,965.96	1/4	4,174.41	1/4	4,367.24	1/4		1/4		1/4		1/4		1/4	
1/2	3,551.84	1/2	3,761.20	1/2	3,970.30	1/2	4,178.75	1/2	4,368.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,556.20	3/4	3,765.56	3/4	3,974.64	3/4	4,183.09	3/4	4,370.65	3/4		3/4		3/4		3/4		3/4	
11	3,560.56	11	3,769.93	11	3,978.99	11	4,187.44	11	4,372.35	11		11		11		11		11	
1/4	3,564.92	1/4	3,774.29	1/4	3,983.33	1/4	4,191.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,569.28	1/2	3,778.65	1/2	3,987.67	1/2	4,196.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,573.65	3/4	3,783.01	3/4	3,992.02	3/4	4,200.46	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/10/2021 CL
CALCULATED: 11/10/2021 CL
PRINTED: 11/11/2021 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021



BARGE "NGL 3026"

3 STBD

INNAGE TABLE

HERMETIC

GAUGE HEIGHT 16'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	14.61	0	322.85	0	664.83	0	1,006.45	0	1,348.30	0	1,690.28	0	2,032.27	0	2,374.26	0	2,715.98	0	3,057.09
1/4	19.07	1/4	329.97	1/4	671.95	1/4	1,013.56	1/4	1,355.42	1/4	1,697.41	1/4	2,039.39	1/4	2,381.38	1/4	2,723.08	1/4	3,064.20
1/2	23.52	1/2	337.10	1/2	679.08	1/2	1,020.67	1/2	1,362.55	1/2	1,704.53	1/2	2,046.52	1/2	2,388.51	1/2	2,730.19	1/2	3,071.31
3/4	27.97	3/4	344.22	3/4	686.20	3/4	1,027.78	3/4	1,369.67	3/4	1,711.66	3/4	2,053.64	3/4	2,395.63	3/4	2,737.30	3/4	3,078.41
1	32.42	1	351.35	1	693.32	1	1,034.89	1	1,376.80	1	1,718.78	1	2,060.77	1	2,402.75	1	2,744.40	1	3,085.52
1/4	38.66	1/4	358.47	1/4	700.45	1/4	1,042.00	1/4	1,383.92	1/4	1,725.91	1/4	2,067.89	1/4	2,409.88	1/4	2,751.51	1/4	3,092.63
1/2	44.89	1/2	365.60	1/2	707.57	1/2	1,049.11	1/2	1,391.05	1/2	1,733.03	1/2	2,075.02	1/2	2,417.00	1/2	2,758.62	1/2	3,099.73
3/4	51.12	3/4	372.72	3/4	714.70	3/4	1,056.22	3/4	1,398.17	3/4	1,740.16	3/4	2,082.14	3/4	2,424.13	3/4	2,765.72	3/4	3,106.84
2	57.36	2	379.85	2	721.82	2	1,063.33	2	1,405.30	2	1,747.28	2	2,089.27	2	2,431.25	2	2,772.83	2	3,113.95
1/4	64.44	1/4	386.97	1/4	728.95	1/4	1,070.45	1/4	1,412.42	1/4	1,754.41	1/4	2,096.39	1/4	2,438.38	1/4	2,779.94	1/4	3,121.03
1/2	71.53	1/2	394.10	1/2	736.07	1/2	1,077.57	1/2	1,419.55	1/2	1,761.53	1/2	2,103.52	1/2	2,445.50	1/2	2,787.04	1/2	3,128.12
3/4	78.62	3/4	401.22	3/4	743.20	3/4	1,084.69	3/4	1,426.67	3/4	1,768.66	3/4	2,110.64	3/4	2,452.63	3/4	2,794.15	3/4	3,135.21
3	85.71	3	408.34	3	750.32	3	1,091.81	3	1,433.80	3	1,775.78	3	2,117.77	3	2,459.75	3	2,801.25	3	3,142.30
1/4	92.82	1/4	415.47	1/4	757.44	1/4	1,098.93	1/4	1,440.92	1/4	1,782.91	1/4	2,124.89	1/4	2,466.88	1/4	2,808.36	1/4	3,149.39
1/2	99.94	1/2	422.59	1/2	764.57	1/2	1,106.06	1/2	1,448.04	1/2	1,790.03	1/2	2,132.02	1/2	2,474.00	1/2	2,815.47	1/2	3,156.48
3/4	107.05	3/4	429.72	3/4	771.69	3/4	1,113.18	3/4	1,455.17	3/4	1,797.16	3/4	2,139.14	3/4	2,481.13	3/4	2,822.57	3/4	3,163.57
4	114.16	4	436.84	4	778.82	4	1,120.31	4	1,462.29	4	1,804.28	4	2,146.27	4	2,488.25	4	2,829.68	4	3,170.66
1/4	121.29	1/4	443.97	1/4	785.94	1/4	1,127.43	1/4	1,469.42	1/4	1,811.40	1/4	2,153.39	1/4	2,495.38	1/4	2,836.79	1/4	3,177.75
1/2	128.41	1/2	451.09	1/2	793.07	1/2	1,134.56	1/2	1,476.54	1/2	1,818.53	1/2	2,160.51	1/2	2,502.50	1/2	2,843.89	1/2	3,184.84
3/4	135.53	3/4	458.22	3/4	800.19	3/4	1,141.68	3/4	1,483.67	3/4	1,825.65	3/4	2,167.64	3/4	2,509.63	3/4	2,851.00	3/4	3,191.93
5	142.66	5	465.34	5	807.32	5	1,148.81	5	1,490.79	5	1,832.78	5	2,174.76	5	2,516.76	5	2,858.11	5	3,199.02
1/4	149.78	1/4	472.46	1/4	814.44	1/4	1,155.93	1/4	1,497.92	1/4	1,839.90	1/4	2,181.89	1/4	2,523.88	1/4	2,865.21	1/4	3,206.10
1/2	156.91	1/2	479.59	1/2	821.55	1/2	1,163.06	1/2	1,505.04	1/2	1,847.03	1/2	2,189.01	1/2	2,531.01	1/2	2,872.32	1/2	3,213.19
3/4	164.03	3/4	486.71	3/4	828.67	3/4	1,170.18	3/4	1,512.17	3/4	1,854.15	3/4	2,196.14	3/4	2,538.13	3/4	2,879.43	3/4	3,220.28
6	171.16	6	493.84	6	835.79	6	1,177.31	6	1,519.29	6	1,861.28	6	2,203.26	6	2,545.26	6	2,886.53	6	3,227.37
1/4	177.67	1/4	500.96	1/4	842.90	1/4	1,184.43	1/4	1,526.42	1/4	1,868.40	1/4	2,210.39	1/4	2,552.39	1/4	2,893.64	1/4	3,234.46
1/2	184.19	1/2	508.09	1/2	850.01	1/2	1,191.56	1/2	1,533.54	1/2	1,875.53	1/2	2,217.51	1/2	2,559.51	1/2	2,900.75	1/2	3,241.55
3/4	190.71	3/4	515.21	3/4	857.12	3/4	1,198.68	3/4	1,540.67	3/4	1,882.65	3/4	2,224.64	3/4	2,566.64	3/4	2,907.85	3/4	3,248.64
7	197.22	7	522.34	7	864.23	7	1,205.80	7	1,547.79	7	1,889.78	7	2,231.76	7	2,573.77	7	2,914.96	7	3,255.73
1/4	203.45	1/4	529.46	1/4	871.35	1/4	1,212.93	1/4	1,554.92	1/4	1,896.90	1/4	2,238.89	1/4	2,580.89	1/4	2,922.07	1/4	3,262.82
1/2	209.67	1/2	536.59	1/2	878.46	1/2	1,220.05	1/2	1,562.04	1/2	1,904.03	1/2	2,246.01	1/2	2,588.02	1/2	2,929.17	1/2	3,269.91
3/4	215.89	3/4	543.71	3/4	885.57	3/4	1,227.18	3/4	1,569.16	3/4	1,911.15	3/4	2,253.14	3/4	2,595.14	3/4	2,936.28	3/4	3,277.00
8	222.11	8	550.83	8	892.68	8	1,234.30	8	1,576.29	8	1,918.27	8	2,260.26	8	2,602.27	8	2,943.39	8	3,284.09
1/4	228.34	1/4	557.96	1/4	899.79	1/4	1,241.43	1/4	1,583.41	1/4	1,925.40	1/4	2,267.39	1/4	2,609.38	1/4	2,950.49	1/4	3,291.18
1/2	234.56	1/2	565.08	1/2	906.90	1/2	1,248.55	1/2	1,590.54	1/2	1,932.52	1/2	2,274.51	1/2	2,616.48	1/2	2,957.60	1/2	3,298.26
3/4	240.78	3/4	572.21	3/4	914.01	3/4	1,255.68	3/4	1,597.66	3/4	1,939.65	3/4	2,281.63	3/4	2,623.59	3/4	2,964.71	3/4	3,305.35
9	247.00	9	579.33	9	921.12	9	1,262.80	9	1,604.79	9	1,946.77	9	2,288.76	9	2,630.70	9	2,971.81	9	3,312.44
1/4	253.23	1/4	586.46	1/4	928.23	1/4	1,269.93	1/4	1,611.91	1/4	1,953.90	1/4	2,295.88	1/4	2,637.80	1/4	2,978.92	1/4	3,319.53
1/2	259.45	1/2	593.58	1/2	935.34	1/2	1,277.05	1/2	1,619.04	1/2	1,961.02	1/2	2,303.01	1/2	2,644.91	1/2	2,986.03	1/2	3,326.62
3/4	265.67	3/4	600.71	3/4	942.45	3/4	1,284.18	3/4	1,626.16	3/4	1,968.15	3/4	2,310.13	3/4	2,652.02	3/4	2,993.13	3/4	3,333.71
10	271.89	10	607.83	10	949.56	10	1,291.30	10	1,633.29	10	1,975.27	10	2,317.26	10	2,659.12	10	3,000.24	10	3,340.80
1/4	278.11	1/4	614.95	1/4	956.67	1/4	1,298.43	1/4	1,640.41	1/4	1,982.40	1/4	2,324.38	1/4	2,666.23	1/4	3,007.35	1/4	3,347.89
1/2	284.34	1/2	622.08	1/2	963.78	1/2	1,305.55	1/2	1,647.54	1/2	1,989.52	1/2	2,331.51	1/2	2,673.34	1/2	3,014.45	1/2	3,349.47
3/4	290.56	3/4	629.20	3/4	970.89	3/4	1,312.68	3/4	1,654.66	3/4	1,996.65	3/4	2,338.63	3/4	2,680.44	3/4	3,021.56	3/4	3,353.80
11	296.78	11	636.33	11	978.01	11	1,319.80	11	1,661.79	11	2,003.77	11	2,345.76	11	2,687.55	11	3,028.67	11	3,358.13
1/4	303.30	1/4	643.45	1/4	985.12	1/4	1,326.92	1/4	1,668.91	1/4	2,010.90	1/4	2,352.88	1/4	2,694.66	1/4	3,035.77	1/4	3,362.47
1/2	309.82	1/2	650.58	1/2	992.23	1/2	1,334.05	1/2	1,676.04	1/2	2,018.02	1/2	2,360.01	1/2	2,701.76	1/2	3,042.88	1/2	3,366.80
3/4	316.33	3/4	657.70	3/4	999.34	3/4	1,341.17	3/4	1,683.16	3/4	2,025.15	3/4	2,367.13	3/4	2,708.87	3/4	3,049.99	3/4	3,371.14

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP LIP OF 2" HERMETIC VALVE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-06" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "NGL 3026"

3 STBD

INNAGE TABLE

HERMETIC

GAUGE HEIGHT 16'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,375.47	0	3,585.21	0	3,794.94	0	4,004.30	0	4,213.12	0		0		0		0		0	
1/4	3,379.84	1/4	3,589.57	1/4	3,799.31	1/4	4,008.65	1/4	4,217.47	1/4		1/4		1/4		1/4		1/4	
1/2	3,384.21	1/2	3,593.94	1/2	3,803.68	1/2	4,013.00	1/2	4,221.82	1/2		1/2		1/2		1/2		1/2	
3/4	3,388.58	3/4	3,598.31	3/4	3,808.05	3/4	4,017.35	3/4	4,226.17	3/4		3/4		3/4		3/4		3/4	
1	3,392.95	1	3,602.68	1	3,812.42	1	4,021.70	1	4,230.52	1		1		1		1		1	
1/4	3,397.32	1/4	3,607.05	1/4	3,816.79	1/4	4,026.05	1/4	4,234.87	1/4		1/4		1/4		1/4		1/4	
1/2	3,401.69	1/2	3,611.42	1/2	3,821.16	1/2	4,030.40	1/2	4,239.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,406.06	3/4	3,615.79	3/4	3,825.53	3/4	4,034.75	3/4	4,243.57	3/4		3/4		3/4		3/4		3/4	
2	3,410.43	2	3,620.16	2	3,829.90	2	4,039.10	2	4,247.93	2		2		2		2		2	
1/4	3,414.79	1/4	3,624.53	1/4	3,834.27	1/4	4,043.45	1/4	4,252.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,419.16	1/2	3,628.90	1/2	3,838.64	1/2	4,047.80	1/2	4,256.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,423.53	3/4	3,633.27	3/4	3,843.01	3/4	4,052.15	3/4	4,260.98	3/4		3/4		3/4		3/4		3/4	
3	3,427.90	3	3,637.64	3	3,847.38	3	4,056.50	3	4,265.33	3		3		3		3		3	
1/4	3,432.27	1/4	3,642.01	1/4	3,851.74	1/4	4,060.85	1/4	4,269.65	1/4		1/4		1/4		1/4		1/4	
1/2	3,436.64	1/2	3,646.38	1/2	3,856.11	1/2	4,065.20	1/2	4,273.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,441.01	3/4	3,650.75	3/4	3,860.48	3/4	4,069.55	3/4	4,278.30	3/4		3/4		3/4		3/4		3/4	
4	3,445.38	4	3,655.12	4	3,864.85	4	4,073.91	4	4,282.62	4		4		4		4		4	
1/4	3,449.75	1/4	3,659.49	1/4	3,869.22	1/4	4,078.26	1/4	4,286.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,454.12	1/2	3,663.86	1/2	3,873.59	1/2	4,082.61	1/2	4,291.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,458.49	3/4	3,668.23	3/4	3,877.96	3/4	4,086.96	3/4	4,295.59	3/4		3/4		3/4		3/4		3/4	
5	3,462.86	5	3,672.60	5	3,882.33	5	4,091.31	5	4,299.91	5		5		5		5		5	
1/4	3,467.23	1/4	3,676.96	1/4	3,886.70	1/4	4,095.66	1/4	4,304.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,471.60	1/2	3,681.33	1/2	3,891.07	1/2	4,100.01	1/2	4,308.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,475.97	3/4	3,685.70	3/4	3,895.44	3/4	4,104.36	3/4	4,312.87	3/4		3/4		3/4		3/4		3/4	
6	3,480.34	6	3,690.07	6	3,899.81	6	4,108.71	6	4,317.19	6		6		6		6		6	
1/4	3,484.71	1/4	3,694.44	1/4	3,904.18	1/4	4,113.06	1/4	4,321.50	1/4		1/4		1/4		1/4		1/4	
1/2	3,489.08	1/2	3,698.81	1/2	3,908.55	1/2	4,117.41	1/2	4,325.80	1/2		1/2		1/2		1/2		1/2	
3/4	3,493.45	3/4	3,703.18	3/4	3,912.92	3/4	4,121.76	3/4	4,330.11	3/4		3/4		3/4		3/4		3/4	
7	3,497.82	7	3,707.55	7	3,917.29	7	4,126.11	7	4,334.42	7		7		7		7		7	
1/4	3,502.18	1/4	3,711.92	1/4	3,921.64	1/4	4,130.46	1/4	4,338.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,506.55	1/2	3,716.29	1/2	3,925.99	1/2	4,134.81	1/2	4,342.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,510.92	3/4	3,720.66	3/4	3,930.34	3/4	4,139.16	3/4	4,347.18	3/4		3/4		3/4		3/4		3/4	
8	3,515.29	8	3,725.03	8	3,934.69	8	4,143.51	8	4,351.44	8		8		8		8		8	
1/4	3,519.66	1/4	3,729.40	1/4	3,939.04	1/4	4,147.86	1/4	4,354.87	1/4		1/4		1/4		1/4		1/4	
1/2	3,524.03	1/2	3,733.77	1/2	3,943.39	1/2	4,152.21	1/2	4,358.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,528.40	3/4	3,738.14	3/4	3,947.74	3/4	4,156.56	3/4	4,361.74	3/4		3/4		3/4		3/4		3/4	
9	3,532.77	9	3,742.51	9	3,952.09	9	4,160.92	9	4,365.17	9		9		9		9		9	
1/4	3,537.14	1/4	3,746.88	1/4	3,956.44	1/4	4,165.27	1/4	4,367.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,541.51	1/2	3,751.25	1/2	3,960.79	1/2	4,169.62	1/2	4,369.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,545.88	3/4	3,755.62	3/4	3,965.14	3/4	4,173.97	3/4	4,371.90	3/4		3/4		3/4		3/4		3/4	
10	3,550.25	10	3,759.99	10	3,969.49	10	4,178.32	10	4,374.15	10		10		10		10		10	
1/4	3,554.62	1/4	3,764.35	1/4	3,973.84	1/4	4,182.67	1/4	4,375.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,558.99	1/2	3,768.72	1/2	3,978.19	1/2	4,187.02	1/2	4,377.56	1/2		1/2		1/2		1/2		1/2	
3/4	3,563.36	3/4	3,773.09	3/4	3,982.54	3/4	4,191.37	3/4	4,379.27	3/4		3/4		3/4		3/4		3/4	
11	3,567.73	11	3,777.46	11	3,986.90	11	4,195.72	11	4,380.98	11		11		11		11		11	
1/4	3,572.10	1/4	3,781.83	1/4	3,991.25	1/4	4,200.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,576.47	1/2	3,786.20	1/2	3,995.60	1/2	4,204.42	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,580.84	3/4	3,790.57	3/4	3,999.95	3/4	4,208.77	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/10/2021 CL
CALCULATED: 11/10/2021 CL
PRINTED: 11/11/2021 JS

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2021